

FIGURE 1

GGGGCTTCGGCGCCAGCGGCCAGCGCTAGTCGGTCTGGTAAGGATTTACAAAAGGTGCAGGTATG
AGCAGGTCTGAAGACTAACATTTTGTGAAGTTGTAAACAGAAAACCTGTTAGAAATGTTGGTGGT
TTCAGCAAGGCCTCAGTTTCCTTCCTTCAGCCCTTGTAATTTGGACATCTGCTGCTTTTCATATTT
TCATACATTACTGCAGTAACACTCCACCATATAGACCCGGCTTTACCTTATATCAGTGACACTGG
TACAGTAGCTCCAGAAAAATGCTTATTTGGGGCAATGCTAAATATTGCGGCAGTTTTATGCATTG
CTACCATTTATGTTTCGTTATAAGCAAGTTCATGCTCTGAGTCCTGAAGAGAACGTTATCATCAAA
TTAAACAAGGCTGGCCTTGACTTGGAACTAGAGTTGTTTAGGACTTTCTATTGTGGCAAACCTT
CCAGAAAACAACCCCTTTTGGCTGCACATGTAAGTGGAGCTGTGCTTACCTTTGGTATGGGCTCAT
TATATATGTTTGTTCAGACCATCCTTTCCCTACCAAATGCAGCCCAAAATCCATGGCAAACAAGTC
TTCTGGATCAGACTGTTGTTGGTTATCTGGTGTGGAGTAAGTGCACCTTAGCATGCTGACTTGCTC
ATCAGTTTTGCACAGTGGCAATTTTGGGACTGATTTAGAACAGAACTCCATTGGAACCCCGAGG
ACAAAGGTTATGTGCTTCACATGATCACTACTGCAGCAGAATGGTCTATGTCAATTTTCCTTCTTT
GGTTTTTTCCTGACTTACATTCGTGATTTTCAGAAAATTTCTTTACGGGTGGAAGCCAATTTACA
TGGATTAACCCTCTATGACACTGCACCTTGCCCTATTAACAATGAACGAACACGGCTACTTTCCA
GAGATATTTGATGAAAGGATAAAATATTTCTGTAATGATTATGATTCTCAGGGATTGGGGAAAGG
TTCACAGAAGTTGCTTATTTCTCTCTGAAATTTTCAACCACTTAATCAAGGCTGACAGTAACACT
GATGAATGCTGATAATCAGGAAACATGAAAGAAGCCATTTGATAGATTATTCTAAAGGATATCAT
CAAGAAGACTATTAAAAACACCTATGCCATACTTTTTTATCTCAGAAAATAAAGTCAAAAGACT
ATG

FIGURE 2

<subunit 1 of 1, 266 aa, 1 stop

<MW: 29766, pI: 8.39, NX(S/T): 0

MWWFQQGLSFLPSALVIWTSAAFIFSITAVTLHHIDPALPYISDTGTVAPEKCLFGAMLNIAAV
LCIATIIYVRYKQVHALSPEENVIIKLNKAGLVLGILSCLGLSIVANFQKTTLFAAHVSGAVLTFG
MGSLYMFVQTILSYQMOPKIHGKQVFWIRLLLVICWGSALSMLTCSSVLHSGNFGTDLEQKLHW
NPEDKGYVLHMITTAAEWSMSFSFFGFFLTYYIRDFQKISLRVEANLHGLTLYDTAPCPINNERTR
LLSRDI

Important features:

Type II transmembrane domain:

amino acids 13-33

Other Transmembrane domains:

amino acids 54-73, 94-113, 160-180, 122-141

N-myristoylation sites.

amino acids 57-63, 95-101, 99-105, 124-130, 183-189

FIGURE 3

CGGACGCGTGGGCGGACGCGTGGGGGAGAGCCGAGTCCCGGCTGCAGCACCTGGGAGAAGGCAGACC
GTGTGAGGGGGCCTGTGGCCCAGCGTGTGTGGCCTCGGGGAGTGGGAAGTGGAGGCAGGAGCCTTC
CTTACACTTCGCCATGAGTTTCCTCATCGACTCCAGCATCATGATTACCTCCCAGATACTATTTTTTG
GATTTGGGTGGCTTTTCTTCATGCGCCAATTGTTAAAGACTATGAGATACGTCAGTATGTTGTACAG
GTGATCTTCTCCGTGACGTTTGCATTTTCTTGACCATGTTTGAGCTCATCATCTTTGAAATCTTAGG
AGTATTGAATAGCAGCTCCCGTTATTTTCACTGGAAAATGAACCTGTGTGTAATCTGCTGATCCTGG
TTTTCATGGTGCCTTTTACATTGGCTATTTTATTGTGAGCAATATCCGACTACTGCATAAACAACGA
CTGCTTTTTTCTGTCTCTTATGGCTGACCTTTATGTATTTCTTCTGGAACTAGGAGATCCCTTTCC
CATCTCAGCCCAAAACATGGGATCTTATCCATAGAACAGCTCATCAGCCGGGTGGTGTGATTGGAG
TGACTCTCATGGCTCTTCTTTGATTGGTGTGTCAACTGCCCATACACTTACATGTCTTACTTC
CTCAGGAATGTGACTGACACGGATATTCTAGCCCTGGAACGGCGACTGTGCAAACCATGGATATGAT
CATAAGCAAAAAGAAAAGGATGGCAATGGCACGGAGAACAATGTTCCAGAAGGGGGAAGTGCATAACA
AACCATCAGGTTTCTGGGGAATGATAAAAAGTGTACCACCTCAGCATCAGGAAGTGAATCTTACT
CTTATTCAACAGGAAGTGGATGCTTTGGAAGAATTAAGCAGGCAGCTTTTCTGGAAACAGCTGATCT
ATATGCTACCAAGGAGAGAATAGAATACTCCAAAACCTTCAAGGGGAAATATTTTAATTTTCTTGTT
ACTTTTTCTCTATTTACTGTGTTGGAAAATTTTCATGGCTACCATCAATATTGTTTTTGATCGAGTT
GGGAAAACGGATCCTGTCACAAGAGGCATTGAGATCACTGTGAATTATCTGGGAATCCAATTTGATGT
GAAGTTTGGTCCCAACACATTTCTTCATTCTTGTGGAATAATCATCGTCACATCCATCAGAGGAT
TGCTGATCACTCTTACCAAGTTCTTTTATGCCATCTCTAGCAGTAAGTCTCCAATGTCATTGTCTTG
CTATTAGCACAGATAATGGGCATGTACTTTGTCTCCTCTGTGCTGCTGATCCGAATGAGTATGCCTTT
AGAATACCGCACCATAATCACTGAAGTCCTTGGAGAACTGCAGTTCAACTTCTATCACCGTTGGTTTG
ATGTGATCTTCCTGGTCAGCGCTCTCTCTAGCATACTCTTCCTCTATTTGGCTCACAAACAGGCACCA
GAGAAGCAAATGGCACCTTGAACTTAAGCCTACTACAGACTGTTAGAGGCCAGTGGTTTCAAATTTA
GATATAAGAGGGGGGAAAAATGGAACCAGGCCTGACATTTTATAAAACAAACAAAATGCTATGGTAGC
ATTTTTCACCTTCATAGCATACTCCTTCCCCGTGAGGTGATACTATGACCATGAGTAGCATCAGCCAG
AACATGAGAGGGAGAATACTCAAGACAATACTCAGCAGAGAGCATCCCGTGTGGATATGAGGCTGG
TGTAGAGGCGGAGAGGAGCAAGAACTAAAGGTGAAAAATACACTGGAACCTCTGGGCAAGACATGT
CTATGGTAGCTGAGCCAAACACGTAGGATTTCCGTTTTAAGGTTTACATGGAAAAGGTTATAGCTTTG
CCTTGAGATTGACTCATTAATCAGAGACTGTAACAAAAAAGGGCGGCCGCG
ACTCTAGAGTCGACCTGCAGAAGCTTGGCCGCCATGGCCCAACTGTTTATTGCAGCTTATAATG

FIGURE 4

MSFLIDSSIMITSQILFFGFGWLFFMRQLFKDYEIRQYVVQVIFSVTFAFSCTMFELIIFEILGV
LNSSSRYPFWKMNLCVILLILVFMVPFYIGYFIVSNIRLLHKQRLLEFSCLLWLTFMYFFWKLGBP
FPILSPKHGILSIEQLISRVGIVIGVTLMALLSGFGAVNCPYTYMSYFLRNVTDTDILALERLLQ
TMDMIISKKKRMAMARRTMFQKGEVHNKPSGFWGMIKSVTTSASGSENLTLIQQEVDLEELSRQ
LFLETADLYATKERIEYSKTFKGKYFNFLGYFFSIYCVWKIFMATINIVFDRVGKTDVTRGIEI
TVNYLGIQFDVKFWSQHISFILVGIIIVTSIRGLLITLTKFFYAISSSKSSNVIVLLLAQIMGY
FVSSVLLIRMSMPLEYRTIITEVLGELQFNFYHRWFDVIFLVSALSSILFLYLAHKQAPEKQMAP

Important features:

Signal peptide:

amino acids 1-23

Potential transmembrane domains:

amino acids 37-55, 81-102, 150-168, 288-311, 338-356, 375-398,
425-444

N-glycosylation sites.

amino acids 67-70, 180-183 and 243-246

Eukaryotic cobalamin-binding proteins

amino acids 151-160

FIGURE 5

AGCAGGGAAATCCGGATGTCTCGGTTATGAAGTGGAGCAGTGAGTGTGAGCCTCAACATAGTTCC
 AGAACTCTCCATCCGGACTAGTTATTGAGCATCTGCCTCTCATATCACCAGTGGCCATCTGAGGT
 GTTTCCTGGCTCTGAAGGGTAGGCACGATGGCCAGGTGCTTCAGCCTGGTGTGCTTCTCACT
 TCCATCTGACCACGAGGCTCCTGGTCCAAGGCTCTTTGCGTGCAGAAGAGCTTTCCATCCAGGT
 GTCATGCAGATTATGGGGATCACCCTTGTGAGCAAAAAGGCGAACCAGCAGCTGAATTTACAG
 AAGCTAAGGAGGCTGTAGGCTGCTGGGACTAAGTTTGCCGGCAAGGACCAAGTTGAAACAGCC
 TTGAAAGCTAGCTTTGAAACTTGCAGCTATGGCTGGGTGGGAGATGGATTTCGTGGTCTCTCTAG
 GATTAGCCCAACCCCAAGTGTGGGAAAAATGGGTGGGTGTCCTGATTGGAAGGTTCCAGTGA
 GCCGACAGTTTGCAGCCTATTGTTACAACCTCATCTGATACTTGGACTAAGTTCGTGCATTCCAGAA
 ATTATCACCACCAAAGATCCCATATTCAACACTCAAAGTGAACACAAACAACAGAAATTTATTGT
 CAGTGACAGTACCTACTCGGTGGCATCCCTTACTCTACAATACCTGCCCTACTACTACTCCTC
 CTGCTCCAGCTTCCACTTCTATTCCACGGAGAAAAAATTGATTTGTGTACAGAAAGTTTATG
 GAACTAGCACCATTGTCTACAGAACTGAACCATTTGTTGAAAATAAAGCAGCATTCAGAATGA
 AGCTGCTGGGTTTGGAGGTGTCCACCGGCTCTGCTAGTGCTTGCTCTCTCTTTGGTGTCTG
 CAGCTGGTCTTGGATTTTGCTATGTCAAAGGTATGTGAAGGCCTTCCCTTTTACAAACAAGAAT
 CAGCAGAAGGAAATGATCGAAACCAAAGTAGTAAAGGAGGAGAAGGCCAATGATAGCAACCCTAA
 TGAGGAATCAAAGAAAAGTGTATAAAAACCCAGAAGAGTCCAAGAGTCCAAGCAAACTACCGTGC
 GATGCCTGGAAGCTGAAGTTTAGATGAGACAGAAATGAGGAGACACACCTGAGGCTGGTTTCTTT
 CATGCTCCTTACCCTGCCCCAGCTGGGGAATCAAAGGGCCAAAGAACCAAGAAGAAAGTCCA
 CCCTTGGTTTCTTAAGTGAATCAGCTCAGGACTGCCATTGGACTATGGAGTGCACCAAGAGAAT
 GCCCTTCTCCTTATTGTAACCCGTCTGGATCCTATCCTCTACCTCCAAAGCTTCCCACGGCCT
 TTCTAGCCTGGCTATGTCTAATAATATCCCACTGGGAGAAAGGAGTTTGCAGAGTGAAGGAC
 CTAAACATCTCATCAGTATCCAGTGGTAAAGGCCTCCTGGCTGTCTGAGGCTAGGTGGGTTG
 AAAGCCAAGGAGTCACTGAGACCAAGGCTTTCTCTACTGATTCCGCAGCTCAGACCTTTCTTCA
 GCTCTGAAAGAGAAACACGTATCCACCTGACATGTCTTCTGAGCCCGGTAAGAGCAAAAGAAT
 GGCAGAAAAGTTTAGCCCTGAAAGCCATGGAGATTCTCATACTTGAACCTAATCTCTGTAAA
 GCTAAATAAAGAAATAGAACAAGGCTGAGGATACGACAGTACACTGTGACAGGGACTGTAAAC
 ACAGACAGGGTCAAAGTGTTTTCTCTGAACACATTGAGTTGGAATCACTGTTTAGAACACACACA
 CTTACTTTTCTGGTCTCTACCACTGCTGATATTTCTCTAGGAAATATACTTTTACAAGTAACA
 AAAATAAAAAGCTCTTATAAATTTCTATTTTATCTGAGTTACAGAAATGATTACTAAGGAAGATT
 ACTCAGTAATTTGTTTAAAAAGTAATAAAATTCACAAACATTGCTGAATAGCTACTATATGTC
 AAGTGCTGTGCAAGGTATTACACTCTGTAATTGAATATTATTCCTCAAAAAATTGCACATAGTAG
 AACGCTATCTGGGAAGCTATTTTTTTCAGTTTTGATATTTCTAGCTTATCTACTTCCAACTAAT
 TTTTATTTTGTGCTGAGACTAATCTTATTCATTTTCTCTAATATGGCAACCATTAACCTTAATT
 TATTATTACATACCTAAGAAGTACATTGTTACCTCTATATACCAAGCACATTTTAAAGTGCC
 ATTAACAAATGTATCACTAGCCCTCCTTTTCCAAAGAAGGGACTGAGAGATGCAGAAATATT
 TGTGACAAAAAATTAAAGCATTTAGAAAAGTT

FIGURE 6

MARCFSLVLLLTSIWTTTRLLVQGSLRAEELSIQVSCRIMGITLVSKKANQQLNFTEAKEACRLLG
LSLAGKDQVETALKASFETCSYGWVGDFVVISRISPNPKCGKNGVGVLWVPVSRQFAAYCYN
SSDTWTNSCIPEIITTKDPIENTQTATQTTEFIVSDSTYSVASPYSTIPAPTTTPPAPASTSIPR
RKKLICVTEVFMETSTMSTETEPFVENKAAFKNAAAGFGGVPTALLVLALLFFGAAAGLGFCYVK
RYVKAFPFTNKNQOKEMIETKVVKEEKANDSNPNNEESKKTDKNPESKSPSKTTVRCLEAEV

Signal sequence:

amino acids 1-16

Transmembrane domain:

amino acids 235-254

N-glycosylation site.

amino acids 53-57, 130-134, 289-293

Casein kinase II phosphorylation site.

amino acids 145-149, 214-218

Tyrosine kinase phosphorylation site.

amino acids 79-88

N-myristoylation site.

amino acids 23-29, 65-71, 234-240, 235-239, 249-255, 253-259

FIGURE 7

CGCCGCGCTCCCGCACCCGCGGCCCCGCCACCGCGCCGCTCCCGCATCTGCACCCGAGCCCGGC
GGCTCCCGGGCGGAGCGAGCAGATCCAGTCCGGCCCCGAGCGCAACTCGGTCCAGTCGGGGCGG
CGGCTGCGGGCGCAGAGCGGAGATGAGCGGCTTGGGGCCACCCTGCTGTGCCTGCTGTGGCGG
CGGCGGTCCCCACGGCCCCCGCGCCGCTCCGACGGCGACCTCGGCTCCAGTCAAGCCCGGCCG
GCTCTCAGCTACCCGAGGAGGAGGCCACCCTCAATGAGATGTTCCGCGAGGTTGAGGAACTGAT
GGAGGACACGCAGCACAAATTGCGCAGCGCGGTGGAAGAGATGGAGGCAGAAGAAGCTGCTGCTA
AAGCATCATCAGAAGTGAACCTGGCAAACCTTACCTCCAGCTATCACAATGAGACCAACACAGAC
ACGAAGGTTGGAAATAATACCATGTGCAACCGAGAAATTACAAGATAACCAACAACCAGAC
TGGACAAATGGTCTTTTCAGAGACAGTTATCACATCTGTGGGAGACGAAGAAGGCAGAAGGAGCC
ACGAGTGCATCATCGACGAGGACTGTGGGCCAGCATGTACTGCCAGTTTGCCAGCTTCCAGTAC
ACCTGCCAGCCATGCCGGGGCCAGAGGATGCTCTGCACCCGGGACAGTGAGTGCTGTGGAGACCA
GCTGTGTGTCTGGGGTCACTGCACCAAAATGGCCACCAGGGGCAGCAATGGGACCCTCTGTGACA
ACCAGAGGGACTGCCAGCCGGGGCTGTGCTGTGCCTTCCAGAGAGGCTGCTGTTCCCTGTGTGC
ACACCCTGCCCTGGAGGGCGAGCTTTGCCATGACCCCGCCAGCCGGCTTCTGGACCTCATCAC
CTGGGAGCTAGAGCTGATGGAGCCTTGGACCGATGCCCTTGTGCCAGTGGCCTCCTCTGCCAGC
CCCACAGCCACAGCTGGTGTATGTGTGCAAGCCGACCTTCGTGGGGAGCCGTGACCAAGATGGG
GAGATCCTGCTGCCAGAGAGGTCCCCGATGAGTATGAAGTTGGCAGCTTCATGGAGGAGGTGCG
CCAGGAGCTGGAGGACCTGGAGAGGAGCCTGACTGAAGAGATGGCGCTGGGGGAGCCTGCGGCTG
CCGCCGCTGCACTGCTGGGAGGGGAAGAGATTAGATCTGGACCAGGCTGTGGGTAGATGTGCAA
TAGAAATAGCTAATTTATTTCCCAGGTGTGTGCTTTAGGCGTGGGCTGACCAGGCTTCTTCCTA
CATCTTCTTCCAGTAAGTTTCCCTCTGGCTTGACAGCATGAGGTGTTGTGCACTTTGTCAGCT
CCCCAGGCTGTTCTCCAGGCTTACAGTCTGGTGCTTGGGAGAGTCAGGCAGGGTTAACTGCA
GGAGCAGTTTGCCACCCCTGTCCAGATTATTGGCTGCTTTGCCTCTACCAGTTGGCAGACAGCCG
TTTGTCTACATGGCTTTGATAATTGTTTGAGGGGAGGAGATGGAAACAATGTGGAGTCTCCCTC
TGATTGGTTTTGGGGAAATGTGGAGAAGAGTGCCCTGCTTTGCAAACATCAACCTGGCAAAAATG
CAACAAATGAATTTTCCACGCAGTTCTTCCATGGGCATAGGTAAGCTGTGCCTTCAGCTGTTGC
AGATGAAATGTTCTGTTACCCCTGCATTACATGTGTTTATTCATCCAGCAGTGTGTGCTCAGCTCC
TACCTCTGTGCCAGGGCAGCATTTTCATATCCAAGATCAATTCCCTCTCTCAGCACAGCTGGGG
AGGGGGTCATTGTTCTCCTCGTCCATCAGGGATCTCAGAGGCTCAGAGACTGCAAGCTGCTTGCC
CAAGTCACACAGCTAGTGAAGACCAGAGCAGTTTCATCTGGTTGTGACTCTAAGCTCAGTGCTCT
CTCCACTACCCACACACAGCCTTGGTGCCACCAAAAGTGCTCCCCAAAAGGAAGGAGAATGGGAT
TTTTCTTGAGGCATGCACATCTGGAATTAAGGTCAAATAATTCTCACATCCCTCTAAAGTAAA
CTACTGTTAGGAACAGCAGTGTCTCACAGTGTGGGCAGCCGTCTTCTAATGAAGACAATGAT
ATTGACACTGTCCCTCTTGGCAGTGCATTAGTAACCTTTGAAAGGTATATGACTGAGCGTAGCA
TACAGGTTAACCTGCAGAAACAGTACTTAGGTAATTGTAGGGCGAGGATTATAAATGAAATTTGC
AAAATCACTTAGCAGCAACTGAAGACAATTATCAACCACGTGGAGAAATCAAACCGAGCAGGGC
TGTGTGAAACATGGTTGTAATATGCGACTGCGAACACTGAACTCTACGCCACTCCACAAATGATG
TTTTCAGGTGTGATGGACTGTTGCCACCATGTATTCATCCAGAGTCTTAAAGTTTAAAGTTGCA
CATGATTGTATAAGCATGCTTTCTTTGAGTTTTAAATTATGTATAAACATAAGTTGCATTTAGAA
ATCAAGCATAAATCACTTCAACTGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 8

MQRLGATLLCLLLAAVPTAPAPAPTATSAPVKPGPALSYPQEEATLNEMFREVEELMEDTQHKL
RSAVEEMEAEEAAAKASSEVNLANLPPSYHNETNTDTKVGNNTIHVHREIHKITNNQTGQMVFSE
TVITSVGDEEGRRSHECIIDEDCGPSMYCQFASFQYTCQPCRQGRMLCTRDSECCGDQLCVWGHC
TKMATRGSNGTICDNQRDCQPGLCCAFQRGLLFPVCTPLPVEGELCHDPASRLLDLITWELEPDG
ALDRCPCASGLLCQPHSHSLVYVCKPTFVGSRDQDGEILLPREVPDEYEVGSFMEEVRQELEDLE
RSLTEEMALGEPAAAAAALLGGEI

Signal sequence:

amino acids 1-19

N-glycosylation site.

amino acids 96-100, 106-110, 121-125, 204-208

Casein kinase II phosphorylation site.

amino acids 46-50, 67-71, 98-102, 135-139, 206-210, 312-316,
327-331

N-myristoylation site.

amino acids 202-208, 217-223

Amidation site.

amino acids 140-144

FIGURE 9

CGGACGCGTGGGCGGACGCGTGGGGGCTGTGAGAAAGTGCCAATAAATACATCATGCAACCCAC
GGCCACCTTGTGAACTCCTCGTGCCAGGGCTGATGTGCGTCTTCCAGGGCTACTCATCCAAAG
GCCTAATCCAACGTTCTGTCTTCAATCTGCAAATCTATGGGGTCTGGGGCTCTTCTGGACCCTT
AACTGGGTACTGGCCCTGGGCAATGCGTCTCGCTGGAGCCTTTGCCTCCTTCTACTGGGCCTT
CCACAAGCCCCAGGACATCCCTACCTTCCCCTTAATCTCTGCCTTCATCCGCACACTCCGTTACC
ACACTGGGTCAATTGGCATTGGAGCCCTCATCCTGACCCTTGTGCAGATAGCCCGGGTCATCTTG
GAGTATATTGACCACAAGCTCAGAGGAGTGCAGAACCCTGTAGCCCGCTGCATCATGTGCTGTTT
CAAGTGCTGCCTCTGGTGTCTGGAAAAATTTATCAAGTTCCTAAACCGCAATGCATACATCATGA
TCGCCATCTACGGGAAGAATTTCTGTGTCTCAGCCAAAAATGCGTTCATGCTACTCATGCGAAAC
ATTGTCAGGGTGGTCTGTCCTGGACAAAGTACAGACCTGCTGCTGTTCTTTGGGAAGCTGCTGGT
GGTCGGAGGCGTGGGGGTCTGTCTTCTTTTTTTCTCCGGTCGCATCCCGGGGCTGGGTAAAG
ACTTTAAGAGCCCCACCTCAACTATTACTGGCTGCCCATCATGACCTCCATCCTGGGGGCTAT
GTCATCGCCAGCGCTTCTTCAGCGTTTTTCGGCATGTGTGTGGACACGCTCTTCCTCTGCTTCCT
GGAAGACCTGGAGCGGAACAACGGCTCCCTGGACCGGCCCTACTACATGTCCAAGAGCCTTCTAA
AGATTCTGGGCAAGAAGAACGAGGCGCCCCCGGACAACAAGAAGAGGAAGAAGTGACAGCTCCGG
CCCTGATCCAGGACTGCACCCACCCCCACCGTCCAGCCATCCAACCTCACTTCGCCTTACAGGT
CTCCATTTTGTGGTAAAAAAGGTTTTAGGCCAGGCGCCGTGGCTCACGCCTGTAATCCAACACT
TTGAGAGGCTGAGGCGGGCGGATCACCTGAGTCAGGAGTTCGAGACCAGCCTGGCCAACATGGTG
AAACCTCCGTCTCTATTAAAAATACAAAAATTAGCCGAGAGTGGTGGCATGCACCTGTCATCCCA
GCTACTCGGGAGGCTGAGGCAGGAGAATCGCTTGAACCCGGGAGGCAGAGGTTGCAGTGAGCCGA
GATCGCGCCACTGCACTCCAACCTGGGTGACAGACTCTGTCTCCAAAACAAAACAAACAAACAA
AAGATTTTATTAAAGATATTTTGTAACTC

FIGURE 10

RTRGRTRGGCEKVPINTSCNPTAHLVNSSCPGLMCVFQGYSSKGLIQRSVFNLQIYGVLGGLFWTL
NWVLALGQCVLGAFASFYWAFHKPQDIPTFPLISAFIRTLRYHTGSLAFGALILTLVQIARVIL
EYIDHKLRGVQNPVARCIMCCFKCCLWCLEKFIKFLNRNAYIMIAIYGKNFCVSAKNAFMLLMRN
IVRVVLDKVTDLLLFFGKLLVVGGVLSFFFFSGRIPGLGKDFKSPHLNYYWLPIMTSILGAY
VIASGFFSVFGMCVDTLFLCFLEDLERNNGSLDRPYMSKSLKILGKKNEAPPDNKKRKK

Important features:

Transmembrane domains:

amino acids 57-80 (type II), 110-126, 215-231, 254-274

N-glycosylation sites.

amino acids 16-20, 27-31, 289-293

Hypothetical YBR002c family proteins.

amino acids 276-288

Ammonium transporters proteins.

amino acids 204-231

N-myristoylation sites.

amino acids 60-66, 78-84

Amidation site.

amino acids 306-310

FIGURE 11

GCCCCGCGCCCGGCGCCGGGCGCCCGAAGCCGGGAGCCACCGCCATGGGGGCCTGCCTGGGAGCCTGC
TCCCTGCTCAGCTGCGCGTCCCTGCCTCTGCGGCTCTGCCCCCTGCATCCTGTGCAGCTGCTGCCCCGC
CAGCCGCAACTCCACCGTGAGCCGCTCATCTTCACGTTCTTCTCTTCTGCGGGTGTGGTGTCCA
TCATTATGCTGAGCCCGGCGTGGAGAGTCAGCTCTACAAGCTGCCCTGGGTGTGTGAGGAGGGGGCC
GGGATCCCCACCGTCTGCAGGGCCACATCGACTGTGGCTCCCTGCTTGGCTACCGCGCTGTCTACCG
CATGTGCTTCGCCACGGCGGCTTCTTCTTCTTCTTTTACCCCTGCTCATGCTCTGCGTGAGCAGCA
GCCGGGACCCCGGGTGCCATCCAGAATGGGTTTTGGTTCTTTAAGTTCCTGATCCTGGTGGGCCTC
ACCGTGGGTGCCTTCTACATCCCTGACGGCTCCTTCACCAACATCTGGTTCTACTTCGGCGTCTGTGG
CTCCTTCTCTTTCATCCTCATCCAGCTGGTGTGCTCATCGACTTTGCGCACTCCTGGAACCAGCGGT
GGCTGGGCAAGGCCGAGGAGTGCATTCCCGTGCCCTGGTACGCAGGCCTCTTCTTCTTCACTCTCCTC
TTCTACTTGCTGTGATCGCGGCGTGGCGCTGATGTTTCATGTACTACTGAGCCAGCGGCTGCCA
CGAGGGCAAGGTCTTCATCAGCCTCAACCTCACCTTCTGTGTCTGCGTGTCCATCGCTGCTGTCTGTC
CCAAGGTCCAGGACGCCAGCCCAACTCGGGTCTGCTGCAGGCCTCGGTATCACCTCTACACCATG
TTTGTACCTGGTCAGCCCTATCCAGTATCCCTGAACAGAAATGCAACCCCATTTGCCAACCCAGCT
GGGCAACGAGACAGTTGTGGCAGGCCCCGAGGGCTATGAGACCCAGTGGTGGGATGCCCCGAGCATTG
TGGGCCTCATCATCTTCTCCTGTGCACCTCTTCATCAGTCTGCGCTCCTCAGACCACCGGCAGGTG
AACAGCCTGATGCAGACCGAGGAGTGCCACCTATGCTAGACGCCACACAGCAGCAGCAGCAGG
GGCAGCCTGTGAGGGCCGGGCTTTGACAACGAGCAGGACGGCGTCACCTACAGCTACTCCTTCTTCC
ACTTCTGCCTGGTGTGGCCTCACTGCACGTCATGATGACGCTCACCAACTGGTACAAGCCCGGTGAG
ACCCGGAAGATGATCAGCACGTGGACCGCCGTGTGGGTGAAGATCTGTGCCAGCTGGGCAGGGCTGCT
CCTCTACCTGTGGACCCTGGTAGCCCCACTCCTCCTGCGCAACCGCGACTTCAGCTTGAGGCAGCCTCA
CAGCCTGCCATCTGGTGCCTCCTGCCACCTGGTGCCTCTCGGCTCGGTGACAGCCAACCTGCCCCCTC
CCCACACCAATCAGCCAGGCTGAGCCCCCACCCTGCCCCAGCTCCAGGACCTGCCCTGAGCCGGGC
CTTCTAGTCGTAGTGCTTCAGGGTCCGAGGAGCATCAGGCTCCTGCAGAGCCCCATCCCCCGCCAC
ACCCACACGGTGGAGCTGCCTCTTCTTCCCTCCTCCTGTTGCCATACTCAGCATCTCGGATGAA
AGGGCTCCCTTGTCTCAGGCTCCACGGGAGCGGGGCTGCTGGAGAGAGCGGGAACTCCACCACAG
TGGGGCATCCGGCACTGAAGCCCTGGTGTCTCTGGTCACGTCCCCCAGGGGACCCTGCCCCCTTCTG
GACTTCGTGCCTTACTGAGTCTCTAAGACTTTTTCTAATAACAAGCCAGTGCCTGTAAAAAAA

FIGURE 12

MGACLGACSLSCASCLCGSAPCILCSCCPASRNSTVSRIFTFFFLGLVLSIIMLSPGVESQL
YKLPWVCEEGAGIPTVLQGHIDCGSLLGYRAVYRMCFATAAFFFFFFTLMLCVSSSRDPRAAIQ
NGFWFFKFLILVGLTVGAIFYIPDGSFTNIWFYFGVVGSEFLFILIQLVLLIDFAHSWNQRWLKAE
ECDSRAWYAGLFFFTLLFYLLSIAAVALMEMYYTEPSGCHEGKVFISLNLTFVCVVSIAAVLPKV
QDAQPNSGLLQASVITLYTMFVTWSALSSIPEQKCNPHLPTQLGNETVVAGPEGYETQWWDAPSI
VGLIIFLLCTLFISLRSSDHRQVNSLMQTEECPPMLDATQQQQQQVAACEGRAFDNEQDGVITYSY
SFFHFCLVLASLHVMMTLTNWYKPGETRKMISTWTAVWVKICASWAGLLLYLWTLVAPLLLRNRD
FS

Signal sequence:

amino acids 1-20

Transmembrane domains:

amino acids 40-58, 101-116, 134-150, 162-178, 206-223, 240-257,
272-283, 324-340, 391-406, 428-444

FIGURE 13

CGGGCCAGCCTGGGGCGGCCGCCAGGAACCAACCCGTTAAGGTGTCTTCTCTTTAGGGATGGTGA
GGTTGAAAAAGACTCCTGTAACCTCCTCCAGGATGAACCACTGCCAGAAGACATGGAGAACG
CTCTCACC GGAGCCAGAGCTCCCATGCTTCTCTGCGCAATATCCATTCCATCAACCCACACAA
CTCATGGCCAGGATTGAGTCTATGAAGGAAGGGAAAAGAAAGGCATATCTGATGTCAGGAGGAC
TTTCTGTTTGTGTCACCTTTGACCTCTTATTTCGTAACATTACTGTGGATAATAGAGTTAAATG
TGAATGGAGGCATTGAGAACACATTAGAGAAGGAGGTGATGCAGTATGACTACTATTCTTCATAT
TTTGATATATTTCTTCTGGCAGTTTTTCGATTTAAAGTGTTAATACTTG CATATGCTGTGTGCAG
ACTGCGCCATTGGTGGGCAATAGCGTTGACAACGGCAGTGACCAGTGCCTTTTTACTAGCAAAAG
TGATCCTTTTGAAGCTTTTCTCTCAAGGGGCTTTTGGCTATGTGCTGCCCATCATTTTCATTTCATC
CTTGCTGGATTGAGACGTGGTTCTGATTTCAAAGTGTTACCTCAAGAAGCAGAAGAAGAAAA
CAGACTCCTGATAGTTT CAGGATGCTTCAGAGAGGGCAGCACTTATACCTGGTGGTCTTTCTGATG
GTCAGTTTTATTCCCTCCTGAATCCGAAGCAGGATCTGAAGAAGCTGAAGAAAAACAGGACAGT
GAGAAACCACTTTTAGAACTATGAGTACTACTTTTGTAAATGTGAAAAACCTCACAGAAAGTC
ATCGAGGCAAAAAGAGGCAGGCAGTGGAGTCTCCCTGTCGACAGTAAAGTTGAAATGGTGACGTC
CACTGCTGGCTTTATTGAACAGCTAATAAAGATTTATTTATTGTAATACCTCACAAACGTTGTAC
CATATCCATGCACATTTAGTTGCCTGCCTGTGGCTGGTAAGGTAATGTCATGATTCATCCTCTCT
TCAGTGAGACTGAGCCTGATGTGTTAACAAATAGGTGAAGAAAGTCTTGTGCTGTATTCTTAATC
AAAAGACTTAATATATTGAAGTAACACTTTTTTAGTAAGCAAGATACCTTTTTATTTCATTCAC
AGAATGGAATTTTTTTGTTTCATGTCTCAGATTTATTTGTATTTCTTTTTTAACACTCTACATT
TCCCTTGTTTTTTAACTCATGCACATGTGCTCTTTGTACAGTTTTAAAAAGTGTAATAAAATCTG
ACATGTCAATGTGGCTAGTTTTATTTTCTTGTGTTTGCATTATGTGTATGGCCTGAAGTGTGGA
CTTGCAAAAGGGGAAGAAAGGAATTGCGAATACATGTAAATGTCACCAGACATTTGTATTATTT
TTATCATGAAATCATGTTTTTCTCTGATTGTTCTGAAATGTTCTAAATACTCTTATTTTGAATGC
ACAAAATGACTTAAACCATT CATATCATGTTTCCTTTGCGTTCAGCCAATTTCAATTTAAATGAA
CTAAATTAAAAA

FIGURE 14

MNHLPEDMENALTGSQSSHASLRNIHSINPTQLMARIESYEGREKKGISDVRRTFCLFVTFDLLF
VTLLWIIELNVNGGIENTLEKEVMQYDYSSYFDIFLLAVFRFKVLILAYAVCRLRHWWAIALTT
AVTSAFLLAKVILSKLFSQGAFGYVLPIISFILAWIETWFLDFKVLQPQAEENRLLIVQDASER
AALIPGGLSDGQFYSPPESEAGSEEAEKQDSEKPLLEL

Important features of the protein:

Signal peptide:

amino acids 1-20

Transmembrane domains:

amino acids 54-72, 100-118, 130-144, 146-166

N-myristoylation sites.

amino acids 14-20, 78-84, 79-85, 202-208, 217-223

FIGURE 15

ACTCGAACGCAGTTGCTTCGGGACCCAGGACCCCTCGGGCCCCGACCCGCCAGGAAAGACTGAGG
 CCGCGGCCTGCCCCGCCCCGGCTCCCTGCGCCGCGCGCCCTCCCGGGACAGAAGATGTGCTCCAG
 GGTCCCTCTGCTGCTGCGCGTGTCTCTGCTACTGGCCCTGGGGCTGGGGTGCAGGGCTGCCCAT
 CCGGTGCGCAGTGACCCAGCCACAGACAGTCTTCTGCACTGCCCGCCAGGGGACCACGGTGCCC
 CGAGACGTGCCACCCGACACGGTGGGGCTGTACGTCTTTGAGAACGGCATCACCATGCTCGACGC
 AGGCAGCTTTGCGGGCTGCGGGGCTGCAGCTCCTGGACCTGTACAGAACCAGATCGCCAGCC
 TGCCCAGCGGGGTCTTCCAGCCACTCGCCAACCTCAGCAACCTGGACCTGACGGCCAACAGGCTG
 CATGAAATCACCAATGAGACCTTCCGTGGCCTGCGGGCGCCTCGAGCGCCTCTACCTGGGCAAGAA
 CCGCATCCGCCACATCCAGCCTGGTGCCTTCGACACGCTCGACCGCCTCCTGGAGCTCAAGCTGC
 AGGACAACGAGCTGCGGGCACTGCCCCCGCTGCGCCTGCCCCGCTGCTGCTGCTGGACCTCAGC
 CACAACAGCCTCCTGGCCCTGGAGCCCCGGCATCCTGGACACTGCCAACCTGGAGGCGCTGCGGCT
 GGCTGGTCTGGGGTGCAGCAGCTGGACGAGGGGCTCTTCAGCCGCTTGCAGAACCTCCACGACC
 TGGATGTGTCCGACAACCAGCTGGAGCGAGTGCCACCTGTGATCCGAGGCTCCGGGGCTGACG
 CGCCTGCGGCTGGCGGCAACACCCGCTTGGCCAGCTGCGGCCGAGGACCTGGCCGCGCTGGC
 TGCCCTGCAGGAGCTGGATGTGAGCAACCTAAGCCTGCAGGCCCTGCCTGGCGACCTCTCGGGCC
 TCTTCCCCCGCTGCGGCTGTGGCAGCTGCCCGCAACCCCTTCAACTGCGTGTGCCCCCTGAGC
 TGGTTTGGCCCCCTGGGTGCGCGAGAGCCACGTACACTGGCCAGCCCTGAGGAGACGCGCTGCCA
 CTTCCCGCCCCAAGAAGCCTGGCCGCTGCTCCTGGAGCTTGACTACGCCGACTTTGGCTGCCAG
 CCACCACCACACAGCCACAGTGGCCACCACGAGGCGCGTGGTGGGGAGCCACAGCCTTGTCT
 TCTAGCTTGGCTCCTACCTGGCTTAGCCCCACAGCGCCGCGCCACTGAGGCCCCAGCCCGCCCTC
 CACTGCCCCACCGACTGTAGGGCTGTCCCCAGCCCCAGGACTGCCACCGTCCACCTGCCTCA
 ATGGGGGCACATGCCACCTGGGGACACGGCACCACTGGCGTGTGTGCCCCGAAGGCTTCACG
 GGCTGTACTGTGAGAGCCAGATGGGGCAGGGGACACGGCCAGCCCTACACCACTACGCGGAG
 GCCACCACGGTCCCTGACCCTGGGCATCGAGCGGTGAGCCCCACCTCCCTGCGCGTGGGGCTGC
 AGCGCTACCTCCAGGGGAGCTCCGTGCAGCTCAGGAGCCTCCGTCTACCTATCGCAACCTATCG
 GGCCCTGATAAGCGGCTGGTGACGCTGCGACTGCCTGCCTCGCTCGCTGAGTACACGGTCACCCA
 GCTGCGGCCCCAACGCCACTTACTCCGTCTGTGTCATGCCTTTGGGGCCCGGGCGGGTGGCCGAGG
 GCGAGGAGGCTGCGGGGAGGCCCATACACCCCGAGCCGTCCACTCCAACCACGCCCCAGTCACC
 CAGGCCCGCGAGGGCAACCTGCCGCTCCTCATTGCGCCCGCCCTGGCCGCGGTGCTCCTGGCCGC
 GCTGGCTGCGGTGGGGGACGCTACTGTGTGCGGCGGGGGCGGGCCATGGCAGCAGCGGCTCAGG
 ACAAGGGCAGGTGGGGCCAGGGGCTGGGCCCTGGAACTGGAGGGAGTGAAGTCCCTTGGAG
 CCAGGCCCGAAGGCAACAGAGGGCGGTGGAGAGGCCCTGCCAGCGGTCTGAGTGTGAGGTGCC
 ACTCATGGGCTTCCAGGGCCTGGCCTCCAGTACCCCTCCACGCAAGCCCTACATCTAAGCCA
 GAGAGAGACAGGGCAGCTGGGGCCGGGCTCTCAGCCAGTGAGATGGCCAGCCCCCTCCTGCTGCC
 ACACCACGTAAGTTCTCAGTCCCAACCTCGGGGATGTGTGCAGACAGGGCTGTGTGACCACAGCT
 GGGCCCTGTTCCCTCTGGACCTCGGTCTCCTCATCTGTGAGATGCTGTGGCCAGCTGACGAGCC
 CTAACGTCCCCAGAACCAGTGCCTATGAGGACAGTGTCCGCCCTGCCCTCCGCAACGTGCAGTC
 CCTGGGCACGCGGGGCTGCCATGTGTGGTAACGCATGCCTGGGTCTGCTGGGCTCTCCAC
 TCCAGGCGGACCCTGGGGGCCAGTGAAGGAAGCTCCCGAAAGAGCAGAGGGAGAGCGGGTAGGC
 GGCTGTGTGACTCTAGTCTTGGCCCCAGGAAGCAAGGAACAAAAGAACTGGAAGGAAGATGC
 TTTAGGAACATGTTTTGCTTTTTTAAATATATATATTTATAAGAGATCCTTTCCATTATTCT
 GGGAAGATGTTTTCAAACCTCAGAGACAAGGACTTTGGTTTTTTGTAAGACAAACGATGATATGAA
 GGCCTTTTGTAAAGAAAAATAAAGATGAAGTGTGAAA

FIGURE 16

MCSRVP LLLPL LLL LALGPGVQGCPSGCQCSQPQT V FCTARQGT TVPRDVPPDTVGLYVFENGIT
MLDAGS FAGLPGLQLLDLSQNQIASLPSGVFQPLANLSNLDLTANRLHEITNETFRGLRRLERLY
LGKNRIRHIQPGAFDTLDRILLELKLQDNELRALPPLRLPRLLLDL SHNSLLALEPGILDTANVE
ALRLAGLGLQQLDEGLFSRLRNLDLDVSDNQLERVPPVIRGLRGLTRLRLAGNTRIAQLRPEDL
AGLAALQELDVSNLSLQALPGDLSGLFPRLRLAAARNPFNCVCPLSWFGPWVRESHVTLASPEE
TRCHFPPKNAGRLLLELDYADFGCPATTTTATVPTTRPVVREPTALSSSLAPTWLSPTAPATEAP
SPPSTAPPTVGPVPQPDCCPSTCLNGGTCHLGTRHHLACLCPEGFTGLYCESQMGQGRPSPTP
VTPRPPRS LTLGIEPVSPSTSLRVGLQRYLQGSSVQLRSLRLTYRNLSGPDKRLVTLRLPASLAEY
TVTQLRPNATYSVCVMP L GPGRVPEGEEACGEAHTPPAVHSNHAPVTQAREGNLPLLIAPALAAV
LLAALAAVGAAYCVRRRGRAMAAAAQDKGQVGPAGPLELEGVKVPLEPGPKATEGGGEALPSGSE
CEVPLMGFP GPGGLQSPLHAKPYI

Important features:

Signal peptide:

amino acids 1-23

Transmembrane domain:

amino acids 579-599

EGF-like domain cysteine pattern signature.

amino acids 430-442

Leucine zipper pattern.

amino acids 197-219, 269-291

N-glycosylation sites.

amino acids 101-105, 117-121, 273-277, 500-504, 528-532

Tyrosine kinase phosphorylation sites.

amino acids 124-131, 337-345

N-myristoylation sites.

amino acids 23-29, 27-33, 70-76, 142-148, 187-193, 348-354,
594-600, 640-646

FIGURE 17

GCAGCGGCGAGGCGGCGGTGGTGGCTGAGTCCGTGGTGGCAGAGGCGAAGGCGACAGCTCATGCG
GGTCCGGATAGGGCTGACGCTGCTGCTGTGTGCGGTGCTGCTGAGCTTGGCCTCGGCGTCTCGG
ATGAAGAAGGCAGCCAGGATGAATCCTTAGATTCCAAGACTACTTTGACATCAGATGAGTCAGTA
AAGGACCATACTACTGCAGGCAGAGTAGTTGCTGGTCAAATATTTCTTGATTGAGAAGAATCTGA
ATTAGAATCCTCTATTCAAGAAGAGGAAGACAGCCTCAAGAGCCAAGAGGGGAAAGTGTACAG
AAGATATCAGCTTTCTAGAGTCTCCAAATCCAGAAAACAAGGACTATGAAGAGCCAAGAAAGTA
CGGAAACCAGCTTTGACCGCCATTGAAGGCACAGCACATGGGGAGCCCTGCCACTTCCCTTTTCT
TTTCTTAGATAAGGAGTATGATGAATGTACATCAGATGGGAGGGAAGATGGCAGACTGTGGTGTG
CTACAACCTATGACTACAAAGCAGATGAAAAGTGGGGCTTTTGTGAAACTGAAGAAGAGGCTGCT
AAGAGACGGCAGATGCAGGAAGCAGAAATGATGTATCAAACCTGGAATGAAAATCCTTAATGGAAG
CAATAAGAAAAGCCAAAAAGAGAAGCATATCGGTATCTCCAAAAGGCAGCAAGCATGAACCATA
CCAAAGCCCTGGAGAGAGTGTCTATGCTCTTTTATTTGGTGATTACTTGCCACAGAAATATCCAG
GCAGCGAGAGAGATGTTTGAAGCTGACTGAGGAAGGCTCTCCCAAGGGACAGACTGCTCTTGG
CTTTCTGTATGCCCTCTGGACTTGGTGTTAATTCAAGTCAGGCAAAGGCTCTTGTATATTATACAT
TTGGAGCTCTTGGGGCAATCTAATAGCCCACATGGTTTTGGTAAGTAGACTTTTAGTGGAAGGCT
AATAATATTAACATCAGAAGAATTTGTGGTTTTATAGCGGCCACAACTTTTTCAGCTTTCATGATC
CAGATTTGCTTGTATTAAGACCAATATTCAGTTGAACCTCCTTCAAATCTTGTTAATGGATAT
AACACATGGAATCTACATGTAAATGAAAGTTGGTGGAGTCCACAATTTTTCTTTAAATGATTAG
TTTGGCTGATTGCCCCATAAAAGAGAGATCTGATAAATGGCTCTTTTTAAATTTTCTCTGAGTTG
GAATTGTCAGAATCATTTTTTACATTAGATTATCATAATTTTAAAAATTTTCTTTAGTTTTTCA
AAATTTTGTAATGGTGGCTATAGAAAAACAACATGAAATATTATACAATATTTTGCAACAATGC
CCTAAGAATTGTTAAATTCATGGAGTTATTTGTGCAGAAATGACTCCAGAGAGCTCTACTTTCTG
TTTTTTACTTTTCATGATTGGCTGTCTTCCATTATTCTGGTCATTTATTGCTAGTGACACTGT
GCCTGCTTCCAGTAGTCTCATTTTCCCTATTTTGCTAATTTGTTACTTTTTCTTTGCTAATTTGG
AAGATTAACCTCATTTTTAATAAAATTATGTCTAAGATTAAAAAAAAAAAAAAAAAAAAAAAAA
AAA

FIGURE 18

MRVRIGLTLLLCVLLSLASASSDEEGSQDESLSKTTLTSDSVKDHTTAGRVVAGQIFLDSESEL
ESSIQEEEDSLKSQEGESVTEDISFLESPNPENKDYEPPKKVRKPALTAIEGTAHGEPCHFPFLFLDK
EYDECTSDGREDGRLWCATTYDYKADEKWGFCETEEEAARRMQEAEMMYQTGMKILNGSNKKSQKR
EAYRYLQKAASMNHTKALERSYALLFGDYLPQNIQAAREMFELTEEGSPKGQTALGFLYASGLGVN
SSQAKALVYYTFGALGGNLIAMVLVSRL

Important features:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 195-199, 217-221, 272-276

Tyrosine kinase phosphorylation site.

amino acids 220-228

N-myristoylation sites.

amino acids 120-126, 253-259, 268-274, 270-274, 285-291, 289-295

Glycosaminoglycan attachment site.

amino acids 267-271

Microbodies C-terminal targeting signal.

amino acids 299-303

Type II fibronectin collagen-binding domain protein.

amino acids 127-169

Fructose-bisphosphate aldolase class-II protein.

amino acids 101-119

FIGURE 19

AATTCAGATTTTAAGCCCATTCTGCAGTGGAAATTCATGAACTAGCAAGAGGACACCATCTTCTT
GTATTATACAAGAAAGGAGTGTACCTATCACACACAGGGGGAAAAAATGCTCTTTTGGGTGCTAGG
CCTCCTAATCCTCTGTGGTTTTCTGTGGACTCGTAAAGGAAAACATAAGATTGAAGACATCACTG
ATAAGTACATTTTATCACTGGATGTGACTCGGGCTTTGGAACTTGGCAGCCAGAAGCTTTTGAT
AAAAAGGGATTTTCATGTAATCGCTGCCTGTCTGACTGAATCAGGATCAACAGCTTTAAAGGCAGA
AACCTCAGAGAGACTTCGTACTGTGCTTCTGGATGTGACCGACCCAGAGAATGTCAAGAGGACTG
CCCAGTGGGTGAAGAACCAAGTTGGGGAGAAAGGTCTCTGGGGTCTGATCAATAATGCTGGTGT
CCCGCGTGTGGCTCCCACTGACTGGCTGACACTAGAGGACTACAGAGAACCTATTGAAGTGAA
CCTGTTTGGACTCATCAGTGTGACACTAAATATGCTTCCTTTGGTCAAGAAAGCTCAAGGGAGAG
TTATTAATGTCTCCAGTGTGGAGGTGCGCTTGCAATCGTTGGAGGGGGCTATACTCCATCCAAA
TATGCAGTGAAGGTTTCAATGACAGCTTAAGACGGGACATGAAAGCTTTTGGTGTGCACGTCTC
ATGCATTGAACCAGGATTGTTCAAAACAACTTGGCAGATCCAGTAAAGGTAATTGAAAAAAAC
TCGCCATTTGGGAGCAGCTGTCTCCAGACATCAAACAACATATGGAGAAGGTTACATTGAAAAA
AGTCTAGACAACTGAAAGGCAATAAATCCTATGTGAACATGGACCTCTCTCCGGTGGTAGAGTG
CATGGACCACGCTCTAACAAGTCTCTTCCCTAAGACTCATTATGCCGCTGGAAAAGATGCCAAAA
TTTTCTGGATACCTCTGTCTCACATGCCAGCAGCTTTGCAAGACTTTTTATTGTTGAAACAGAAA
GCAGAGCTGGCTAATCCCAAGGCAGTGTGACTCAGCTAACCACAAATGTCTCTCCAGGCTATGA
AATTGGCCGATTTCAAGAACACATCTCCTTTTCAACCCATTCTTATCTGCTCCAACCTGGACT
CATTTAGATCGTGCTTATTTGGATTGCAAAAGGGAGTCCCACCATCGCTGGTGGTATCCCAGGGT
CCCTGCTCAAGTTTTCTTTGAAAAGGAGGGCTGGAATGGTACATCACATAGGCAAGTCTGCCCT
GTATTTAGGCTTTGCCTGCTTGGTGTGATGTAAGGGAAATTGAAAGACTTGCCCATTCAAAATGA
TCTTTACCGTGGCCTGCCCCATGCTTATGGTCCCCAGCATTTACAGTAACTTGTGAATGTTAAGT
ATCATCTCTTATCTAAATATTAAAAGATAAGTCAACCCAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAA

FIGURE 20

MLFWVLGLLILCGFLWTRKGKLIKIEDITDKYIFITGCDSGFGNLAARTFDKKGFFHVIAACLTESG
STALKAETSERLRTVLLDVTDPENVKRTAQWVKVQVGEKGLWGLINNAGVPGVLAPTDWLTLEDY
REPIEVNLFGLISVTNLMLPLVKKAQGRVINVS SVGGRLAIVGGGYTPSKYAVEGFNDLRRDMK
AFGVHVS CIEPGLF KTNLADPVK VIEKKLAIWEQLSPDIKQOYGE GYIEKSLDKLKG NKS YVNMD
LSPVVECMDHALTSLFPKTHYAAGKDAKIFWIPLSHMPAALQDFLLLKQKAELANPKAV

Important features of the protein:

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 136-152

N-glycosylation sites.

amino acids 161-163, 187-190 and 253-256

Glycosaminoglycan attachment site.

amino acids 39-42

N-myristoylation sites.

amino acids 36-41, 42-47, 108-113, 166-171, 198-203 and 207-212

FIGURE 21

CTGAGGCGGCGGTAGCATGGAGGGGAGAGTACGTCGGCGGTGCTCTCGGGCTTTGTGCTCGGCG
CACTCGCTTTCCAGCACCTCAACACGGACTCGGACACGGAAGGTTTTCTTCTGGGGAAGTAAAA
GGTGAAGCCAAGAACAGCATTACTGATTCCCAAATGGATGATGTTGAAGTTGTTTATACAATTGA
CATTTCAGAAATATATTCCATGCTATCAGCTTTTAGCTTTTATAATTCTTCAGGCGAAGTAAATG
AGCAAGCACTGAAGAAAATATTATCAAATGTCAAAAAGAATGTGGTAGGTTGGTACAAATTCCGT
CGTCATTTCAGATCAGATCATGACGTTTAGAGAGAGGCTGCTTCACAAAACTTGCAGGAGCATTT
TTCAAACCAAGACCTTGTTTTTCTGCTATTAACACCAAGTATAATAACAGAAAGCTGCTCTACTC
ATCGACTGGAACATTCCCTTATATAAAACCTCAAAAAGGACTTTTTTCACAGGGTACCTTTAGTGTT
GCCAATCTGGGCATGTCTGAACAACCTGGGTTATAAACTGTATCAGGTTCCGTATGTCCACTGG
TTTTAGCCGAGCAGTACAAACACACAGCTCTAAATTTTTTGAAGAAGATGGATCCTTAAAGGAGG
TACATAAGATAAATGAAATGTATGCTTCATTACAAGAGGAATTAAAGAGTATATGCAAAAAAGTG
GAAGACAGTGAACAAGCAGTAGATAAACTAGTAAAGGATGTAAACAGATTAAAACGAGAAATTGA
GAAAAGGAGAGGAGCACAGATTTCAGGCAGCAAGAGAGAAGAACATCCAAAAAGACCCTCAGGAGA
ACATTTTTCTTTGTCAGGCATTACGGACCTTTTTTCCAAATCTGAATTTCTTCATTCATGTGTT
ATGTCTTTAAAAAATAGACATGTTTCTAAAAGTAGCTGTAACACCAACCATCTCGATGTAGT
AGACAACTCTGACCTTAATGGTAGAACACACTGACATTCCTGAAGCTAGTCCAGCTAGTACACCAC
AAATCATTAAGCATAAAGCCTTAGACTTAGATGACAGATGGCAATTCAAGAGATCTCGGTTGTTA
GATACACAAGACAAACGATCTAAAGCAAATACTGGTAGTAGTAACCAAGATAAAGCATCCAAAT
GAGCAGCCCAGAAACAGATGAAGAAATTGAAAAGATGAAGGGTTTTGGTGAATATTCACGGTCTC
CTACATTTTTGATCTCTTTTAACCTTACAAGGAGATTTTTTTATTTGGCTGATGGGTAAAGCCAAAC
ATTTCTATTGTTTTTACTATGTTGAGCTACTTGCAGTAAGTTCATTTGTTTTTACTATGTTTACC
TGTTTGAGTAATACACAGATAACTCTTAGTGCATTTACTTCACAAAGTACTTTTTCAAACATCA
GATGCTTTTATTTCCAAACCTTTTTTTCACCTTTCACCTAAGTTGTTGAGGGGAAGGCTTACACAG
ACACATTCTTTAGAATTGGAAAAGTGAGACCAGGCACAGTGGCTCACACCTGTAATCCCAGCACT
TAGGGAAGACAAGTCAGGAGGATTGATTGAAGCTAGGAGTTAGAGACCAGCCTGGGCAACGTATT
GAGACCATGTCTATTAAAAAATAAAATGGAAGAAGCAAGAATAGCCTTATTTTCAAATATGGAAA
GAAATTTATATGAAAATTTATCTGAGTCATTAAATTTCTCCTTAAGTGATACTTTTTTGAAGTA
CATTATGGCTAGAGTTGCCAGATAAAATGCTGGATATCATGCAATAAATTTGCAAAACATCATCT
AAAATTTAAAAA

FIGURE 22

MEGESTSAVLSGFVLGALAFQHLNTDSDTEGFLGGEVKGAKNSITDSQMDDVEVVYTIQKYI
PCYQLFSFYNSSGEVNEQALKKILSNVKKNVVGWYKFRRHSDQIMTFRELLHKNLQEHFSNQDL
VFLLLTPSIITESCSTHRLEHSLYKPQKGLFHRVPLVVANLGMSEQLGYKTVSGSCMSTGFSRAV
QTHSSKFFEEEDGSLKEVHKINEMYASLQEELKSICKKVEDSEQAVDKLVKDVNRLKREIEKRRGA
QIQAAAREKNIQKDPQENIFLCQALRTFFPNSEFLHSCVMSLKNRHVSKSSCNYNHLDVVDNLTL
MVEHTDIPEASPASTPQIIKHKALDLDLRWQFKRSRLDQDKRSKANTGSSNQDKASKMSSPET
DEEIEKMKGFGEYSRSPTF

Important features:

Signal peptide:

amino acids 1-19

N-glycosylation sites.

amino acids 75-79, 322-326

N-myristoylation site.

amino acids 184-154

Growth factor and cytokines receptors family.

amino acids 134-150

FIGURE 23

GGCACAGCCGCGCGGAGGGCAGAGTCAGCCGAGCCGAGTCCAGCCGGACGAGCGGACCAGCGCAGGGCAGCCCAA
GCAGCGCGCAGCGAACGCCCGCGCCGCCACACCCCTCTGCGGTCCCCGCGCGCCTGCCACCCCTCCCTCCTTCCCC
GCGTCCCCGCGCTCGCCGGCCAGTCAGCTTGCCGGGTTGCTGCCCCGCGAAACCCGAGGTACCAGCCCGCGCCTCT
GCTTCCCTGGGCGCGCGCCGCTCCACGCCCTCCTTCTCCCTGCCCCGCGCCTGGCACCGGGGACCGTTGCTGA
CGCGAGGCCAGCTCTACTTTTCGCCCCGCGTCTCCTCCGCTGCTCGCCTCTTCCACCAACTCCAACCTCCTTCCCC
TCCAGCTCCACTCGCTAGTCCCCGACTCCGCCAGCCCTCGGCCGCTGCGGTAGCGCGCTTCCCGTCCGGTCCCAAA
GGTGGGAACGCGTCCGCCCGCGCCGACCATGGGCACGGTTGCGGCTTGGCCGCGCTTCTGCAACCTGGCAGTGCTC
AGCGCGCGCTGCTGGCTGCCGAGCTCAAGTCGAAAAGTTGCTCGGAAGTGGCAGCTCTTACGTGTCCAAGGCTTC
AACAAGAACGATGCCCCCTCCACGAGATCAACGGTGATCATTTGAAGATCTGTCCCCAGGGTTCTACCTGCTGCTCT
CAAGAGATGGAGGAGAAGTACAGCCTGCAAAAGTAAAGATGATTTCAAAGTGTGGTCAGCGAACAGTGCAATCATTTG
CAAGCTGTCTTTGCTTACGTTACAAGAAGTTTGATGAATCTTCAAAGAACTACTGAAAATGCAGAGAAATCCCTG
AATGATATGTTTGTGAAGACATATGGCCATTTATACATGCAAAATTCTGAGCTATTTAAAGATCTCTTCGTAGAGTTG
AAACGTTACTACGTGGTGGGAAATGTGAACCTGGAAGAAATGCTAAATGACTTCTGGGCTCGCCTCCTGGAGCGGATG
TTCCGCTGCTGAACCTCCAGTACCATTACAGATGAGTATCTGGAATGTGTGAGCAAGTATACGGAGCAGCTGAAG
CCCTTCGGAGATGTCCTTCGCAAAATTGAAGCTCCAGGTTACTCGTGCTTTGTAGCAGCCCGTACTTTTCGCTCAAGGC
TTAGCGGTTGCGGGAGATGCTGTGAGCAAGGTCTCCGTGGTAAACCCACAGCCAGGTGTACCCATGCCCTGTGAAG
ATGATCTACTGCTCCCACTGCCGGGCTCTCGTGACTGTGAAGCCATGTTACAACTACTGCTCAAACATCATGAGAGGC
TGTTTGGCCAACCAAGGGGATCTCGATTTTGAATGGAACAAATTTATAGATGCTATGCTGATGGTGGCAGAGAGGCTA
GAGGCTCCTTTCAACATTGAATCGGTATGAGTCCCATCGATGTGAAGATTTCTGATGCTATTATGAACATGCAGGAT
AATAGTGTTCAGTGTCTCAGAAGGTTTTCCAGGGATGTGGACCCCCAAGCCCTCCAGCTGGACGAATTTCTCGT
TCCATCTCTGAAAGTGCCCTTCAGTGCTCGCTTCAGACCACATCACCCCGAGGAACGCCAACACAGCAGCTGGCACT
AGTTTGGACCGACTGGTTACTGATGTCAAGGAGAACTGAAACAGGCCAAGAAATCTGGTCTCCCTTCGAGCAAC
GTTTGCACGATGAGAGGATGGCTGCAGGAAACGGCAATGAGGATGACTGTTGGAATGGGAAAGGCAAGCAGGTAC
CTGTTTGCAGTGACAGGAAATGGATTAGCCAACAGGGCAACAACCCAGAGGTCCAGGTTGACACCAGCAAAACCAGAC
ATACTGATCCTTCGTCAAATCATGGCTCTTCGAGTGATGACCAGCAAGATGAAGATGCATACAATGGGAACGACGTG
GACTTCTTTGATATCAGTGATGAAAGTAGTGGAGAAGGAAGTGGAAAGTGGCTGTGAGTATCAGCAGTGCCCTTCAGAG
TTTGACTACAATGCCACTGACCATGCTGGGAAGAGTGCCAATGAGAAAGCCGACAGTGCTGGTGTCCGTCTGGGGCA
CAGGCCCTACCTCCTCACTGTCTTCTGCATCTTGTTCTGTTATGCAGAGAGAGTGGAGATAATTTCTCAAACCTTGAG
AAAAAGTGTTCATCAAAAAGTTAAAGGCACCAAGTTATCACTTTTCTACCATCCTAGTGACTTTGCTTTTAAATGAA
TGGACAACAATGTACAGTTTTTACTATGTGGCCACTGGTTTAAAGAGTGTGACTTTGTTTTCTCATTGAGTTTGGG
AGGAAAAGGACTGTGCATTGAGTTGGTTCCTGCTCCCCAAACCATGTTAAACGTGGCTAACAGTGTAGGTACAGAA
CTATAGTTAGTTGTGCATTTGTGATTTTATCACTCTATTATTTGTTTGTATGTTTTTCTCATTTCGTTTGTGGGTT
TTTTTTTCCAACGTGATCTCGCCTTGTTCCTTACAAGCAAACAGGGTCCCTTCTGGCACGTAACATGTACGTATT
TCTGAAATATTAATAGCTGTACAGAAGCAGGTTTTATTTATCATGTTATCTTATTAAGAAAAAGCCCAAAAGC

FIGURE 24

MARFGLPALLCTLAVLSAALLAAELKSKSCSEVRRRLYVSKGFNKNDAPLHEINGDHLKICPQGST
CCSQEMEKEYSLQSKDDFKSVSEQCNHLQAVFASRYKKFDEFFKELLENAEKSLNDMFVKTYGH
LYMQNSELFKDLFVELKRYVVGNVNLEEMLNDFWARLLERMFRVNSQYHFTDEYLECVSKYTE
QLKPFQDVPRKLLQVTRAFVAARTFAQGLAVAGDVVSKSVVNPTAQCTHALLKMIYCSHCRGL
VTVKPCYNYCSNIMRGCLANQGDLD FEWNNFIDAMLMVAERLEGPFNIESVMDPIDVKISDAIMN
MQDNSVQVSQKVFQCGPPKPLPAGRISRISSESASFARFRPHHPEERPTTAAGTSLDRLVTDVK
EKLKQAKKFWSSLPNSVCNDERMAAGNGNEDDCWNGKGKSRYLFAVTGNGLANQGNNEVQVDT
KPDILILRQIMALRVMTSKMKNAYNGNDVDFDISDESSGEGSGSGCEYQQCPSEFDYNATDHAG
KSANEKADSAGVRPGAQAYLLTVFCILFLVMQREWR

Important features:

Signal peptide:

amino acids 1-22

ATP/GTP-binding site motif A (P-loop).

amino acids 515-524

N-glycosylation site.

amino acids 514-518

Glycosaminoglycan attachment sites.

amino acids 494-498, 498-502

N-myristoylation sites.

amino acids 63-69, 224-230, 276-282, 438-444, 497-503, 531-537

Glypicans proteins.

amino acids 54-75, 105-157, 238-280, 309-346, 423-460, 468-506

FIGURE 25

CTCGCCCTCAAATGGGAACGCTGGCCTGGGACTAAAGCATAGACCACCAGGCTGAGTATCCTGAC
CTGAGTCATCCCCAGGGATCAGGAGCCTCCAGCAGGGAACCTTCCATTATATTCTTCAAGCAACT
TACAGCTGCACCGACAGTTGCGATGAAAGTTCTAATCTCTTCCCTCCTCCTGTTGCTGCCACTAA
TGCTGATGTCCATGGTCTCTAGCAGCCTGAATCCAGGGGTCGCCAGAGGCCACAGGGACCGAGGC
CAGGCTTCTAGGAGATGGCTCCAGGAAGGCGGCCAAGAATGTGAGTGCAAAGATTGGTTCTGAG
AGCCCCGAGAAGAAAATTTCATGACAGTGTCTGGGCTGCCAAGAAGCAGTGCCCCCTGTGATCATT
TCAAGGGCAATGTGAAGAAAACAAGACACCAAAGGCACCACAGAAAGCCAAACAAGCATTCCAGA
GCCTGCCAGCAATTTCTCAAACAATGTCAGCTAAGAAGCTTTGCTCTGCCTTTGTAGGAGCTCTG
AGCGCCCACTCTTCCAATTAACATTCTCAGCCAAGAAGACAGTGAGCACACCTACCAGACACTC
TTCTTCTCCCACTCACTCTCCCACTGTACCCACCCCTAAATCATTCCAGTGCTCTCAAAAAGCA
TGTTTTTCAAGATCATTTTGTGTTGTTGCTCTCTCTAGTGTCTTCTTCTCTCGTCAGTCTTAGCCT
GTGCCCTCCCCTTACCCAGGCTTAGGCTTAATTACCTGAAAGATTCCAGGAACTGTAGCTTCCT
AGCTAGTGTCAATTAACCTTAAATGCAATCAGGAAAGTAGCAAACAGAAGTCAATAAATATTTTT
AAATGTCAAAAAAAAAAAAAAAAAA

FIGURE 26

MKVLISLLLLLLPLMLMSVSSSLNPGVARGHRDRGQASRRWLQEGGQECECKDWFLRAPRRKFM
TVSGLPKKQCPCDHFKNVKKTRHQRHHRKPNKHSRACQQFLKQCQLRSFALPL

Important features:

Signal peptide:

amino acids 1-22

N-myristoylation sites.

amino acids 27-33, 46-52

APP ID=10063563

FIGURE 27

GGACGCCAGCGCCTGCAGAGGCTGAGCAGGGAAAAAGCCAGTGCCCCAGCGGAAGCACAGCTCAG
AGCTGGTCTGCCATGGACATCCTGGTCCCCTCCTGCAGCTGCTGGTGTGCTTCTTACCCTGCC
CCTGCACCTCATGGCTCTGCTGGGCTGCTGGCAGCCCCCTGTGCAAAGCTACTTCCCCCTACCTGA
TGGCCGTGCTGACTCCCAAGAGCAACCGCAAGATGGAGAGCAAGAAACGGGAGCTCTTCAGCCAG
ATAAAGGGGCTTACAGGAGCCTCCGGGAAAGTGGCCCTACTGGAGCTGGGCTGCGGAACCGGAGC
CAACTTTCAGTTCTACCCACCGGGCTGCAGGGTCACCTGCCTAGACCCAAATCCCCACTTTGAGA
AGTTCCTGACAAAGAGCATGGCTGAGAACAGGCACCTCCAATATGAGCGGTTTGTGGTGGCTCCT
GGAGAGGACATGAGACAGCTGGCTGATGGCTCCATGGATGTGGTGGTCTGCACTCTGGTGTGTG
CTCTGTGCAGAGCCCAAGGAAGGTCTGCAGGAGGTCCGGAGAGTACTGAGACCGGGAGGTGTGC
TCTTTTCTGGGAGCATGTGGCAGAACCATATGGAAGCTGGGCCTTCATGTGGCAGCAAGTTTTC
GAGCCACCTGGAACACATTGGGGATGGCTGCTGCCTCACCAGAGAGACCTGGAAGGATCTTGA
GAACGCCCAGTTCTCCGAAATCCAAATGGAACGACAGCCCCCTCCCTTGAAGTGGCTACCTGTTG
GGCCCCACATCATGGGAAAGGCTGTCAAACAATCTTTCCCAAGCTCCAAGGCACTCATTTGCTCC
TTCCCCAGCCTCCAATTAGAACAAAGCCACCCACCAGCCTATCTATCTTCCACTGAGAGGGACCTA
GCAGAATGAGAGAAGACATTGATGTACCACCTACTAGTCCCTCTCTCCCCAACCTCTGCCAGGGC
AATCTCTAACTTCAATCCCGCCTTCGACAGTGAAAAAGCTCTACTTCTACGCTGACCCAGGGAGG
AAACACTAGGACCTGTGTATCCTCAACTGCAAGTTTCTGGACTAGTCTCCCAACGTTTGCCTC
CCAATGTTGTCCCTTTCCTTCGTTCCCATGGTAAAGCTCCTCTCGCTTTCCTCCTGAGGCTACAC
CCATGCGTCTCTAGGAACTGGTCACAAAAGTCATGGTGCCTGCATCCCTGCCAAGCCCCCTGAC
CCTCTCTCCCCACTACCACCTTCTTCTGAGCTGGGGGCACCAGGGAGAATCAGAGATGCTGGGG
ATGCCAGAGCAAGACTCAAAGAGGCAGAGGTTTGTTCCTCAAATATTTTTTAATAAATAGACGAA
ACCACG

FIGURE 28

MDILVPLLQLLVLLLTPLPLHLMALLGCWQPLCKSYFPYLMAVLTPKSNRKMESKKRELFSSQIKGL
TGASGKVALLELGCGTGANFQFYPPGCRVTCCLDPNPHFEKFLTKSMAENRHLQYERFVVAPGEDM
RQLADGSMDVVVCTLVLCVQSPRKVLQEVRRVLRPGGVLFWEHVAEPYGSWAFMWQQVFPEPTW
KHIGDGCCLTRETWKDLNAQFSEIQMERQPPPLKWLPVGPHEMGAVKQSFSSKALICSFPSL
QLEQATHQPIYLPLRGT

Important features:

Signal peptide:

amino acids 1-23

Leucine zipper pattern.

amino acids 10-32

N-myristoylation sites.

amino acids 64-70, 78-84, 80-86, 91-97, 201-207

FIGURE 29

CAATGTTTGCCTATCCACCTCCCCAAGCCCCTTTACCTATGCTGCTGCTAACGCTGCTGCTGCT
GCTGCTGCTGCTTAAAGGCTCATGCTTGGAGTGGGGACTGGTCGGTGCCAGAAAGTCTCTTCTG
CCACTGACGCCCCCATCAGGGATTGGGCCTTCTTTCCCCCTTCCTTTCTGTGTCTCCTGCCTCAT
CGGCCTGCCATGACCTGCAGCCAAGCCCAGCCCCGTGGGGAAGGGGAGAAAGTGGGGGATGGCTA
AGAAAGCTGGGAGATAGGGAACAGAAGAGGGTAGTGGGTGGGCTAGGGGGGCTGCCTTATTTAAA
GTGGTTGTTTATGATTCTTATACTAATTTATACAAAGATATTAAGGCCCTGTTTCATTAAGAAATT
GTTCCCTTCCCCTGTGTTCAATGTTTGTAAAGATTGTTCTGTGTAAATATGTCTTTATAATAAAC
AGTTAAAAGCTGAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 30

MLLLTLLLLLLLLLKGSCLWGLVGAQKVSSATDAPIRDWAFFPPSFLCLLPHRPAMTCSQAQPRG
EGEKVGDG

Important features:

Signal peptide:

amino acids 1-15

Growth factor and cytokines receptors family:

amino acids 3-18

FIGURE 31

GTTTGAATTCTTCAACTATACCCACAGTCCAAAAGCAGACTCACTGTGTCCCAGGCTACCAGTT
CCTCCAAGCAAGTCATTTCCCTTATTTAACCGATGTGTCCCTCAAACACCTGAGTGCTACTCCCT
ATTTGCATCTGTTTTGATAAATGATGTTGACACCCCTCCACCGAATTCTAAGTGGAATCATGTCGG
GAAGAGATACAATCCTTGGCCTGTGTATCCTCGCATTAGCCTTGTCTTTGGCCATGATGTTTACC
TTCAGATTCATCACCACCCTTCTGGTTCACATTTTCATTTTCATTGGTTATTTTGGGATTGTTGTT
TGTCTGCGGTGTTTTATGGTGGCTGTATTATGACTATAACACGACCTCAGCATAGAATTGGACA
CAGAAAGGGAAAATATGAAGTGCCTGCTGGGGTTTGTATCGTATCCACAGGCATCACGGCAGTG
CTGCTCGTCTTGATTTTTGTTCTCAGAAAGAGAATAAAATTGACAGTTGAGCTTTTCCAAATCAC
AAATAAAGCCATCAGCAGTGCTCCCTTCTGCTGTTCCAGCCACTGTGGACATTTGCCATCCTCA
TTTTCTTCTGGGTCTCTGGGTGGCTGTGCTGCTGAGCCTGGGAAGTGCAGGAGCTGCCCAGGTT
ATGGAAGGCGGCCAAGTGAATATAAGCCCCCTTCGGGCATTTCGGTACATGTGGTCGTACCATTT
AATTGGCCTCATCTGGACTAGTGAATTCATCCTTGCGTGCCAGCAAATGACTATAGCTGGGGCAG
TGGTTACTTGTATTTTCAACAGAAGTAAAAATGATCCTCCTGATCATCCCATCCTTTTCGTCTCTC
TCCATTCTCTTCTTCTACCATCAAGGAACCGTTGTGAAAGGGTCATTTTAAATCTCTGTGGTGAG
GATTCCGAGAATCATTGTGATGATGCAAAACGCACTGAAAGAACAGCAGCATGGTGCATTGT
CCAGGTACCTGTTCCGATGCTGCTACTGCTGTTTCTGGTGTCTTGACAAATACCTGCTCCATCTC
AACCAGAATGCATATACTACAACCTGCTATTAATGGGACAGATTTCTGTACATCAGCAAAAGATGC
ATTCAAAATCTTGCCAAGAAGTCAAGTCACTTTACATCTATTAAGTCTTTGGAGACTTCATAA
TTTTTCTAGGAAAGGTGTTAGTGGTGTGTTTCACTGTTTTTTGGAGGACTCATGGCTTTTAACTAC
AATCGGGCATTCCAGGTGTGGGCAGTCCCTCTGTTATTGGTAGCTTTTTTTGCCTACTTAGTAGC
CCATAGTTTTTTATCTGTGTTTGAAACTGTGCTGGATGCACTTTTCTGTGTTTTGCTGTTGATC
TGGAACAAATGATGGATCGTCAGAAAAGCCCTACTTTATGGATCAAGAATTTCTGAGTTTCGTA
AAAAGGAGCAACAAATTAAACAATGCAAGGGCACAGCAGGACAAGCACTCATTAAAGGAATGAGGA
GGGAACAGAACTCCAGGCCATTGTGAGATAGATACCCATTTAGGTATCTGTACCTGGAAAACATT
TCCTTCTAAGAGCCATTTACAGAATAGAAGATGAGACCACTAGAGAAAAGTTAGTGAATTTTTTT
TTAAAAGACCTAATAAACCTATTCTTCCTCAAAA

FIGURE 32

MSGRDTILGLCILALALSLAMMFTFRFITTLVHIFISLVILGLLFVCGVLWWLYDYDNDLSIE
LDTERENMKCVLGFAIVSTGITAVLLVLIFVLRKRIKLTVELFQITNKAISSAPFLLFQPLWTF
ILIFFVWLWVAVLLSLGTAGAAQVMEGGQVEYKPLSGIRYMWSYHLIGLIWTSEFILACQQMTIA
GAVVTCYFNRSKNDDPPDHPILSSLSILFFYHQGTVVKGSFLISVVRIPRIIVMYMQNALKEQQHG
ALSRYLFRCCYCCFWCLDKYLLHLNQAYTTTAINGTDFCTSAKDAFKILSKNSSHFTSINCFGD
FIIFLGKVLVVCFTVFGGLMAFNYNRAQVWVAVPLLLVAFFAYLVAHSFSLVFETVLDALFLCFA
VDLETNDGSSEKPYFMDQEFSLFVKRSNKLNNARAQQDKHSRLRNEEGTELQAIVR

Important features:

Signal peptide:

amino acids 1-20

Putative transmembrane domains:

amino acids 35-54, 75-97, 126-146, 185-204, 333-350, 352-371

N-glycosylation sites.

amino acids 204-208, 295-299, 313-317

N-myristoylation sites.

amino acids 147-153, 178-184, 196-202, 296-275, 342-348

FIGURE 33

GTTCGATTAGCTCCTCTGAGAAGAAGAGAAAAGGTTCTTGGACCTCTCCCTGTTTCTTCTCTTAGA
 ATAATTTGTATGGGATTTGTGATGCAGGAAAGCCTAAGGGAAAAAGAATATTCATTCTGTGTGGT
 GAAAAATTTTTGAAAAAAAATTCCTTCTTCAAACAAGGGTGTCAATTCGATATTTATGAGGAC
 TGTTGTTCTCACTATGAAGGCATCTGTTATTGAAATGTTTCTTGTGTTTGGTGGTGAAGTAC
 ATTCAAACAAAGAACGGCAAAGAAGATTAAAAGGCCAAGTTCAGTGTGCCTCAGATCAACTGC
 GATGTCAAAGCCGGAAAGATCATCGATCCTGAGTTCATTGTGAAATGTCCAGCAGGATGCCAAGA
 CCCCAAATACCATGTTTATGGCACTGACGTGTATGCATCCTACTCCAGTGTGTGTGGCGCTGCCG
 TACACAGTGGTGTGCTTGATAATTCAGGAGGGAAAAATACTTGTTCGGAAGGTTGCTGGACAGTCT
 GGTTACAAAGGGAGTTATTCCAACGGTGTCCAATCGTTATCCCTACCACGATGGAGAGAATCCTT
 TATCGTCTTAGAAAGTAAACCCAAAAAGGGTGTAACCTACCCATCAGCTCTTACATACTCATCAT
 CGAAAAGTCCAGCTGCCAAGCAGGTGAGACCACAAAAGCCTATCAGAGGCCACCTATTCAGGGG
 ACAACTGCACAGCCGGTCACTCTGATGCAGCTTCTGGCTGTCACTGTAGCTGTGGCCACCCCCAC
 CACCTTGCCAAGGCCATCCCTTCTGCTGCTTCTACCACCAGCATCCCCAGACCACAATCAGTGG
 GCCACAGGAGCCAGGAGATGGATCTCTGGTCCACTGCCACCTACACAAGCAGCCAAAAAGGCC
 AGAGCTGATCCAGGTATCCAAAGCAAGATCCTTCAGGAGCTGCCTTCCAGAAACCTGTTGGAGC
 GGATGTCAGCCTGGGACTTGTTCAAAAGAAGAATTGAGCACACAGTCTTTGGAGCCAGTATCCC
 TGGGAGATCCAACTGCAAAATTGACTTGTCTGTTTTAATTGATGGGAGCACCAGCATTGGCAAA
 CGGCCGATTCCGAATCCAGAAGCAGCTCCTGGCTGATGTTGCCCAAGCTCTTGACATTGGCCCTGC
 CGGTCCACTGATGGGTGTTGTCCAGTATGGAGACAACCTGCTACTCACTTTAACCTCAAGACAC
 ACACGAATTCTCGAGATCTGAAGACAGCCATAGAGAAAATTACTCAGAGAGGAGGACTTTCTAAT
 GTAGGTCGGGCCATCTCCTTTGTGACCAAGAACTTCTTTTCAAAGCCAATGGAAACAGAAGCGG
 GGCTCCCAATGTGGTGGTGGTGGTGGTGGTGGCTGGCCACGGACAAAGTGGAGGAGGCTTCAA
 GACTTGCGAGAGAGTCAGGAATCAACATTTTCTTCATCACCATTGAAGGTGCTGCTGAAAATGAG
 AAGCAGTATGTGGTGGAGCCCACTTTGCAACAAGGCCGTGTGCAGAACAAACGGCTTCTACTC
 GCTCCACGTGCAGAGCTGGTTTGGCCTCCACAAGACCCTGCAGCCTCTGGTGAAGCGGGTCTGCG
 ACACGTACCGCCTGGCCTGCAGCAAGACCTGCTTGAACCTCGGCTGACATTGGCTTCGTCATCGAC
 GGCTCCAGCAGTGTGGGGACGGGCAACTTCCGCACCGTCTCCAGTTTGTGACCAACCTCACCAA
 AGAGTTTGAGATTTCCGACACGGACACGCGCATCGGGGCCGTGCAGTACACCTACGAACAGCGGC
 TGGAGTTTGGGTTTCGACAAGTACAGCAGCAAGCCTGACATCCTCAACGCCATCAAGAGGGTGGGC
 TACTGGAGTGGTGGCACCAGCACGGGGCTGCCATCAACTTCGCCCTGGAGCAGCTCTTCAAGAA
 GTCCAAGCCCAACAAGAGGAAGTTAATGATCCTCATCACCAGCGGAGGTCTTACGACGACGTCC
 GGATCCAGCCATGGCTGCCATCTGAAGGGAGTGATCACCTATGCGATAGGCGTTGCTGGGCT
 GCCCAGAGGAGCTAGAAGTCAATGCCACTCACCCGCCAGAGACCACTCCTTCTTTGTGGACGA
 GTTTGACAACCTCCATCAGTATGTCCCAGGATCATCCAGAACATTTGTACAGAGTTCAACTCAC
 AGCCTCGGAATCGAATTCAGAGCAGGCAGAGCACCAGCAAGTGTCTGCTTTACTAATGACGTGTT
 GGACCACCCACCGCTTAATGGGGCACGCACGGTGCATCAAGTCTTGGGCAGGGCATGGAGAAAC
 AAATGTCTTGTTATTATTCTTTGCCATCATGCTTTTTCATATTCCAAAACCTTGAGTTACAAAGA
 TGATCACAACGTATAGAATGAGCCAAAAGGCTACATCATGTTGAGGGTGTGGAGATTTTACAT
 TTTGACAATTGTTTTCAAATAAATGTTCCGAATACAGTGCAGCCCTTACGACAGGCTTACGTAG
 AGCTTTTGTGAGATTTTAAAGTTGTTATTTCTGATTTGAACTCTGTAACCTCAGCAAGTTTCAT
 TTTTGTGATGACAATGTAGGAATTGCTGAATTAAATGTTTAGAAGGATGAAAAATAAAAAAAAAA
 AA
 AA

FIGURE 34

MRTVVLTMKASVIEMFLVLLVTGVHSNKETAKKIKRPKFTVPQINCDVKAGKIIDPEFIVKCPAG
CQDPKYHVYGTDVYASYSSVCGAAVHSGVLDNSGGKILVRKVAGQSGYKGSYNGVQSLSLPRWR
ESFIVLESKPKKGVTPSALTYSSSKSPAAQAGETTKAYQRPIPGTTAQPVTLMLLAVTVAVA
TPTTLPRPSPSAASTTSIPRPQSVGHRSEQEMDLWSTATYTSSQNRPRADPGIQRQDPSGAAFQKP
VGADVSLGLVPKEELSTQSLEPVSLGDPNCKIDLSFLIDGSTSIGKRRFRIQKQLLADVAQALDI
GPAGPLMGVVQYGDNPATFNLKTHTNRDLDKTAIEKITQRGGLSNVGRAISFVTKNFFSKANGN
RSGAPNVVVVMVDGWPTDKVEEASRLARESGINIFFITIEGAAENEKQYVVEPNFANKAVCRTNG
FYSLHVQSWFGLHKTLPVLRVCDTDLACSKTCLNSADIGFVIDGSSSVGTGNFRTVLQFVTN
LTKEFEISDTRIGAVQYTYEQRLFQFDKYSSKPDILNAIKRVGYWGGTSTGAAINFALEQL
FKKSKPNKRKLMILITDGRSYDDVRIPAMAAHLKGVITYAIGVAWAAQEELEVIATHPARHDSFF
VDEFNLHQYVPRIIQNICTEFNSQPRN

Important features:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 181-200

N-glycosylation sites.

amino acids 390-394, 520-524

N-myristoylation sites.

amino acids 23-29, 93-99, 115-121, 262-268, 367-373, 389-395,
431-437, 466-472, 509-515, 570-576, 571-577, 575-581, 627-633

Amidation site.

amino acids 304-308

FIGURE 35

CCGAGCACAGGAGATTGCCTGCGTTTAGGAGGTGGCTGCGTTGTGGGAAAAGCTATCAAGGAAGAAATTGC
CAAACCATGTCTTTTTTTCTGTTTCAGAGTAGTTCACAACAGATCTGAGTGTTTTAATTAAGCATGGAAT
ACAGAAAACAACAAAAAAGCTTAAGCTTTAATTTTCATCTGGAATTCACAGTTTCTTAGCTCCCTGGACCC
GGTTGACCTGTTGGCTCTTCCCGCTGGCTGCTCTATCACGTGGTGTCTCCGACTACTCACCCGAGTGTA
AAGAACCTTCGGCTCGCGTGCTTCTGAGCTGCTGTGGATGGCCTCGGCTCTCTGGACTGTCCTTCCGAGTA
GGATGTCACTGAGATCCCTCAAATGGAGCCTCCTGCTGCTCACTCCTGAGTTTCTTTGTGATGTGGTAC
CTCAGCCTTCCCCACTACAATGTGATAGAACGCGTGAAGTGGATGTACTTCTATGAGTATGAGCCGATTTA
CAGACAAGACTTTCACCTTCACACTTCGAGAGCATTCAACTGCTCTCATCAAAATCCATTTCTGGTCATTC
TGGTGACCTCCCACCTTCAGATGTGAAAGCCAGGCAGGCCATTAGAGTTACTTGGGGTGAAAAAAGTCT
TGGTGGGGATATGAGGTTCTTACATTTTTCTTATTAGGCCAAGAGGCTGAAAAGGAAGACAAAATGTTGGC
ATTGTCCTTAGAGGATGAACACCTTCTTTATGGTGACATAATCCGACAAGATTTTTTAGACACATATAATA
ACCTGACCTTGAAAACCATTTATGGCATTCAAGGTGGGTAAGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
AAGACAGACACTGATGTTTTCATCAATACTGGCAATTTAGTGAAGTATCTTTTAAACCTAAACCACTCAGA
GAAGTTTTTTCACAGGTTATCCTCTAATTGATAATTATTCCTATAGAGGATTTTACCAAAAAACCCATATTT
CTTACCAGGAGTATCCTTTCAAGGTGTTCCCTCCATACTGCAGTGGGTGGGTATATAATGTCCAGAGAT
TTGGTGCCAAGGATCTATGAAATGATGGGTACGTAAAACCCATCAAGTTTGAAGATGTTTATGTCGGGAT
CTGTTTGAATTTATTAAAAGTGAACATTCATATTCAGAAGACACAAATCTTTCTTTCTATATAGAATCC
ATTTGGATGTCTGTCAACTGAGACGTGTGATTGCAGCCCATGGCTTTTCTTCCAAGGAGATCATCACTTTT
TGGCAGGTCATGCTAAGGAACACCACATGCCATTATTAAGTTTACATTCTACAAAAAGCCTAGAAGGACAG
GATACCTTGTGGAAAGTGTTAAATAAAGTAGGTACTGTGAAAATTCATGGGGAGGTCAAGTGTCTGGCTT
ACACTGAACTGAACTCATGAAAAACCCAGACTGGAGACTGGAGGGTTACACTTGTGATTTATTAGTCAGG
CCCTTCAAAGATGATATGTGGAGGAATTAATATATAAGGAATTGGAGGTTTTTGCTAAAGAAATTAATAGG
ACCAACAATTTGGACATGTCATTCTGTAGACTAGAATTTCTTAAAGGGTGTACTGAGTTATAAGCTCA
CTAGGCTGTAAAAACAAACAATGTAGAGTTTTATTTATTGAACAATGTAGTCACTTGAAGGTTTTGTGTA
TATCTTATGTGGATTACCAATTTAAAAATATATGTAGTTCTGTGTCAAAAACTTCTTCACTGAAGTTATA
CTGAACAAAATTTACCTGTTTTTGGTCATTTATAAAGTACTTCAAGATGTTGCAGTATTTACAGTTATT
ATTATTTAAAATTACTTCAACTTTGTGTTTTTAAATGTTTTGACGATTTCAATACAAGATAAAAGGATAG
TGAATCATTCCTTACATGCAACATTTTCCAGTTACTTAACTGATCAGTTTATTATTGATACATCACTCCA
TTAATGTAAAGTCATAGGTCATTATTGCATATCAGTAATCTCTTGGACTTGTAAATATTTTACTGTGGT
AATATAGAGAAGAATTAAAGCAAGAAAATCTGAAAA

FIGURE 36

MASALWTVLPSRMSLRSLKWSLLLLSLLSFFVMWYLSLPHYNVIERVNWMYFYEYEPYRQDFHF
TLREHSNCSHQNPFLVILVTSHPSDVKARQAIRVTWGEKKSWWGYEVLTFLLGQEAEKEDKMLA
LSLEDEHLLYGDIIRQDFLDTYNNLTTLKTIMAFRWVTEFCPNAKYVMKTDTDVFINTGNLVKYL
NLNHSEKFFTGYPLIDNYSYRGFYQKTHISYQEYPFKVFPPYCSGLGYIMSRDLVPRIYEMMGHV
KPIKFEDVYVGICLNLKVNHIHIPEDTNLFFLYRIHLDVCQLRRVIAAHGFSSKEIITFWQVMLR
NTTCHY

Important features:

Type II transmembrane domain:

amino acids 20-39

N-glycosylation sites.

amino acids 72-76, 154-158, 198-202, 212-216, 326-330

Glycosaminoglycan attachment site.

amino acids 239-243

Ly-6 / u-PAR domain proteins.

amino acids 23-37

N-myristoylation site.

amino acids 271-277

FIGURE 37

CGCTCGGGCACCAGCCGCGGCAAGGATGGAGCTGGGTTGCTGGACGCAGTTGGGGCTCACTTTTCTTCAGCTCCTTCTCATC
TCGTCTTTCGCAAGAGAGTACACAGTCATTAATGAAGCCTGCCCTGGAGCAGAGTGGAATATCATGTGTCGGGAGTGCTGTG
AATATGATCAGATTGAGTGCCTCTGCCCCGGAAGAGGGAAGTCGTGGGTATACCATCCCTTGCTGCAGGAATGAGGAGAA
TGAGTGTGACTCCTGCCTGATCCACCCAGGTTGTACCATCTTTGAAAAGCTGCAAGAGCTGCCGAAATGGCTCATGGGGGGGT
ACCTTGAGTGACTTCTATGTGAAGGGGTTCTACTGTGCAGAGTGCCGAGCAGGCTGGTACGGAGGAGACTGCATGCGATGTG
GCCAGGTTCTGCGAGCCCCAAGGGTCAGATTTTGTGGAAGCTATCCCTAAATGCTCACTGTGAATGGACCATTTCATGC
TAAACCTGGGTTTGTATCCAACTAAGATTTGTATGTTGAGTCTGGAGTTTGACTACATGTGCCAGTATGACTATGTTGAG
GTTCTGTATGGAGACAACCGCATGGCCAGATCATCAAGCGTGTCTGTGGCAACGAGCGGCCAGCTCCTATCCAGAGCATAG
GATCCTCACTCCACGTCCTCTTCCACTCCGATGGCTCCAAGAATTTGACGGTTTCCATGCCATTATGAGGAGATCACAGC
ATGCTCCTCATCCCTTGTTCATGACGGCACGTGCGTCTTGACAAGGCTGGATCTTACAAGTGTGCTGCTTGGCAGGC
TATACTGGGCAGCGCTGTGAAAATCTCCTTGAAGAAAGAACTGCTCAGACCTGGGGGCCAGTCAATGGGTACCAGAAAA
TAACAGGGGGCCCTGGGCTTATCAACGGGACGCCATGCTAAAATTGGCACCCTGGTGTCTTTCTTTTGTAACTCCTATGT
TCTTAGTGGCAATGAGAAAAGAACTTGCCAGCAGAAATGGAGAGTGGTCAGGGAACAGCCCATCTGCATAAAGCCTGCCGA
GAACCAAGATTTAGACCTGGTGAGAAGGAGAGTTCTTCCGATGCAGGTTCAGTCAAGGGAGACACATTACACAGCTAT
ACTCAGCGGCTTACGCAAGCAGAACTGCAGAGTCCCCCTACCAAGAAGCCAGCCCTTCCCTTTGGAGATCGCCCATGGG
ATACCAACATCTGCATACCCAGCTCCAGTATGAGTGCATCTCACCTTCTACCGCCGCTGGGCAGCAGCAGGAGGACATGT
CTGAGGACTGGGAAGTGGAGTGGGCGGGCACCATCTGCATCCCTATCTGCGGGAAAATTGAGAACATCACTGCTCCAAAGA
CCCAAGGTTTGGCTGGCCGTGGCAGGCAGCCATCTACAGGAGGACCAGCGGGGTGCATGACGGCAGCCTACACAGGGAGC
GTGGTTCTAGTCTGCAGCGGTGCCCTGGTGAATGAGCGCACTGTGGTGGTGGCTGCCACTGTGTTACTGACCTGGGGAAG
GTCACCATGATCAAGACAGCAGACCTGAAAGTTGTTTTGGGGAAATTTACCAGGATGATGACCGGATGAGAAGACCATCC
AGAGCCTACAGATTTCTGCTATCATTCTGCATCCCAACTATGACCCATCCTGCTTGATGCTGACATCGCCATCCTGAAGCT
CCTAGACAAGGCCGTATCAGCACCCGAGTCCAGCCCATCTGCCTCGCTGCCAGTCCGGATCTCAGCACTTCTTCCAGGAG
TCCCACATCACTGTGGCTGGCTGGAATGTCTGGCAGAGCTGAGGAGCCCTGGCTTCAAGAACGACACACTGCGCTCTGGGG
TGCTCAGTGTGGTGGACTCGCTGCTGTGTGAGGAGCAGCATGAGGACCATGGCATCCAGTGAAGTGTCACTGATAACATGTT
CTGTGCCAGCTGGGAACCCACTGCCCTTCTGATATCTGCATGACAGAGCAGGAGGCATCGCGGCTGTGTCTTCCCGGA
CGAGCATCTCTGAGCCACGCTGGCATCTGATGGGACTGGTCACTGGAGCTATGATAAAACATGCAGCCACAGGCTCTCCA
CTGCCCTTACCAGGTGCTGCTTTTAAAGACTGGATTGAAAGAAATATGAAATGAACCATGCTCATGCACTCCTTGAGAAG
TGTTTCTGTATATCCGTCTGTACGTGTGTCATTGCGTGAAGCAGTGTGGGCTGAAGTGTGATTGGCTGTGAATTTGGCT
GTGCCAGGCTTCTGACTTCAGGGACAAAACCTCAGTGAAGGGTGAGTAGACCTCCATTGCTGGTAGGCTGATCGCCGCTCCA
CTACTAGGACAGCCAATTGGAAGATGCCAGGGCTTGCAAGAAGTAAGTTTCTTCAAAGAAGACCATATACAAAACCTCTCCA
CTCCACTGACCTGGTGGTCTTCCCAACTTTCAGTTATACGAATGCCATCAGCTTGACCAGGGAAGATCTGGGCTTCATGAG
GCCCCTTTGGGCTCTCAAGTTCTAGAGAGTGCCTGTGGGACAGCCAGGGCAGCAGCTGGGATGTGGTGATGCTT
TGTGTACATGGCCACAGTACAGTCTGGTCTTTTCTTCCCATCTCTTGTACACATTTAATAAAATAAGGGTTGGCTTCT
GAACTACAA
AA

FIGURE 38

MELGCWTQLGLTFLQLLLISSLPREYTVINEACPGAENIMCRECCEYDQIECVCPGKREVVGYT
IPCCRNEENECDSCLIHPGCTIFENCKSCRNGSWGGLDDFYVKGIFYCAECRAGWYGGDCMRGQ
VLRAPKGQILLESYPLNAHCEWTIHAKPGFVIQLRFVMLSLEFDYMCQYDYVEVRDGDNRDGQII
KRVCGNERPAPIQSIGSSLHVLHSDGSKNFDGFHAIYEEITACSSSPCFHDGTCVLDKAGSYKC
ACLAGYTGQRCENLLEERNCSDPGGPVNGYQKITGGPGLINGRHAKIGTVVSFFCNSYVLSGNE
KRTCQONGEWSGKQPICIKACREPKISDLVRRRVLPMQVQSRETPLHQLYSAAFSKQKLSAPTK
KPALPFGDLPMGYQHLHTQLQYECISPFYRRLGSSRRRTCLRTGKWSGRAPSCIPICGKIENITAP
KTQGLRWPWQAAIYRRTSGVHDGSLHKGAWFLVCSGALVNERTVVVAHCVTDLGKVTMIKTADL
KVVLGKFYRDDDRDEKTIQSLQISAILHPNYDPILLDADIAILKLLDKARISTRVQPICLAASR
DLSTSFQESHITVAGWNVLADVRSPGFKNDTLRSGVSVVDSLLCEEQHEDHGIPVSVTDNMFCA
SWEPTAPSDICTAETGGIAAVSFPGRASPEPRWHLMLVSWSYDKTCSHRLSTAFTKVLFPKDWI
ERNMK

Important features of the protein:

Signal peptide:

amino acids 1-23

EGF-like domain cysteine pattern signature.

amino acids 260-272

N-glycosylation sites.

amino acids 96-100, 279-283, 316-320, 451-455, 614-618

N-myristoylation sites.

amino acids 35-41, 97-103, 256-262, 284-290, 298-304, 308-314,
474-480, 491-497, 638-644, 666-672

Amidation site.

amino acids 56-60

Serine proteases, trypsin family.

amino acids 489-506

CUB domain proteins profile.

amino acids 150-167

FIGURE 39

GGTTCTACATCCTCTCATCTGAGAATCAGAGAGCATAATCTTCTTACGGGCCCCGTGATTTATTAACGTGGCTTAATC
TGAAGGTTCTCAGTCAAATTTCTTTGTGATCTACTGATTGTGGGGGCATGGCAAGGTTTGCTTAAAGGAGCTTGGCTGG
TTTGGGCCCTTGTAGCTGACAGAAGGTGGCCAGGGAGAATGCAGCACACTGCTCGGAGAAATGAAGGCGCTTCTGTTGC
TGGTCTTGCCCTTGGCTCAGTCTGCTAACTACATTGACAATGTGGGCAACCTGCACTTCTGTATTAGAACTCTGTA
AAGGTGCCTCCCACTACGGCTGACCAAAGATAGGAAGAGGCGCTCACAAGATGGCTGTCCAGACGGCTGTGCGAGCC
TCACAGCCACGGCTCCCTCCCAAGAGTTTCTGCAGCTGCCACCATCTCTTAATGACAGACGAGCTTGGCTTAGACA
ACCCCTGCCTACGTGTCTCGGCAGAGGACGGGCAGCCAGCAATCAGCCAGTGGACTCTGGCCGGAGCAACCGAACTA
GGGCACGGCCCTTTGAGAGATCCACTATTAGAAGCAGATCATTTAAAAAATAAATCGAGCTTTGAGTGTCTTCGAA
GGACAAAGAGCGGGAGTGCAGTTGCCAACCATGCCGACCAGGGCAGGGAATTTCTGAAAACACCACTGCCCTGAAG
TCTTTCCAAGGTTGTACCACCTGATTCCAGATGGTGAAATACCAGCATCAAGATCAATCGAGTAGATCCCACTGAAA
GCCTCTCTATTAGGCTGGTGGGAGGTAGCGAAACCCCACTGGTCCATATCATTATCCAACACATTTATCGTGATGGG
TGATCGCCAGAGACGGCCGGCTACTGCCAGGAGACATCATTTCTAAAGGTCAACGGGATGGACATCAGCAATGTCCCTC
ACAACTACGCTGTGCGTCTCTGCGGCAGCCCTGCCAGGTGCTGTGGCTGACTGTGATGCGTGAACAGAAGTTCGCA
GCAGGAACAATGGACAGGCCCGGATGCCACAGACCCGAGATGACAGCTTTCATGTGATTCTCAACAAAAGTAGCC
CCGAGGAGCAGCTTGAATAAAATGGTGCAGAGGTGGATGAGCCTGGGGTTTTCATCTTCAATGTGCTGGATGGCG
GTGTGGCATATCGACATGGTCACTTGGAGAGAATGACCGTGTGTAGCCATCAATGGACATGATCTTCGATATGGCA
GCCCAGAAAGTGGGCTCATCTGATTTCAGGCCAGTGAAAGACGTGTTACCTCGTGTGCCCGCAGGTTTCGGCAGC
GGAGCCCTGACATCTTTCAGGAAGCCGGTGGAACAGCAATGGCAGCTGGTCCCCAGGGCCAGGGGAGAGGAGCAACA
CTCCCAAGCCCTCCATCCTACAATTACTTGTGATGAGAAGGTGGTAAATATCCAAAAAGACCCCGGTGAATCTCTCG
GCATGACCGTCGAGGGGGAGCATCACATAGAGAATGGGATTTGCCTATCTATGTCATCAGTGTGAGCCCGAGGAG
TCATAAGCAGAGATGGAAGAATAAAACAGGTGACATTTTGTGAATGTGGATGGGTCGAAGTACAGAGGTGAGCC
GGAGTGAGGCAGTGGCATTATTGAAAAGAACATCATCTCGATAGTACTCAAAGCTTTGGAAGTCAAAGAGTATGAGC
CCCAGGAAGACTGCAGCAGCCAGCAGCCCTGGACTCCAACCACAACATGGCCCCACCCAGTGAAGTGGTCCCCATCCT
GGGTGATGTGGCTGGAATTACCACGGTGCTTGATAACTGTAAAGATATTGTATTACGAAGAAACACAGCTGGAAGTC
TGGGCTTCTGCATTGTAGGAGTTATGAAGAATACAATGGAACAAACCTTTTTTCATCAAATCCATTGTTGAAGGAA
CACCAGCATACAATGATGGAAGAATTAGATGTGGTGATATCTTCTTGCTGTCAATGGTAGAAGTACATCAGGAATGA
TACATGCTTGCTTGGCAAGACTGCTGAAAGAAGTTAAAGGAAGATTACTCTAACTATTGTTTCTTGGCCTGGCACTT
TTTTATAGAATCAATGATGGGTGAGGAGAAACAGAAAAATCACAAATAGGCTAAGAAGTTGAAACACTATATTTATC
TTGTGAGTTTTTATATTTAAAGAAAGATACATTGTAAAAATGTGAGGAAAGTATGATCATCTAATGAAAGCCAGTT
ACACCTCAGAAAATATGATTCAAAAAATTAACCTACTAGTTTTTTTTCAGTGTGGAGGATTTCTCATTACTCTAC
AACATTGTTTATATTTTTCTATTCAATAAAAAGCCCTAAACAACTAAAATGATTGATTGTATACCCCACTGAATT
CAAGCTGATTTAAATTTAAATTTGGTATATGCTGAAGTCTGCCAAGGTACATTATGGCCATTTTAAATTTACAGCT
AAAAATTTTTTAAATGCATTGCTGAGAAACGTGCTTTCATCAAACAAGAATAAATTTTTTCAGAAGTTAA

FIGURE 40

MKALLLLVLPWLSpanyIDNVGNLHFLYSELCKGASHYGLTKDRKRSQDGCPCDGCASLTATAPS
PEVSAAATISLMTDEPGLDNPAYVSSAEDGQPAISPVDSGRSNRTRARPFERSTIRSRSFKKINR
ALSVLRRTKSGSAVANHADQGRENSENTTAEVFPRLYHLIPDGEITSIKINRVDPSESLSIRLV
GGSETPLVHIIIQHIYRDGVIARDGRLLPGDIILKVNGMDISNVPHNYAVRLLRQPCQVLWLTVM
REQKFRSRNNGQAPDAYRPRDDSFHVILNKSSPEEQLGIKLVKRVDEPGVFI FNVLDGGVAYRHG
QLEENDRVLAINGHDLRYGSPESAHLIQASERRVHLVVSQRQVRQSPDIFQEAGWNSNGSWSPG
PGRSNTPKPLHPTITCHEKVNIQKDPGESLGMTVAGGASHREWDLPIYVISVEPGGVISRDGR
IKTGDI LLNV DGVELTEVSRSEAVALLKRTSSSIVLKALEVKEYEPQEDCSSPAALDSNHNMAPP
SDWSPSWVMWLELPRCLYNCKDIVLRRNTAGSLGFCIVGGYEEYNGNKPFFIKSIVEGTPAYNDG
RIRCGDILLAVNGRSTSGMIHACLARLLKELKGRITLTIVSWPGTFL

Important features:

Signal peptide:

amino acids 1-15

N-glycosylation sites.

amino acids 108-112, 157-161, 289-293, 384-388

Tyrosine kinase phosphorylation sites.

amino acids 433-441, 492-500

N-myristoylation sites.

amino acids 51-57, 141-147, 233-239, 344-350, 423-429, 447-453,
467-473, 603-609

FIGURE 41

ACCAGGCATTGTATCTTCAGTTGTCATCAAGTTCGCAATCAGATTGGAAAAGCTCAACTTGAAGCTTT
CTTGCCCTGCAGTGAAGCAGAGAGATAGATATTATTACGTAATAAAAAACATGGGCTTCAACCTGACT
TTCCACCTTTCCTACAAATTCCGATTACTGTTGCTGTTGACTTTGTGCCTGACAGTGGTTGGGTGGGC
CACCAGTAACTACTTCGTGGGTGCCATTCAAGAGATTCTTAAAGCAAAGGAGTTCATGGCTAATTTCC
ATAAGACCTCATTTTTGGGAAGGGAAAACTCTGACTAATGAAGCATCCACGAAGAAGGTAGAACTT
GACAACTGTCTTCTGTGTCTCCTTACCTCAGAGGCCAGAGCAAGCTCATTTTCAAACCAGATCTCAC
TTTGAAGAGGTACAGGCAGAAAATCCCAAAGTGCCAGAGGCCGGTATCGCCCTCAGGAATGTAAAG
CTTTACAGAGGGTCGCCATCCTCGTTCCCCACCGAACAGAGAGAAACACCTGATGTACCTGCTGGAA
CATCTGCATCCCTTCTGCAGAGGCAGCAGCTGGATTATGGCATCTACGTCATCCACCAGGCTGAAGG
TAAAAAGTTTAATCGAGCCAACTCTTGAATGTGGCTATCTAGAAGCCCTCAAGGAAGAAAATTGGG
ACTGCTTTTATATTCCACGATGTGGACCTGGTACCCGAGAATGACTTTAACCTTTACAAGTGTGAGGAG
CATCCCAAGCATCTGGTGGTTGGCAGGAACAGCACTGGGTACAGGTTACGTTACAGTGGATATTTGG
GGGTGTTACTGCCCTAAGCAGAGAGCAGTTTTTCAAGGTGAATGGATTCTCTAACAACCTACTGGGGAT
GGGGAGGCGAAGACGATGACCTCAGACTCAGGGTTGAGCTCCAAAGAATGAAAATTTCCCGGCCCTG
CCTGAAGTGGGTAAATATACAATGGTCTTCCACACTAGAGACAAAGGCAATGAGGTGAACGCAGAACG
GATGAAGCTCTTACACCAAGTGTACGAGTCTGGAGAACAGATGGGTGAGTAGTGTCTTTATAAAT
TAGTATCTGTGGAACACAATCCTTTATATATCAACATCAGTGGATTTCTGGTTTGGTGCATGACCC
TGGATCTTTTGGTGATGTTTGAAGAAGTATTCTTTGTTTGCAATAATTTGGCCTAGAGACTTCAA
ATAGTAGCACACATTAAGAACCTGTACAGCTCATTTGTTGAGCTGAATTTTCTTTTGTATTTCT
TAGCAGAGCTCCTGGTGATGTAGAGTATAAAACAGTTGTAACAAGACAGCTTCTTAGTCATTTTGT
CATGAGGGTTAAATATTGTAATATGGATACTTGAAGGACTTTATATAAAAGGATGACTCAAAGGATAA
AATGAACGCTATTTGAGGACTCTGGTTGAAGGAGATTTATTTAAATTTGAAGTAATATATTATGGGAT
AAAAGGCCACAGGAAATAAGACTGCTGAATGTCTGAGAGAACCAGAGTTGTTCTCGTCCAAGGTAGAA
AGGTACGAAGATACAATACTGTTATTTCATTATCCTGTACAATCATCTGTGAAGTGGTGGTGTGAGGT
GAGAAGGCGTCCACAAAAGAGGGGAGAAAAGGCGACGAATCAGGACACAGTGAACCTGGGAATGAAGA
GGTAGCAGGAGGGTGGAGTGTGCGCTGCAAAGGCAGCAGTAGCTGAGCTGGTTGCAGGTGCTGATAGC
CTTCAGGGGAGGACCTGCCAGGTATGCCTTCCAGTGATGCCACCAGAGAATACATTCTCTATTAGT
TTTTAAAGAGTTTTTGTAAAATGATTTTGTACAAGTAGGATATGAATTAGCAGTTTACAAGTTTACAT
ATTAACATAATAAATATGTCTATCAATACCTCTGTAGTAAAATGTGAAAAGCAAAA

FIGURE 42

MGFNLT FHLSYKFRLLLLLTCLTVVGWATSNYFVGAIQEIPKAKEFMANFHKTLILGKGKTLTN
EASTKKVELDNCPSVSPYLRGQSKLIFKPDLTLEEVQAENPKVSRGRYPQECKALQRVAILVPH
RNREKHLMYLLEHLHPFLQRQQLDYGIYVIHQAEKKFNRAKLLNVGYLEALKEENWDCFI FHDV
DLVPENDFNLYKCEEHPKHLVVGRNSTGYRLRYSGYFGGVTALSREQFFKVNGFSNNYWGWGGED
DDLRLRVELQRMKISRPLPEVGKYTMVFHTRDKGNEVNAERMKLLHQVSRVWRTDGLSSCSYKLV
SVEHNPLYINITVDFWFGA

Important features:

Signal peptide:

amino acids 1-27

N-glycosylation sites.

amino acids 4-8, 220-224, 335-339

Xylose isomerase proteins.

amino acids 191-202

FIGURE 43

GCTCAAGACCCAGCAGTGGGACAGCCAGACAGACGGCACGATGGCACTGAGCTCCCAGATCTGGG
CCGCTTGCCTCCTGCTCCTCCTCCTCCTCGCCAGCCTGACCAGTGGCTCTGTTTTCCCAACAG
ACGGGACAAC TTGCAGAGCTGCAACCCCAAGACAGAGCTGGAGCCAGGGCCAGCTGGATGCCCAT
GTTCCAGAGGCGAAGGAGGCGAGACACCCACTTCCCCATCTGCATTTTCTGCTGCGGCTGCTGTC
ATCGATCAAAGTGTGGGATGTGCTGCAAGACGTAGAACCTACCTGCCCTGCCCCCGTCCCCCTCCC
TTCCTTATTTATTCCTGCTGCCCCAGAACATAGGTCTTGAATAAAATGGCTGGTTCTTTGTTT
TCCAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 44

MALSSQIWAACLLLLLLSLTSGSVFPQQTGQLAELQPQDRAGARASWMPMFQRRRRRDTHFPI
CIFCCGCCHRSKCGMCCKT

Important features:

Signal peptide:

amino acids 1-24

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 58-59

N-myristoylation site.

amino acids 44-50

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 1-12

FIGURE 45

GTGGCTTCATTTTCAGTGGCTGACTTCCAGAGAGCAATATGGCTGGTTCCCCAACATGCCTCACCC
TCATCTATATCCTTTGGCAGCTCACAGGGTCAGCAGCCTCTGGACCCGTGAAAGAGCTGGTCGGT
TCCGTTGGTGGGGCCGTGACTTTCCCCCTGAAGTCCAAAGTAAAGCAAGTTGACTCTATTGTCTG
GACCTTCAACACAACCCCTCTTGTCACCATACAGCCAGAAGGGGGCACTATCATAGTGACCCAAA
ATCGTAATAGGGAGAGAGTAGACTTCCCAGATGGAGGCTACTCCCTGAAGCTCAGCAAACCTGAAG
AAGAATGACTCAGGGATCTACTATGTGGGGATATACAGCTCATCACTCCAGCAGCCCTCCACCCA
GGAGTACGTGCTGCATGTCTACGAGCACCTGTCAAAGCCTAAAGTCACCATGGGTCTGCAGAGCA
ATAAGAATGGCACCTGTGTGACCAATCTGACATGCTGCATGGAACATGGGGAAGAGGATGTGATT
TATACCTGGAAGGCCCTGGGGCAAGCAGCCAATGAGTCCCATAATGGGTCCATCCTCCCCATCTC
CTGGAGATGGGGAGAAAGTGATATGACCTTCATCTGCGTTGCCAGGAACCCTGTCAGCAGAACT
TCTCAAGCCCCATCCTTGCCAGGAAGCTCTGTGAAGGTGCTGCTGATGACCCAGATTCCCTCCATG
GTCCCTCCTGTGTCTCCTGTTGGTGCCCCCTCTGCTCAGTCTCTTTGTACTGGGGCTATTTCTTTG
GTTTCTGAAGAGAGAGAGACAAGAAGAGTACATTGAAGAGAAGAAGAGAGTGGACATTTGTCGGG
AAACTCCTAACATATGCCCCCATTTCTGGAGAGAACACAGAGTACGACACAATCCCTCACACTAAT
AGAACAATCCTAAAGGAAGATCCAGCAAATACGGTTTACTCCACTGTGGAAATACCGAAAAAGAT
GGAAAATCCCCACTCACTGCTCAGATGCCAGACACACCAAGGCTATTTGCCTATGAGAATGTTA
TCTTAGACAGCAGTGCCTCCCTAAGTCTCTGCTCA

FIGURE 46

MAGSPTCLTLIYILWQLTGSAASGPVKELVGSVGGAVTFPLKSKVKQVDSIVWTFNTTPLVTIQP
EGGTIIIVTQNRNRERVDFFPDGGYSLKLSKLKKNDSGIYYVGIYSSSLQQPSTQEYVLHVYEHLSK
PKVTMGLQSNKNGTCVTNLTCMEHGEEVDIYTWKALGQAANESHNGSILPISWRWGESDMTFIC
VARNPVSRNFSSPILARKLCEGAADDPDSSMVLLCLLLVPLLLSLFVLGLFLWFLKRERQEEYIE
EKKRVDICRETPNICPHSGENTYDTIPHTNRTILKEDPANTVYSTVEIPKKMENPHSLLTMPDT
PRLFAYENVI

Important features:

Signal peptide:

amino acids 1-22

Transmembrane domain:

amino acids 224-250

Leucine zipper pattern.

amino acids 229-251

N-glycosylation sites.

amino acids 98-102, 142-146, 148-152, 172-176, 176-180, 204-208,
291-295

FIGURE 47

GGCTCGAGCGTTTCTGAGCCAGGGGTGACCAATGACCTGCTGCGAAGGATGGACATCCTGCAATGG
ATTCAGCCTGCTGGTTCTACTGCTGTTAGGAGTAGTTCTCAATGCGATACCTCTAATTGTCAGCT
TAGTTGAGGAAGACCAATTTTCTCAAAACCCCATCTCTTGCTTTGAGTGGTGGTTCAGGAATT
ATAGGAGCAGGTCTGATGGCCATTCCAGCAACAACAATGTCCTTGACAGCAAGAAAAAGAGCGTG
CTGCAACAACAGAACTGGAATGTTTCTTTCATCATTTTTCAGTGTGATCACAGTCATTGGTGCTC
TGTATTGCATGCTGATATCCATCCAGGCTCTCTTAAAAGGTCCTCTCATGTGTAATTCTCCAAGC
AACAGTAATGCCAATTGTGAATTTTCATTGAAAACATCAGTGACATTCATCCAGAATCCTTCAA
CTTGCAAGTGGTTTTTCAATGACTCTTGTCACCTCCTACTGGTTTCAATAAACCCACCAGTAACG
ACACCATGGCGAGTGGCTGGAGAGCATCTAGTTTCCACTTCGATTCTGAAGAAAACAAACATAGG
CTTATCCACTTCTCAGTATTTTATAGGTCTATTGCTTGTGGAATTCTGGAGGTCTGTTTGGGCT
CAGTCAGATAGTCATCGGTTTCCTTGGCTGTCTGTGTGGAGTCTCTAAGCGAAGAAGTCAAATTG
TGTAGTTTAAATGGGAATAAAATGTAAGTATCAGTAGTTTGAAAAAAAAA

FIGURE 48

MTCCEGWTSCNGFSLVLVLLLLGVVLNAIPLIVSLVEEDQFSQNPISCFEWWFPGIIGAGLMAIPA
TTMSLTARKKRACCNNRTGMFLSSFFSVITVIGALYCM LISIQALLKGPLMCNSPSNSNANCEFSL
KNISDIHPESFNLQWFFNDSCAPPTGFNKPTSNDTMA SGWRASSFHFDSEENK HRLIHFSVFLGL
LLVGILEVLFGLSQIVIGFLGCLCGVSKRRSQIV

Important features:

Transmembrane domains:

amino acids 10-31 (type II), 50-72, 87-110, 191-213

N-glycosylation sites.

amino acids 80-84, 132-136, 148-152, 163-167

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 223-227

N-myristoylation sites.

amino acids 22-28, 54-60, 83-89, 97-103, 216-222

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 207-218

TNFR/NGFR family cysteine-rich region protein.

amino acids 4-12

FIGURE 49

ATCCGTTCTCTGCGCTGCCAGCTCAGGTGAGCCCTCGCCAAGGTGACCTCGCAGGACACTGGTGA
AGGAGCAGTGAGGAACCTGCAGAGTCACACAGTTGCTGACCAATTGAGCTGTGAGCCTGGAGCAG
ATCCGTGGGCTGCAGACCCCCGCCCCAGTGCTCTCCCCCTGCAGCCCTGCCCCTCGAACTGTGA
CATGGAGAGAGTGACCCTGGCCCTTCTCCTACTGGCAGGCCTGACTGCCTTGGAAGCCAATGACC
CATTTGCCAATAAAGACGATCCCTTCTACTATGACTGGAAAAACCTGCAGCTGAGCGGACTGATC
TGCGGAGGGCTCCTGGCCATTGCTGGGATCGCGGCAGTTCTGAGTGGCAAATGCAAATACAAGAG
CAGCCAGAAGCAGCACAGTCCTGTACCTGAGAAGGCCATCCCACTCATCACTCCAGGCTCTGCCA
CTACTTGCTTGAGCACAGGACTGGCCTCCAGGGATGGCCTGAAGCCTAACACTGGCCCCCAGCACC
TCCTCCCCCTGGGAGGCCTTATCCTCAAGGAAGGACTTCTCTCCAAGGGCAGGCTGTTAGGCCCCCT
TTCTGATCAGGAGGCTTCTTTATGAATTAACTCGCCCCACCACCCCTCA

FIGURE 50

MERVTLALLLLAGLTALEANDPFANKDDPFYYDWKNLQLSGLICGGLLAIAVLSGKCKYKS
SQKQHSVPVEKAIPILITPGSATTC

Important features:

Signal peptide:

amino acids 1-16

Transmembrane domain:

amino acids 36-59

N-myristoylation sites.

amino acids 41-47, 45-51, 84-90

Extracellular proteins SCP/Tpx-1/Ag5/PR-1/Sc7.

amino acids 54-67

FIGURE 51

GTGGACTCTGAGAAGCCCAGGCAGTTGAGGACAGGAGAGAGAAGGCTGCAGACCCAGAGGGAGGG
AGGACAGGGAGTCGGAAGGAGGAGGACAGAGGAGGGGCACAGAGACGCAGAGCAAGGGCGGCAAGG
AGGAGACCCTGGTGGGAGGAAGACACTCTGGAGAGAGAGGGGGCTGGGCAGAGATGAAGTTCCAG
GGGCCCCCTGGCCTGCCTCCTGCTGGCCCTCTGCCTGGGCAGTGGGGAGGCTGGCCCCCTGCAGAG
CGGAGAGGAAAGCACTGGGACAAATATTGGGGAGGCCCTTGACATGGCCTGGGAGACGCCCTGA
GCGAAGGGGTGGGAAAGGCCATTGGCAAAGAGGCCGAGGGGCAGCTGGCTCTAAAGTCAGTGAG
GCCCTTGCCCAAGGGACCAGAGAAGCAGTTGGCACTGGAGTCAGGCAGGTTCCAGGCTTTGGCGC
AGCAGATGCTTTGGGCAACAGGGTCGGGGAAGCAGCCCATGCTCTGGGAAACACTGGGCACGAGA
TTGGCAGACAGGCAGAAGATGTCATTGACACGGAGCAGATGCTGTCCGCGGCTCCTGGCAGGGG
GTGCCTGGCCACAGTGGTGCTTGGGAACTTCTGGAGGCCATGGCATCTTTGGCTCTCAAGGTGG
CCTTGAGAGCCAGGGCCAGGGCAATCCTGGAGGTCTGGGGACTCCGTGGGTCCACGGATACCCCG
GAAACTCAGCAGGCAGCTTTGGAATGAATCCTCAGGGAGCTCCCTGGGGTCAAGGAGGCAATGGA
GGGCCACCAAACCTTTGGGACCAACACTCAGGGAGCTGTGGCCAGCCTGGCTATGGTTCAGTGAG
AGCCAGCAACCAGAATGAAGGGTGACGAATCCCCACCATCTGGCTCAGGTGGAGGCTCCAGCA
ACTCTGGGGGAGGCAGCGGCTCACAGTCGGGCAGCAGTGGCAGTGGCAGCAATGGTGACAACAAC
AATGGCAGCAGCAGTGGTGGCAGCAGCAGTGGCAGCAGCAGTGGCAGCAGCAGTGGCGGCAGCAG
TGGCGGCAGCAGTGGTGGCAGCAGTGGCAACAGTGGTGGCAGCAGAGGTGACAGCGGCAGTGAGT
CCTCCTGGGGATCCAGCACCGGCTCCTCCTCCGGCAACCACGGTGGGAGCGGCGGAGGAAATGGA
CATAAACCCGGGTGTGAAAAGCCAGGGAATGAAGCCCGCGGGAGCGGGGAATCTGGGATTACAGG
CTTCAGAGGACAGGGAGTTTCCAGCAACATGAGGGAATAAGCAAAGAGGGCAATCGCCTCCTTG
GAGGCTCTGGAGACAATTATCGGGGGCAAGGGTCGAGCTGGGGCAGTGGAGGAGGTGACGCTGTT
GGTGGAGTCAATACTGTGAACCTCTGAGACGTCTCCTGGGATGTTTAACTTTGACACTTTCTGGAA
GAATTTTAAATCCAAGCTGGGTTTCATCAACTGGGATGCCATAAACAAGGACCAGAGAAGCTCTC
GCATCCCGTGAACCTCCAGACAAGGAGCCACCAGATTGGATGGGAGCCCCCACACTCCCTCCTTAA
AACACCACCCTCTCATCTAATCTCAGCCCTTGCCCTTGAAATAAACCTTAGCTGCCCCACAAA
AA
AA

FIGURE 52

MKFQGPLACLLALCLGSGEAGPLQSGEESTGTNIGEALGHGLGDALSEGVGKAIGKEAGGAAGSKVS
EALQGQTREAVGTGVRQVPGFGAADALGNRVGEAAHALGNTGHEIGRQAEDVIRHGADAVRGSWQGV
GHSGAWETSGGHGIFGSQGGGLGGQGNPGGLGTPWVHGYPGNSAGSFGMNPQGAPWGQGGNGGPPNF
GTNTQGAQAQPGYGSVRASNQNEGCTNPPPSGSGGSSNSGGGSGSQSGSSGSGSNGDNMNGSSSSGGS
SSGSSSSGSSSGGSSGGSSGSGNSGSGSRGDSGSESSWGSSTGSSSGNHGGSGGGNGHKPGCEKPGNE
ARGSGESGIQGFRGQGVSSNMREISKEGNRLGGSGDNYRGQSSWGSGGGDAVGGVNTVNSETPGM
FNFDTFWKNFKSKLGFINWDAINKDQRSSRIP

Signal peptide:

amino acids 1-21

N-glycosylation site.

amino acids 265-269

Glycosaminoglycan attachment site.

amino acids 235-239, 237-241, 244-248, 255-259, 324-328, 388-392

Casein kinase II phosphorylation site.

amino acids 26-30, 109-113, 259-263, 300-304, 304-308

N-myristoylation site.

amino acids 17-23, 32-38, 42-48, 50-56, 60-66, 61-67, 64-70, 74-80,
90-96, 96-102, 130-136, 140-146, 149-155, 152-158, 155-161,
159-165, 163-169, 178-184, 190-196, 194-200, 199-205, 218-224,
236-242, 238-244, 239-245, 240-246, 245-251, 246-252, 249-252,
253-259, 256-262, 266-272, 270-276, 271-277, 275-281, 279-285,
283-289, 284-290, 287-293, 288-294, 291-297, 292-298, 295-301,
298-304, 305-311, 311-317, 315-321, 319-325, 322-328, 323-329,
325-331, 343-349, 354-360, 356-362, 374-380, 381-387, 383-389,
387-393, 389-395, 395-401

Cell attachment sequence.

amino acids 301-304

FIGURE 53

GGAGAAGAGGTTGTGTGGGACAAGCTGCTCCCGACAGAAGGATGTCGCTGCTGAGCCTGCCCTGG
CTGGGCCTCAGACCGGTGGCAATGTCCCATGGCTACTCCTGCTGCTGGTTGTGGGCTCCTGGCT
ACTCGCCCGCATCCTGGCTTGACCTATGCCTTCTATAACAAGTCCCGCCGGCTCCAGTGTTC
CACAGCCCCAAAACGGAAGTGGTTTTGGGGTCACCTGGGCCTGATCACTCCTACAGAGGAGGGC
TTGAAGGACTCGACCCAGATGTGCGCCACCTATCCCAGGGCTTTACGGTATGGCTGGGTCCCAT
CATCCCCTTCATCGTTTTATGCCACCCTGACACCATCCGGTCTATCACCAATGCCTCAGCTGCCA
TTGCACCCAAGGATAATCTCTTCATCAGGTTCTGAAGCCCTGGCTGGGAGAAGGGATACTGCTG
AGTGGCGGTGACAAGTGGAGCCGCCACCGTCGGATGCTGACGCCCGCCTTCCATTTCAACATCCT
GAAGTCCTATATAACGATCTTCAACAAGAGTGCAAACATCATGCTTGACAAGTGGCAGCACCTGG
CCTCAGAGGGCAGCAGTCGTCTGGACATGTTGAGCACATCAGCCTCATGACCTTGACAGTCTA
CAGAAATGCATCTTCAGCTTTGACAGCCATTGTGAGGAGAGGGCCAGTGAATATATTGCCACCAT
CTTGAGAGCTCAGTGCCCTTGTAGAGAAAAGAAGCCAGCATATCCTCCAGCACATGGACTTTCTGT
ATTACCTCTCCCATGACGGGCGGCGCTTCCACAGGGCCTGCCGCTGGTGCATGACTTCACAGAC
GCTGTCATCCGGGAGCGGCGTCGCACCTCCCACTCAGGGTATTGATGATTTTTTCAAAGACAA
AGCCAAGTCCAAGACTTTGGATTTTATTGATGTGCTTCTGCTGAGCAAGGATGAAGATGGGAAGG
CATTGTCAGATGAGGATATAAGAGCAGAGGCTGACACCTTCATGTTTGGAGGCCATGACACCACG
GCCAGTGGCCTCTCCTGGGTCTGTACAACCTTGCGAGGCACCCAGAATACCAGGAGCGCTGCCG
ACAGGAGGTGCAAGAGCTTCTGAAGGACCGCGATCCTAAAGAGATTGAATGGGACGACCTGGCCC
AGCTGCCCTTCTGACCATGTGCGTGAAGGAGAGCCTGAGGTTACATCCCCCAGCTCCCTTCATC
TCCCGATGCTGCACCCAGGACATTGTTCTCCAGATGGCCGAGTCATCCCCAAAGGCATTACCTG
CCTCATCGATATTATAGGGTCCATCACAACCCAAGTGTGTGGCCGGATCCTGAGGTCTACGACC
CCTTCCGCTTTGACCCAGAGAACAGCAAGGGGAGGTACCTCTGGCTTTTATTCTTTCTCCGCA
GGGCCCAGGAAGTGCATCGGGCAGGCGTTCCGCATGGCGGAGATGAAAGTGGTCTGGCGTTGAT
GCTGCTGCACTTCCGGTTCTGCCAGACCACACTGAGCCCCGAGGAAGCTGGAATTGATCATGC
GCGCCGAGGGCGGGCTTTGGCTGCGGGTGGAGCCCCTGAATGTAGGCTTGAGTGACTTTCTGAC
CCATCCACCTGTTTTTTTGCAGATTGTCATGAATAAAACGGTGCTGTCAA

FIGURE 54

MSLLSLPWLGLRPVAMSPWLLLLLVVGSWLLARILAWTYAFYNNCRRLQCFPPPKRNWFWGHLG
LITPTEEGLKDSTQMSATYSQGFTVWLGPIIPFIVLCHPDTIRSITNASAAIAPKDNLFIRFLKP
WLGEGILLSGGDKWSRHRRLTPAFHFNILKSYITIFNKSANIMLDKWQHLASEGSSRLDMFEHI
SLMTLDSLQKCIFSFDSHCQERPSEYIATILELSALVEKRSQHILQHMDFLYYLSHDGRRFHRAC
RLVHDFTDVIRERRRTLPTQGIDDFKDKAKSKTLDLDFIDVLLLSKDEDGKALSDEDIRAEADTF
MFGGHDTTASGLSWVLYNLARHPEYQERCQEVQELLKDRDPKEIEWDDLAQLPFLTMCVKESLR
LHPPAPFISRCCTQDIVLPDGRVIPKGITCLIDIIGVHHNPTVWPDPEVYDFFRFDPENSKGRSP
LAFIPFSAGPRNCIGQAFAMAEMKVVLALMLLHFRFLPDHTEPRRKLELIMRAEGGLWLRVEPLN
VGLQ

Important features:

Transmembrane domains:

amino acids 13-32 (type II), 77-102

Cytochrome P450 cysteine heme-iron ligand signature.

amino acids 461-471

N-glycosylation sites.

amino acids 112-116, 168-172

FIGURE 55

ATCGCATCAATTGGGAGTACCATCTTCCTCATGGGACCAGTGAAACAGCTGAAGCGAATGTTTGA
GCCTACTCGTTTGATTGCAACTATCATGGTGCTGTTGTGTTTTGCACTTACCCTGTGTTCTGCCT
TTTGGTGGCATAACAAGGGACTTGCACTTATCTTCTGCATTTTGCAGTCTTTGGCATTGACGTGG
TACAGCCTTTCCTTCATACCATTGCAAGGGATGCTGTGAAGAAGTGTGTTGCCGTGTGCTTGC
ATAATTCATGGCCAGTTTTATGAAGCTTTGGAAGGCACATGGACAGAAGCTGGTGGACAGTTTT
GTAACATCTTCGAAACCTCTGTCTTACAGACATGTGCCTTTTATCTTGCAGCAATGTGTTGCTT
GTGATTCGAACATTTGAGGGTTACTTTTGAAGCAACAATACATTCTCGAACCTGAATGTCAGTA
GCACAGGATGAGAAGTGGGTTCTGTATCTTGTGGAGTGGAAATCTTCCTCATGTACCTGTTTCCTC
TCTGGATGTTGTCCCACTGAATTCCCATGAATACAAACCTATTCAGCAACAGCAAAAAAAAAAAAA
AA

FIGURE 56

MGPVKQLKRMFEPTRLIATIMVLLCFALTLCSAFWWHNKGLALIFCILQSLALTWYSLSFIPFAR
DAVKKCFVCLA

Important features:

Signal peptide:

amino acids 1-33

Type II fibronectin collagen-binding domain protein.

amino acids 30-72

APP ID=10063563

[illegible][illegible]

FIGURE 58

MLCLCLYVPVIGEAQTEFQYFESKGLPAELKSIKLSVFIQSQEFSTYRQWKQKIVQAGDKDLDG
QLDFEEFVHYLQDHEKKRLRVFKILDKKNDGRIDAQEIMQSLRDLGVKISEQQAEEKILKSMDKNG
TMTIDWNEWRDYHLLHPVENIPEIILYWKHSTIFDVGENLTVPDEFTVEERQTGMWWRLVAGGG
AGAVSRTCTAPLDRKVLMOVHASRSNNMGIVGGFTQMIREGGARSLWRGNGINVLKIAPESAIAK
FMAYEQIKRLVGSDQETLRIHERLVAGSLAGATAQSSIYPMEVLKTRMALRKTGQYSGMLDCARR
ILAREGVAAFYKGYVPNMLGIIPYAGIDLAVYETLKNWLQHYAVNSADPGVFVLLACGTMSSTC
GQLASYPLALVRTRMQAASIEGAPEVTMSSLFKHILRTEGAFGLYRGLAPNFMKVIPAVSISYV
VYENLKITLGVQSR

Important features:

Signal peptide:

amino acids 1-16

Putative transmembrane domains:

amino acids 284-304, 339-360, 376-394

Mitochondrial energy transfer proteins signature.

amino acids 206-215, 300-309

N-glycosylation sites.

amino acids 129-133, 169-173

Elongation Factor-hand calcium-binding protein.

amino acids 54-73, 85-104, 121-140

FIGURE 59

GGAAGGCAGCGGCAGCTCCACTCAGCCAGTACCCAGATACGCTGGGAACCTTCCCCAGCCATGGC
TTCCCTGGGGCAGATCCTCTTCTGGAGCATAATTAGCATCATCATTATTCTGGCTGGAGCAATTG
CACTCATCATTGGCTTTGGTATTTAGGGAGACACTCCATCACAGTCACTACTGTGCGCTCAGCT
GGGAACATTGGGGAGGATGGAATCCTGAGCTGCACTTTTGAACCTGACATCAAACCTTCTGATAT
CGTGATACAATGGCTGAAGGAAGGTGTTTTAGGCTTGGTCCATGAGTTCAAAGAAGGCAAAGATG
AGCTGTCGGAGCAGGATGAAATGTTAGAGGCCGGACAGCAGTGTGCTGATCAAGTGATAGTT
GGCAATGCCTCTTTGCGGCTGAAAAACGTGCAACTCACAGATGCTGGCACCTACAAATGTTATAT
CATCACTTCTAAAGCAAGGGGAATGCTAACCTTGAGTATAAACTGGAGCCTTCAGCATGCCGG
AAGTGAATGTGGACTATAATGCCAGCTCAGAGACCTTGCGGTGTGAGGCTCCCCGATGGTTCCCC
CAGCCCACAGTGGTCTGGGCATCCCAAGTTGACCAGGGAGCCAATTCTCGGAAGTCTCCAATAC
CAGCTTTGAGCTGAACTCTGAGAATGTGACCATGAAGGTTGTGTCTGTGCTCTACAATGTTACGA
TCAACAACACATACTCCTGTATGATTGAAAATGACATTGCCAAAGCAACAGGGGATATCAAAGTG
ACAGAAATCGGAGATCAAAGGCGGAGTCACCTACAGCTGCTAACTCAAAGGCTTCTCTGTGTGT
CTCTTCTTTCTTTGCCATCAGCTGGGCACCTTCTGCCTCTCAGCCCTTACCTGATGCTAAAATAAT
GTGCCTTGGCCACAAAAAAGCATGCAAAGTCATTGTTACAACAGGGATCTACAGAACTATTTTAC
CACCAGATATGACCTAGTTTTTATATTTCTGGGAGGAAATGAATTCATATCTAGAAGTCTGGAGTG
AGCAAACAAGAGCAAGAAACAAAAAGAAGCCAAAAGCAGAAGGCTCCAATATGAACAAGATAAAT
CTATCTTCAAAGACATATTAGAAGTTGGGAAAATAATTCATGTGAACTAGACAAGTGTGTTAAGA
GTGATAAGTAAATGCACGTGGAGACAAGTGCATCCCCAGATCTCAGGGACCTCCCCCTGCCTGT
CACCTGGGGAGTGAGAGGACAGGATAGTGCATGTTCTTTGTCTCTGAATTTTTAGTTATATGTGC
TGTAATGTTGCTCTGAGGAAGCCCCTGGAAAGTCTATCCCAACATATCCACATCTTATATCCAC
AAATTAAGCTGTAGTATGTACCCTAAGACGCTGCTAATTGACTGCCACTTCGCAACTCAGGGGCG
GCTGCATTTTAGTAATGGGTCAAATGATTCACTTTTTATGATGCTTCCAAAGGTGCCTTGGCTTC
TCTTCCCAACTGACAAATGCCAAAGTTGAGAAAAATGATCATAATTTTAGCATAAACAGAGCAGT
CGGGGACACCGATTTTATAAATAAACTGAGCACCTTCTTTTAAACAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 6o

MASLGQILFWSIIISIIILAGAIALIIGFGISGRHSITVTTVASAGNIGEDGILSCTFEPDIKLS
DIVIQWLKEGVLGLVHEFKEGKDELSEQDEMFRGRTAVFADQVIVGNASRLKNVQLTDAGTYKC
YIITSKKGKNANLEYKTGAFSMPEVNVDYNASSETLRCEAPRWFPQPTVVWASQVDQGANFSEVS
NTSFELNSENVTMKVVSVLYNVTINNTYSCMIENDIAKATGDIKVTSEIKRRSHLQLLNSKASL
CVSSFFAISWALLPLSPYMLK

Important features:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 258-281

N-glycosylation sites.

amino acids 112-116, 160-164, 190-194, 196-200, 205-209, 216-220,
220-224

N-myristoylation sites.

amino acids 52-58, 126-132, 188-194

FIGURE 61

TGACGTCAGAATCACCATGGCCAGCTATCCTTACCGGCAGGGCTGCCAGGAGCTGCAGGACAAG
CACCAGGAGCCCCCTCCGGGTAGCTACTACCCTGGACCCCCCAATAGTGGAGGGCAGTATGGTAGT
GGGCTACCCCCTGGTGGTGGTTATGGGGGTCTGCCCCTGGAGGGCCTTATGGACCACCAGCTGG
TGGAGGGCCCTATGGACACCCCAATCCTGGGATGTTCCCCTCTGGAACCTCAGGAGGACCATATG
GCGGTGCAGCTCCCGGGGGCCCCATGGTCAGCCACCTCCAAGTTCTACGGTGCCAGCAGCCT
GGGCTTTATGGACAGGTGGCGCCCCCTCCAATGTGGATCCTGAGGCCTACTCCTGGTTCCAGTC
GGTGGACTCAGATCACAGTGGCTATATCTCCATGAAGGAGCTAAAGCAGGCCCTGGTCAACTGCA
ATTGGTCTTCATTCAATGATGAGACCTGCCTCATGATGATAAACATGTTTGACAAGACCAAGTCA
GGCCGCATCGATGTCTACGGCTTCTCAGCCCTGTGGAAATTCATCCAGCAGTGAAGAACCTCTT
CCAGCAGTATGACCGGGACCGCTCGGGCTCCATTAGCTACACAGAGCTGCAGCAAGCTCTGTCCC
AAATGGGCTACAACCTGAGCCCCCAGTTACCCAGCTTCTGGTCTCCCGCTACTGCCCACGCTCT
GCCAATCCTGCCATGCAGCTTGACCGCTTCATCCAGGTGTGACCCAGCTGCAGGTGCTGACAGA
GGCCTTCCGGGAGAAGGACACAGCTGTACAAGGCAACATCCGGCTCAGCTTCGAGGACTTCGTCA
CCATGACAGCTTCTCGGATGCTATTGACCCAACCATCTGTGGAGAGTGGAGTGCACCAGGGACCTT
TCCTGGCTTCTTAGAGTGAGAGAAGTATGTGGACATCTCTTCTTTCTGTCCCTCTAGAAGAAC
ATTCTCCCTTGCTTGATGCAACACTGTTCCAAAAGAGGGTGGAGAGTCTGCATCATAGCCACCA
AATAGTGAGGACCGGGCTGAGGCCACACAGATAGGGGCCTGATGGAGGAGAGGATAGAAGTTGA
ATGTCCTGATGGCCATGAGCAGTTGAGTGGCACAGCCTGGCACCAGGAGCAGGTCCTTGTAATGG
AGTTAGTGTCAGTCAGCTGAGCTCCACCCTGATGCCAGTGGTGAGTGTTCATCGGCCTGTTACC
GTTAGTACCTGTGTTCCCTCACCAGGCCATCCTGTCAAACGAGCCCATTTTCTCAAAGTGAAT
CTGACCAAGCATGAGAGAGATCTGTCTATGGGACCAGTGGCTTGGATTCTGCCACACCCATAAAT
CCTTGTTGTGTTAACTTCTAGCTGCCTGGGGCTGGCCCTGCTCAGACAAATCTGCTCCCTGGGCAT
CTTTGGCCAGGCTTCTGCCCCCTGCAGCTGGGACCCCTCACTTGCTGCCATGCTCTGCTCGGCT
TCAGTCTCCAGGAGACAGTGGTCACCTCTCCCTGCCAATACTTTTTTAATTTGCATTTTTTTC
ATTTGGGGCCAAAAGTCCAGTGAAATTGTAAGCTTCAATAAAAGGATGAAACTCTGA

FIGURE 62

MASYPYRQGCPGAAGQAPGAPPGSYYPGPPNSGGQYGSGLPPGGGYGGPAPGGPYGPPAGGGPYG
HPNPGMFPSGTPGGPYGGAAPGGPYGQPPSSYGAQQPGLYGQGGAPPNVDPEAYSWFQSVDS DH
SGYISMKELKQALVNCNWSSFNDETCLMMINMFDKTKSGRIDVYGFSALWKFIQQWKNLFQQYDR
DRSGSISYTELQQALSQMGYNLSPQFTQLLVSRYPERSANPAMQLDRFIQVCTQLQVLTEAFREK
DTAVQGNIRLSFEDFVTMTASRML

Important features of the protein:

Signal peptide:

amino acids 1-19

N-glycosylation site.

amino acids 147-150

Casein kinase II phosphorylation sites.

amino acids 135-138, 150-153, 202-205, 271-274

N-myristoylation sites.

amino acids 9-14, 15-20, 19-24, 33-38, 34-39, 39-44, 43-48, 61-
66, 70-75, 78-83, 83-88, 87-92, 110-115

FIGURE 63

CAGGATGCAGGGCCGCTGGCAGGGAGCTGCGCTCCTCTGGGCCTGCTCCTGGTCTGTCTTCATC
TCCCAGGCCTCTTTGCCCGGAGCATCGGTGTTGTGGAGGAGAAAGTTTCCCAAACCTCGGGACC
AACTTGCCTCAGCTCGGACAACCTTCCTCCACTGGCCCCCTCTAACTCTGAACATCCGCAGCCCGC
TCTGGACCCTAGGTCTAATGACTTGGCAAGGGTTCCTCTGAAGCTCAGCGTGCCTCCATCAGATG
GCTTCCCACCTGCAGGAGGTTCTGCAGTGCAGAGGTGGCCTCCATCGTGGGGGCTGCCTGCCATG
GATTCTGGCCCCCTGAGGATCCTTGGCAGATGATGGCTGCTGCGGCTGAGGACCGCCTGGGGGA
AGCGCTGCCTGAAGAACTCTCTTACCTCTCCAGTGTCTGCGGCCCTCGCTCCGGGCAGTGGCCCTT
TGCCTGGGGAGTCTTCTCCCGATGCCACAGGCCTCTCACCTGAGGCTTCACTCCTCCACCAGGAC
TCGGAGTCCAGACGACTGCCCCGTCTAATTCAGTGGGAGCCGGGGGAAAAATCCTTTCCCAACG
CCCTCCCTGGTCTCTCATCCACAGGGTTCGCTGATCACCCCTGGGGTACCCTGAATCCCAGTG
TGTCTGGGGAGGTGGAGGCCCTGGGACTGGTTGGGGAACGAGGCCCATGCCACACCCTGAGGGA
ATCTGGGGTATCAATAATCAACCCCCAGGTACCAGCTGGGGGAAATATTAATCGGTATCCAGGAGG
CAGCTGGGGAAATATTAATCGGTATCCAGGAGGCAGCTGGGGGAATATTAATCGGTATCCAGGAG
GCAGCTGGGGGAATATTCATCTATACCCAGGTATCAATAACCCATTTCCTCCTGGAGTTCTCCGC
CCTCCTGGCTCTTCTTGGAAATCCCAGCTGGCTTCCTAATCCTCCAAGCCCTAGGTTGCAGTG
GGGCTAGAGCACGATAGAGGGAACCCAAACATTGGGAGTTAGAGTCCTGCTCCCGCCCCCTTGCTG
TGTGGGCTCAATCCAGGCCCTGTTAACATGTTTCCAGCACTATCCCCACTTTTCAGTGCCTCCCC
TGCTCATCTCCAATAAAATAAAAGCACTTATGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA
AAA

FIGURE 64

MQGRVAGSCAPLGLLLVCLHLPGLFARSIGVVEEKVSQNFGTNLPQLGQPSSTGSPNSEHPQPAL
DPRSNDLARVPLKLSVPPSDGFPFAGGSAVQRWPPSWGLPAMDSWPPEDPWQMAAAAEDRLGEA
LPEELSYLSSAAALAPGSGPLPGESSPDATGLSPEASLLHQDSESRRLPRSNLGGAGGKILSRP
PWSLIHRVLPDHPWGTLNPSVSWGGGGPGTGWGTRPMHPHPEGIWGINNQPPGTSGWNINRYPGGS
WGNINRYPGGSWGNINRYPGGSWGNIHLYPGINNPFPFPGVLRPPGSSWNIPAGFPNPPSPRLQWG

Important features of the protein:

Signal peptide:

amino acids 1-26

Casein kinase II phosphorylation sites.

amino acids 56-59, 155-158

N-myristoylation sites.

amino acids 48-53, 220-225, 221-226, 224-229, 247-252, 258-263,
259-264, 269-274, 270-275, 280-285, 281-286, 305-310

FIGURE 65

AAGGAGAGGCCACCGGGACTTCAGTGTCTCCTCCATCCCAGGAGCGCAGTGGCCACTATGGGGTC
TGGGCTGCCCCCTTGTCCTCCTCTTGACCCTCCTTGGCAGCTCACATGGAACAGGGCCGGGTATGA
CTTTGCAACTGAAGCTGAAGGAGTCTTTTCTGACAAATTCCTCCTATGAGTCCAGCTTCTTGGA
TTGCTTGAAAAGCTCTGCCTCCTCCTCCATCTCCCTTCAGGGACCAGCGTCACCCTCCACCATGC
AAGATCTCAACACCATGTTGTCTGCAACACATGACAGCCATTGAAGCCTGTGTCTTCTTGCCCC
GGGCTTTTGGGCCGGGGATGCAGGAGGCAGGCCCCGACCCTGTCTTTCAGCAGGCCCCCACCTC
CTGAGTGGCAATAAATAAAATTCGGTATGCTG

FIGURE 66

MGSGLPVLVLLLTLLGSSHGTGPGMTLQLKLKESFLTNSSEYSSFLELLEKLCLLLHLPSTSVTL
HHARSQHHVVCNT

Important features:

Signal peptide:

amino acids 1-19

N-glycosylation site.

amino acids 37-41

N-myristoylation sites.

amino acids 15-21, 19-25, 60-66

FIGURE 67

ACGGACCGAGGGTTCGAGGGAGGGACACGGACCAGGAACCTGAGCTAGGTCAAAGACGCCCGGGC
CAGGTGCCCCGTCGCAGGTGCCCCCTGGCCGGAGATGCGGTAGGAGGGGCGAGCGCGAGAAGCCCC
TTCTCGGCGCTGCCAACCCGCCACCCAGCCCATGGCGAACCCCGGGCTGGGGCTGCTTCTGGCG
CTGGGCCTGCCGTTCTGCTGGCCCGCTGGGGCCGAGCCTGGGGGCAAATACAGACCACTTCTGC
AAATGAGAATAGCACTGTTTTGCCTTCATCCACCAGCTCCAGCTCCGATGGCAACCTGCGTCCGG
AAGCCATCACTGCTATCATCGTGGTCTTCTCCCTCTTGGCTGCCTTGCTCCTGGCTGTGGGGCTG
GCACTGTTGGTGCGBAAGCTTCGGGAGAAGCGGCAGACGGAGGGCACCTACCGGCCAGTAGCGA
GGAGCAGTTCTCCCATGCAGCCGAGGCCCGGGCCCCCTCAGGACTCCAAGGAGACGGTGCAGGGCT
GCCTGCCCATCTAGTCCCCCTCTCCTGCATCTGTCTCCCTTCATTGCTGTGTGACCTTGGGGAAA
GGCAGTGCCCTCTCTGGGCAGTCAGATCCACCCAGTGCTTAATAGCAGGGAAGAAGGTACTTCAA
AGACTCTGCCCCCTGAGGTCAAGAGAGGATGGGGCTATTCACTTTTATATATTTATATAAAATTAG
TAGTGAGATGTAAAAAAAAAAAAAAAAAAAA

FIGURE 68

MANPGLGLLLALGLPFLLARWGRAWGQIQTTSANENSTVLPSSSTSSSSDGNLRPEAITAIIVVFS
LLAALLLAVGLALLVRKLRKQTEGTYRPSSEEQFSHAAEARAPQDSKETVQGCLPI

Important features:

Signal peptide:

amino acids 1-19

Transmembrane domain:

amino acids 56-80

N-glycosylation site.

amino acids 36-40

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 86-90

Tyrosine kinase phosphorylation site.

amino acids 86-94

N-myristoylation sites.

amino acids 7-13, 26-32

FIGURE 69

GCCAGGAATAACTAGAGAGGAACAATGGGGTTATTAGAGGTTTTGTTTTCTCTTAGTTCTGTGCCTGCTGCACCAG
TCAAATACTTCCTTCATTAGCTGAATAATAATGGCTTTGAAGATATTGTCATTGTTATAGATCCTAGTGTGCCAGAA
GATGAAAAAATAATTGAACAAATAGAGGATATGGTGACTACAGCTTCTACGTACCTGTTTTGAAGCCACAGAAAAAGA
TTTTTTTTTCAAAAATGTATCTATATTAATTCCTGAGAATTGGAAGGAAAAATCCTCAGTACAAAAGGCCAAAACATGAA
AACCATAAACATGCTGATGTTATAGTTGCACCACCTACACTCCCAGGTAGAGATGAACCATACACCAAGCAGTTCCACA
GAATGTGGAGAGAAAGGCGAATACATTCACTTCACCCCTGACCTTCTACTTGGAAAAAACAAAATGAATATGGACCA
CCAGGCAAACTGTTTGTCCATGAGTGGGCTCACCTCCGGTGGGGAGTGTGTTGATGAGTACAATGAAGATCAGCCTTTC
TACCGTGCTAAGTCAAAAAAATCGAAGCAACAGGTGTTCCGCAGGTATCTCTGGTAGAAATAGAGTTTATAAGTGT
CAAGGAGGCAGCTGTCTTAGTAGAGCATGCAGAATTGATTCTACAACAAAACGTATGGAAGAAAGATTGTCAATTCTTT
CCTGATAAAGTACAAACAGAAAAAGCATCCATAATGTTTATGCAAGTATTGATTCTGTTGTTGAATTTTGAACGAA
AAAACCCATAATCAAGAAGCTCCAAGCCTACAAACATAAAGTGCAATTTAGAAGTACATGGGAGGTGATTAGCAAT
TCTGAGGATTTTAAAAACACCATACCCATGGTGACACCACCTCCTCCACCTGTCTTCTCATTGCTGAAGATCAGTCAA
AGAATTGTGTCTTAGTTCTTGATAAGTCTGGAGCATGGGGGGTAAGGACCGCTAAATCGAATGAATCAAGCAGCA
AAACATTTCTGCTGCAGACTGTTGAAAATGGATCCTGGGTGGGGATGGTTCACTTTGATAGTACTGCCACTATTGTA
AATAAGCTAATCCAAATAAAAGCAGTGATGAAGAAACACACTCATGGCAGGATTACCTACATATCCTCTGGGAGGA
ACTTCCATCTGCTCTGGAAATTAATATGCATTTAGGTGATTGGAGAGCTACATTCCCAACTCGATGGATCCGAAGTA
CTGCTGCTGACTGATGGGAGGATAACACTGCAAGTCTTGTATTGATGAAGTGAACAAAGTGGGGCCATTGTTTAT
TTTATTGCTTTGGGAAGAGCTGCTGATGAAGCAGTAATAGAGATGAGCAAGATAACAGGAGGAAGTCAATTTTATGTT
TCAGATGAAGCTCAGAACAATGGCCTCATGCTTTTGGGGCTCTTACATCAGGAAATCTGATCTCTCCAGAAAG
TCCCTTCAGCTCGAAAGTAAGGGATTAACTAGTAAATGCCTGGATGAACGACACTGTCATAATTGATAGTACA
GTGGGAAAGGACACGTTCTTTCTCATCACATGGAACAGTCTGCCTCCAGTATTTCTCTCTGGGATCCAGTGGGAACA
ATAATGGAAAATTTACAGTGGATGCAACTTCCAAAATGGCCTATCTCAGTATTCAGGAACTGCAAGGTGGGCACT
TGGGCATACAATCTTCAAGCCAAAGCGAACCAGAAACATTAACTATTACAGTAACTTCTCGAGCAGCAAAATCTTCT
GTGCTCCAATCACAGTGAATGCTAAATGAATAAGGACGTAAACAGTTTCCCAGCCCAATGATTGTTTACGCAGAA
ATTCTACAAGGATATGTACCTGTTCTTGGAGCCAATGTGACTGCTTTCATTGAATCACAGAATGGACATACAGAAGTT
TTGGAACTTTTGGATAATGGTGCAGGCGCTGATTCTTTCAAGAATGATGGAGTCTACTCCAGGTATTTTACAGCATAT
ACAGAAAATGGCAGATATAGCTTAAAGTTTCGGGCTCATGGAGGAGCAAACTGCCAGGCTAAAATTACGGCCTCCA
CTGAATAGAGCCGCTACATACCAGGCTGGGTAGTGAACGGGGAAATTGAAGCAAAACCCGCCAAGACCTGAAATTTGAT
GAGGATACTCAGACCACCTTGGAGGATTTTCAGCCGAACAGCATCCGGAGGTGCATTGTTGGTATCACAGTCCCAAGC
CTTCCCTTGCCTGACCAATACCCACCAAGTCAAATCACAGACCTTGATGCCACAGTTCATGAGGATAAGATTATTCTT
ACATGGACAGCACCAGGAGATAATTTTATGTTGGAAAGTTCAACGTATATCATAGAATAAGTGCAAGTATTCTT
GATCTAAGAGACAGTTTTGATGATGCTCTTCAAGTAAATACTACTGATCTGTCAACAAAGGAGGCCAACTCCAAGGAA
AGCTTTTGCAATTTAAACCAGAAAAATATCTCAGAAGAAAAATGCAACCCACATATTATTGCCATTAAAAGTATAGATAAA
AGCAATTTGACATCAAAAGTATCCAACATTGCACAAGTAACTTTGTTTATCCCTCAAGCAATCCTGATGACATTGAT
CCTACACCTACTCCTACTCCTACTCCTGATAAAAGTCATAATTCTGGAGTTAATATTCTACGCTGGTATTG
TCTGTGATTGGGTCTGTTGTAATTGTTAACTTTATTTTAAAGTACCACCATTTGAACCTTAACGAAGAAAAAATCTTC
AAGTAGACCTAGAAGAGAGTTTTAAAAAACAAACAATGTAAGTAAAGGATATTTCTGAATCTTAAATTCATCCCAT
GTGTGATCATAACTCATAAAAATAATTTAAGATGTCGGAAGAGGATACTTTGATTAAATAAAACACTCATGGATA
TGTAAAACTGTCAAGATTAAATTTAATAGTTTCATTTATTTGTTATTTTATTTGTAAGAAATAGTGATGAACAAAG
ATCCTTTTTCATACTGATACCTGGTTGTATATTATTTGATGCAACAGTTTTCTGAAATGATATTTCAAATTTGCATCAA
GAAATTAATCATCTATCTGAGTAGTCAAAATACAAGTAAAGGAGAGCAAAATAACAACTTTGGAAAAAATAAAAA
AA

FIGURE 70

MGLFRGFVFLVLCLLHQSNSTFIKLNNGFEDIVIVIDPSVPEDEKIEQIEDMVTASTYLFE
ATEKRFFFKVNSILIPENWKENPQYKRPKHENHKHADVIVAPPTLPGRDEPYTKQFTECGEKGEY
IHFTPDLLLGKKQNEYGPPGKLFVHEWAHLRWGVFDEYNEDQPFYRAKSKKIEATRCISAGISGRN
RVYKCQGGSCLSRACRIDSTTKLYGKDCQFFPDQVQTEKASIMFMQSIDSVVEFCNEKTHNQEAP
SLQNIKCNFRSTWEVISNSEDFKNTIPMVTPPPPPVFSLKISQRIVCLVLDKSGSMGKDRNLNR
MNQAAKHFLLOTVENGSWVGMVHFDSTATIVNKLIQIKSSDERNTLMAGLPTYPLGGTSICSGIK
YAFQVIGELHSQLDGSEVLLLLTDGEDNTASSCIDEVKQSGAIVHFIALGRAADEAVIEMSKITGG
SHFYVSDEAQNNGLIDAFGALTSGNTDLSQKSLQLESKGLTLNSNAWMNDTVIIDSTVGKDTFFL
ITWNSLPSSISLWDPSTIMENFTVDATSKMAYLSIPGTAKVGTWAYNLQAKANPETLTITVTSR
AANSSVPPITVNAKMNKDVNSFPSPMIVYAEILQGYVPVLGANVTAFIESQNGHTEVLELLDNGA
GADSFKNDBGVYSRYFTAYTENGRYSLKVRAGGANTARLKLRPPLNRAAYIPGWVVNGEIEANPP
RPEIDEDTQTTLDEFRTASGGAFVVSQVPSLPLPDQYPPSQITDLDATVHEDKIILTWTAPGDN
FDVGKVQRYIIIRISASILDLRDSFDDALQVNTDLSPEANSKESFAFKPENISEENATHIFIAI
KSIDKSNLTSKVSNIAQVTLFIPQANPDDIDPTPTPTPTPTPKSHNSGVNISTLVLSVIGSVVI
VNFILSTTI

Signal peptide:

amino acids 1-21

Putative transmembrane domains:

amino acids 284-300, 617-633

Leucine zipper pattern.

amino acids 469-491, 476-498

N-glycosylation site.

amino acids 20-24, 75-79, 340-344, 504-508, 542-546, 588-592,
628-632, 811-815, 832-836, 837-841, 852-856, 896-900

FIGURE 71

CTCCTTAGAGTGGAAACCTGGGAGTAGAGTACTGACAGCAAAGACCGGGAAGACCATACGTCCCCGGGCGAGGGGTGA
CAACAGGTGTCATCTTTTGTATCTCGTGTGGGTGCCTTCTTATTTCAAGGAAAGACGCCAAGGTAATTTTGACCCA
GAGGAGCAATGATGTAGCCACTCCTAACCTTCCCTTCTTGAACCCCAAGTTATGCCAGGATTTACTAGAGAGTGTCA
ACTCAACCAGCAAGCGGCTCCTTGGCTTAACTTGTGGTTGGAGGAGAGAACCCTTGTGGGGCTGCGTTCTCTTAGCA
GTGCTCAGAAGTGACTTGCCTGAGGGTGGACCAGAAGAAAGGAAAGGTCCTTCTGTGTTGGCTGCACATCAGGAA
GGCTGTGATGGGAATGAAGGTGAAAACCTGGAGATTTCACTTCAGTCATTGCTTCTGCCTGCAAGATCATCTTTAAA
AGTAGAGAAGCTGCTCTGTGTGGTGGTTAACTCCAAGAGGCAGAACTCGTTCTAGAAGGAAATGGATGCAAGCAGCTC
CGGGGGCCCCAAACGCATGCTTCTGTGGTCTAGCCAGGGAAAGCCCTTCCGTGGGGGGCCCCGGCTTTGAGGGATGCC
ACCGGTTCTGGACGCATGGCTGATTCTGAAATGATGATGGTTCCCGGGGGCTGCTTGCCTGGATTTCCTGGGTGGTG
GTTTTGCTGGTGTCTCTGTGTGCTATCTGTCTGTACATGTTGGCTGCACCCCAAAGGTGACGAGGAGCAG
CTGGCACTGCCAGGGGCCAACAGCCCCAGGGGAAGGAGGGTACCAGGCCGTCTTCAAGAGTGGGAGGAGCAGCAC
CGCACTACGTGAGCAGCCTGAAGCGGCAGATCGCACAGCTCAAGGAGGAGCTGCAGGAGAGGAGTGAGCAGCTCAGG
AATGGGCAGTACCAAGCCAGGCATGCTGCTGGCTGGGTCTGGACAGGAGCCCCCAGAGAAAACCCAGGGCGACCTC
CTGGCCTTCTGCACTCGCAGGTGGACAAGGCAGAGTGAATGCTGGCGTCAAGCTGGCCACAGAGTATGACAGCAGTG
CCTTTTCGATAGCTTACTCTACAGAGGTGTACAGCTGGAGACTGGCCTTACCCGCCACCCCGAGGAGAAGCCTGTG
AGGAAGGACAAGCGGATGAGTTGGTGGAGCCATTGAATCAGCCTTGGAGACCTGAACAATCTGCAGAGAACAGC
CCCAATCACCGTCTTACACGGCCTCTGATTTCATAGAAGGATCTACCGAACAGAAAGGACAAAGGGACATTGTAT
GAGCTCACCTTCAAAGGGGACACAAACACGAATCAAACGGCTCATCTTATTCGACCATTCAGCCCCATCATGAAA
GTGAAAAATGAAAGCTCAACATGGCCACACGCTTATCAATGTTATCGTGCCTTAGCAAAAAGGGTGGACAAGTTC
CGGCAGTTCATGCAGAAATTCAGGGAGATGTGCATTGAGCAGGATGGGAGAGTCCATCTCACTGTTGTTTACTTTGGG
AAAGAAGAAATAAATGAAGTCAAAGGAATCTTGAAAACACTTCCAAAGCTGCCAACTTCAGGAACCTTACCTTCATC
CAGCTGAATGGAGAAATTTCTCGGGGAAAGGACTTGATGTTGGAGCCCGCTTCTGGAAGGGAAGCAACGCTCCTCTC
TTTTCTGTGATGTGGACATCTACTTCACATCTGAATTCCTCAATACGTGTAGGCTGAATACACAGCCAGGGAAGAAG
GTATTTTATCCAGTTCTTTTTCAGTCAGTACAATCCTGGCATAATATACGGCCACCATGATGCAGTCCCTCCCTTGGAA
CAGCAGCTGGTCATAAAGAGGAACTGGATTTTGGAGAGACTTTGGATTTGGGATGACGTGTGATATCGGTGACAG
TTTCAATATAGGTGGTGTGATCTGGACATCAAAGCTGGGGCGGAGAGGATGTGCACCTTTATCGCAAGTATCTC
CACAGCAACCTCATAGTGGTACGGACGCTGTGCGAGGACTCTTCCACCTCTGGCATGAGAAGCGCTGCATGGACGAG
CTGACCCCGGAGCAGTACAAGATGTGCATGCAGTCCAAGGCCATGAACGAGGCATCCACGGCCAGCTGGGCATGCTG
GTGTTGAGGCACGAGATAGAGCTCACCTTCGCAACAGAAACAGAGACAAGTAGCAAAAAACATGAATCCACAG
GAAGGATTTGGGAGACACTTTTCTTCTTTTCAATTTACTGAAAGTGGCTGCAACAGAGAAAAGACTTCCATAAA
GGACGACAAAAGAAATGGACTGATGGGTGAGAGATGAGAAAGCCTCCGATTTCTCTGTGTTGGGCTTTTACAACAGA
AATCAAAATCTCCGCTTTGCCTGCAAAAGTAACCCAGTTGCACCCCTGTGAAGTGTCTGCAAAAGGCAGAAATGCTTGTG
AGATTATAAGCCTAATGGTGTGGAGGTTTTGATGGTGTGTACAATACACTGAGACCTGTTGTTTGTGTGCTCATTGA
AATATTGATGATTTAAGAGCAGTTTTGTAAAAAATTCATTAGCATGAAAGGCAAGCATATTTCTCTCATATGAATGA
GCCTATCAGCAGGGCTCTAGTTTCTAGGAATGCTAAATATCAGAAAGGAGGAGAGATAGGCTTATATGATACT
AGTGAGTACATTAAGTAAATAAATGGACAGAAAAGAAAAGAACCATAAATATCGTGTATATTTTCCCAAGAT
TAACCAAAAATAATCTGCTTATCTTTTGGTGTCTTTTAACTGTCTCCGTTTTTTTCTTTTATTTAAAAATGCACT
TTTTTTCCCTTGTGATTTATAGTCTGCTTATTTAATTACCACTTTGCAAGCCTTACAAGAGAGCACAAGTTGGCCTAC
ATTTTATATTTTTTAAGAAGATACTTTGAGATGCATTATGAGAACTTTCAGTTCAAAGCATCAATTTGATGCCATAT
CCAAGGACATGCCAAATGCTGATTCTGTGAGGCACTGAATGTGAGGCATTGAGACATAGGGAAGGAATGGTTTGTACT
AATACAGACGTACAGATACTTTCTCTGAAGAGTATTTTGAAGAGGAGCAACTGAACACTGGAGGAAAGAAATGAC
ACTTCTGCTTTACAGAAAAGGAACTCATTGAGACTGGTGATATCGTGATGTACCTAAAAGTCAAGAACACATTTT
CTCCTCAGAAAGTAGGACCGCTTCTTACCTGTTTAAATAAACCAAGTATACCGTGTGAACCAACATCTCTTTTC
AAAACAGGGTGTCTCTCGGCTTCTGGCTTCCATAAGAAGAAATGGAGAAAATATATATATATATATATATATTGT
GAAAGATCAATCCATCTGCCAGAATCTAGTGGGATGGAAGTTTTTGTACATGTTATCCACCCAGGCGAGTGGAG
TAACTGAATTTTTTAAATTAAGCAGTTCTACTCAATCACCAGATGCTTCTGAAAATTCATTTTATTACCATTT
CAAACTATTTTTTAAAAATAAATACAGTTAAACATAGAGTGGTTTTCTTATTCATGTGAAAATTTATAGCCAGCACCAG
ATGCATGAGCTAATTATCTCTTGTAGTCTTGTCTGTTTGTCTCACAGTAAACTCATTTTAAAGCTTCAAGAAC
ATTCAAGCTGTTGGTGTGTTAAAAATGCATTGTATTGATTGTACTGGTAGTTTATGAAATTTAATTAACACAGG
CCATGAATGGAAGGTGGTATTGCACAGCTAATAAAATATGATTTGTGGATATGAA

FIGURE 72

MMVRRGLLAWISRVVLLVLLCCAISVLYMLACTPKGDEEQLALPRANSPTGKEGYQAVLQEW
EQHRNYVSSSLKRQIAQLKEELQERSEQLRNGQYQASDAAGLGLDRSPPEKTQADLLAFLHSQV
AEVNAGVKLATEYAAVPFDSFTLQKVYQLETGLTRHPEEKPVKDKRDELVEAIESALET
ENSPNHRPYTASDFIEGIYRTERDKGTLYELTFKGDHKHEFKRLILFRPFSPIMKVNEK
TLINIVVPLAKRVDKFRQFMQNFREMCIEQDGRVHLTVVYFGKEEINEVKGILENTSKA
NFRNF
TFIQLNGEFSRGKGLDVGARFWKGSNVLLFFCDVDIYFTSEFLNTCRLNTQPGKKVFP
VLF
SQYNPGIYGHHDVAPPLEQQLVIKKETGFWRDFGFGMTCQYRSDFINIGGFDLDIKGWG
GEDVHLYR
KYLHSNLIVVRTPVRGLFHLWHEKRCMDELTPQYKMCMSKAMNEASHGQLGMLVFRHE
IEAHL
RKQKQKTSSKKT

Important features:

Signal peptide:

amino acids 1-27

N-glycosylation sites.

amino acids 315-319, 324-328

N-myristoylation sites.

amino acids 96-102, 136-142, 212-218, 311-317, 339-345, 393-399

Amidation site.

amino acids 377-381

[illegible]

APP ID=10063563

FIGURE 74

MLFSALLLEVIWILAADGGQHWTYEGPHGQDHPASYPECGNAQSPIDIQTDSVTFDPLPALQ
PHGYDQPGTEPLDLHNNGHTVQLSLPSTLYLGGLPRKYVAAQLHLHWGQKGSPGGSEHQINSEAT
FAELHIVHYDSDSYDSLSEAAERPQGLAVLGILIEVGETKNIAYEHILSHLHEVRHKDQKTSVPP
FNLRELLPKQLGQYFRYNGSLTTPPCYQSVLWTVFYRRSQISMEQLEKLGTLFSTEEEPSKLLV
QNYRALQPLNQRMVFASFIQAGSSYTTGEMLSLGVGILVGCCLLLAVYFIARKIRKKRLENRKS
VVFTSAQATTEA

Important features of the protein:

Signal peptide:

amino acids 1-15

Transmembrane domain:

amino acids 291-310

N-glycosylation site.

amino acids 213-216

Eukaryotic-type carbonic anhydrases proteins

amino acids 197-245, 104-140, 22-69

FIGURE 75

TGCCGCTGCCGCCGCTGCTGCTGTTGCTCCTGGCGGCGCCTTGGGGACGGGCAGTTCCTGTGTC
TCTGGTGGTTTGCCTAAACCTGCAAACATCACCTTCTTATCCATCAACATGAAGAATGTCCTACA
ATGGACTCCACCAGAGGGTCTTCAAGGAGTTAAAGTTACTTACACTGTGCAGTATTTTCATCACAA
ATTGGCCCACCAGAGGTGGCACTGACTACAGATGAGAAGTCCATTTCTGTTGTCTGACAGCTCC
AGAGAAGTGGAAGAGAAATCCAGAAGACCTTCTGTTTCCATGCAACAAATATACTCCAATCTGA
AGTATAACGTGTCTGTGTTGAATACTAAATCAAACAGAACGTGGTCCCAGTGTGTGACCAACCAC
ACGCTGGTGTCTACCTGGCTGGAGCCGAACACTCTTTACTGCGTACACGTGGAGTCCCTTCGTCCC
AGGGCCCCCTCGCCGTGCTCAGCCTTCTGAGAAGCAGTGTGCCAGGACTTTGAAAGATCAATCAT
CAGAGTTCAAGGTAAAATCATCTTCTGGTATGTTTTGCCCATATCTATTACCGTGTCTTTTTT
TCTGTGATGGGCTATTCCATCTACCGATATATCCACGTTGGCAAAGAGAAAACCCAGCAAATTT
GATTTTGATTTATGAAAATGAATTTGACAAAAGATTCTTTGTGCCTGCTGAAAAAATCGTGATTA
ACTTTATCACCTCAATATCTCGGATGATTCTAAAATTTCTCATCAGGATATGAGTTTACTGGGA
AAAAGCAGTGATGTATCCAGCCTTAATGATCCTCAGCCCAGCGGGAACCTGAGGCCCCCTCAGGA
GGAAGAGGAGGTGAAACATTTAGGGTATGCTTCGCATTTGATGGAAATTTTTGTGACTCTGAAG
AAAACACGGAAGGTACTTCTCTCAGCCAGCAAGAGTCCCTCAGCAGAACAAATACCCCCGATAAA
ACAGTCATTGAATATGAATATGATGTGCAAGCACTGACATTTGTGCGGGGCTGAAGAGCAGGA
GCTCAGTTTGCAGGAGGAGGTGTCCACACAAGGAACATTATTGGAGTCGCAGGCAGCGTTGGCAG
TCTTGGGCCCCGAAACGTTACAGTACTCATAACCCCTCAGCTCCAAGACTTAGACCCCTGGCG
CAGGAGCACACAGACTCGGAGGAGGGGCGGAGGAAGAGCCATCGACGACCCTGGTCGACTGGGA
TCCCCAACTGGCAGGCTGTGTATTCCTTCGCTGTCCAGCTTCGACCAGGATTCAGAGGGCTGCG
AGCCTTCTGAGGGGGATGGGCTCGGAGAGGAGGGTCTTCTATCTAGACTCTATGAGGAGCCGGCT
CCAGACAGGCCACCAGGAGAAAATGAAACCTATCTCATGCAATTCATGGAGGAATGGGGTTATA
TGTGCAGATGGAAAATGATGCCAACACTTCCTTTTGCTTTTGTTCCTGTGCAAACAAGTGAG
TCACCCCTTTGATCCAGCCATAAAGTACCTGGGATGAAAGAAGTTTTTCCAGTTTGTGAGTGT
CTGTGAGAATTACTTTATTTCTTTTCTCTATTCTCATAGCACGTGTGTGATTGGTTCATGCATGTA
GGTCTCTTAACAATGATGGTGGGCTCTGGAGTCCAGGGGCTGGCCGGTTGTCTATGCAGAGAA
AGCAGTCAATAAATGTTTGCCAGACTGGGTGCAGAATTTATTCAGGTGGGTGT

FIGURE 76

MSYNGLHQRVFKELKLLTLCSISSQIGPPEVALTTDEKSISVVLTAPEKWKRNPEDLPVSMQOIY
SNLKYNVSVLNTKSNRTWSQCVTNHTLVLTWLEPNTLYCVHVESFVPGPPRAQPSEKQCARTLK
DQSSEFKAKIIFWYVLPISITVFLFSVMGYSIYRYIHVGKEKHPANLILYGNFDRFFVPAEK
IVINFITLNISSDKISHQDMSLLGKSSDVSSLNDPQPSGNLRPPQEEEEVKHLGYASHLMEIFC
DSEENTEGTSLTQQESLSRTIPDPKTVIEYEYDVRTTDCAGPEEQELSLQEEVSTQGTLLESQA
ALAVLGPQTLQYSYTPQLQDLPLAQEHTDSEEGPEEPPSTTLVDWDPQTGRLCIPSLSSFDQDS
EGCEPSEGDGLGEEGLLSRLYEPPAPDRPPGENETYLMQFMEEWGLYVQMEN

Important features:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 140-163

N-glycosylation sites.

amino acids 71-74, 80-83, 89-92, 204-207, 423-426

FIGURE 77

GAGGAGCGGGCCGAGGACTCCAGCGTGCCAGGTCTGGCATCCTGCACTTGCTGCCCTCTGACAC
CTGGGAAGATGCGCGGCCCGTGGACCTTCACCCCTTCTCTGTGGTTTGCTGGCAGCCACCTTGATC
CAAGCCACCCCTCAGTCCCACCTGCAGTTCTCATCCTCGGCCCAAAGTCATCAAAGAAAAGCTGAC
ACAGGAGCTGAAGGACCACAACGCCACCAGCATCCTGCAGCAGCTGCCGCTGCTCAGTGCCATGC
GGGAAAAGCCAGCCGGAGGCATCCCTGTGCTGGGCAGCCTGGTGAACACCGTCCTGAAGCACATC
ATCTGGCTGAAGGTCATCACAGCTAACATCCTCCAGCTGCAGGTGAAGCCCTCGGCCAATGACCA
GGAGCTGCTAGTCAAGATCCCCCTGGACATGGTGGCTGGATTCAACACGCCCCCTGGTCAAGACCA
TCGTGGAGTTCCACATGACGACTGAGGCCCAAGCCACCATCCGCATGGACACCAGTGCAAGTGGC
CCCACCCGCTGGTCCTCAGTGACTGTGCCACCAGCCATGGGAGCCTGCGCATCCAACCTGCTGTA
TAAGCTCTCCTTCTGGTGAACGCCTTAGCTAAGCAGGTCATGAACCTCCTAGTGCCATCCCTGC
CCAATCTAGTGAAAAACCAGCTGTGTCCCGTGATCGAGGCTTCCTTCAATGGCATGTATGCAGAC
CTCTGCAGCTGGTGAAGGTGCCCCATTTCCCTCAGCATTGACCGTCTGGAGTTTGACCTTCTGTA
TCCTGCCATCAAGGGTGACACCATTAGCTCTACCTGGGGGCCAAGTTGTTGGACTCACAGGGAA
AGGTGACCAAGTGGTTCAATAACTCTGCAGCTTCCCTGACAATGCCACCCTGGACAACATCCCG
TTCAGCCTCATCGTGAGTCAGGACGTGGTGAAAGCTGCAGTGGCTGCTGTGCTCTCTCCAGAAGA
ATTCATGGTCCTGTTGGACTCTGTGCTTCCCTGAGAGTGCCCATCGGCTGAAGTCAAGCATCGGGC
TGATCAATGAAAAGGCTGCAGATAAGCTGGGATCTACCCAGATCGTGAAGATCCTAACTCAGGAC
ACTCCCGAGTTTTTTATAGACCAAGGCCATGCCAAGGTGGCCCAACTGATCGTGCTGGAAGTGTT
TCCCTCCAGTGAAGCCCTCCGCCCTTTGTTACCCCTGGGCATCGAAGCCAGCTCGGAAGCTCAGT
TTTACACCAAAGGTGACCAACTTATACTCAACTTGAATAACATCAGCTCTGATCGGATCCAGCTG
ATGAACTCTGGGATTGGCTGGTTCCAACCTGATGTTCTGAAAAACATCATCACTGAGATCATCCA
CTCCATCCTGCTGCCGAACCAGAATGGCAAATTAAGATCTGGGGTCCCAGTGTCATTGGTGAAGG
CCTTGGGATTGAGGCAGCTGAGTCCTCACTGACCAAGGATGCCCTTGTGCTTACTCCAGCCTCC
TTGTGGAAACCCAGCTCTCCTGTCTCCCAGTGAAGACTTGGATGGCAGCCATCAGGGAAGGCTGG
GTCCCAGCTGGGAGTATGGGTGTGAGCTCTATAGACCATCCCTCTCTGCAATCAATAAACTTG
CCTGTGAAAAA

FIGURE 78

MAGPWTFLLCGLLAATLIQATLSPTAVLILGPKVIKEKLTQELKDNATSILOQLPLLSAMREK
PAGGIPVLGSLVNTVLKHIIWLKVITANILQLQVKPSANDQELLVKIPLDMVAGFNTPLVKTIVE
FHMTTEAQATIRMDTSASGPTRLVLSDCATSHGSLRIQLLYKLSFLVNALAKQVMNLLVPSLPNL
VKNQLCPVIEASFNGMYADLLQLVKVPISLSIDRLFDLLYPAIKGDITQLYLGAALLDSQGKVT
KWFNNSAASLTMPITLDNIPFSLIVSQDVVKAABAVALSPEEFMVLLDSVLPESAHLKSSIGLIN
EKAADKLGSTQIVKILTQDTPPEFFIDQGHAKVAQLIVLEVFPSEALRPLFTLGIEASSEAQFYT
KGDQLILNLNNISSDRIQLMNSGIGWFQPDVLKNIITEIIHSILLPNQNGKLRSGVPVSLVKALG
FEAAESSLTkdalvltpaslwkpsspvsq

Important features of the protein:

Signal peptide:

amino acids 1-21

N-glycosylation sites.

amino acids 48-51, 264-267, 401-404

Glycosaminoglycan attachment site.

amino acids 412-415

LBP / BPI / CETP family proteins.

amino acids 407-457

FIGURE 79

GAGAGAAGTCAGCCTGGCAGAGAGACTCTGAAATGAGGGATTAGAGGTGTTCAAGGAGCAAGAGC
TTCAGCCTGAAGACAAGGGAGCAGTCCCTGAAGACGCTTCTACTGAGAGGTCTGCCATGGCCTCT
CTTGGCCTCCAACCTTGTGGGTACATCCTAGGCCTTCTGGGGCTTTTGGGCACACTGGTTGCCAT
GCTGCTCCCCAGCTGGAAAACAAGTTCTTATGTCGGTGCCAGCATTGTGACAGCAGTTGGCTTCT
CCAAGGGCCTCTGGATGGAATGTGCCACACACAGCACAGGCATCACCCAGTGTGACATCTATAGC
ACCCCTTCTGGGCCTGCCCGTGACATCCAGGCTGCCCAGGCCATGATGGTGACATCCAGTGCAAT
CTCCTCCCTGGCCTGCATTATCTCTGTGGTGGGCATGAGATGCACAGTCTTCTGCCAGGAATCCC
GAGCCAAAGACAGAGTGGCGGTAGCAGGTGGAGTCTTTTTCATCCTTGAGGGCCTCCTGGGATTC
ATTCTGTGTGCCTGGAATCTTCATGGGATCTTACGGGACTTCTACTCACCAGTGGTGCCTGACAG
CATGAAATTTGAGATTGGAGAGGCTCTTTACTTGGGCATTATTTCTTCCCTGTTCTCCCTGATAG
CTGGAATCATCCTCTGCTTTTCTGCTCATCCCAGAGAAATCGCTCCAACCTACTACGATGCCTAC
CAAGCCCAACCTCTTGCCACAAGGAGCTCTCCAAGGCCTGGTCAACCTCCCAAAGTCAAGAGTGA
GTTCAATTCTACAGCCTGACAGGGTATGTGTGAAGAACCAGGGGCCAGAGCTGGGGGGTGGCTG
GGTCTGTGAAAACAGTGGACAGCACCCCGAGGGCCACAGGTGAGGGACACTACCACTGGATCGT
GTCAGAAGGTGCTGCTGAGGATAGACTGACTTTGGCCATTGGATTGAGCAAAGGCAGAAATGGGG
GCTAGTGTAACAGCATGCAGGTTGAATTGCCAAGGATGCTCGCCATGCCAGCCTTTCTGTTTTCC
TCACCTTGCTGCTCCCCCTGCCCTAAGTCCCCAACCTCAACTTGAAACCCCATTCCTTAAGCCA
GGACTCAGAGGATCCCTTTGCCCTCTGTTTTACCTGGGACTCCATCCCCAAACCCACTAATCACA
TCCCACTGACTGACCCTCTGTGATCAAAGACCTCTCTCTGGCTGAGGTTGGCTCTTAGCTCATT
GCTGGGGATGGGAAGGAGAAGCAGTGGCTTTTGTGGGCATTGCTCTAACCTACTTCTCAAGCTTC
CCTCCAAAGAACTGATTGGCCCTGGAACCTCCATCCCACTCTTGTTATGACTCCACAGTGTCCA
GACTAATTTGTGCATGAACTGAAATAAAACCATCTACGGTATCCAGGGAACAGAAAGCAGGATG
CAGGATGGGAGGACAGGAAGGCAGCCTGGGACATTTAAAAAATA

FIGURE 8o

MASLGLQLVGYYLGLLGLLGLTLVAMLLPSWKTSSYVGASIVTAVGFSKGLWMECATHSTGITQCD
IYSTLLGLPADIQAAQAMMVTSSAISSLACIISVVGMRCTVFCQESRAKDRVAVAGGVFFILGGL
LGFIPVAWNLHGILRDFYSPLVPDSMKFEIGEALYLGIISSSLFSLIAGIILCFSCSSQRNRSNYY
DAYQAQPLATRSSPRPGQPPKVKSEFNYSYSLTGYV

Important features of the protein:

Signal peptide:

amino acids 1-24

Transmembrane domains:

amino acids 82-102, 117-140, 163-182

N-glycosylation site.

amino acids 190-193

PMP-22 / EMP / MP20 family proteins.

amino acids 46-59

FIGURE 81

CCCACGCGTCCGCGCCTCTCCCTTCTGCTGGACCTTCCTTCGTCTCTCCATCTCTCCCTCCTTTT
CCCCGCTTCTCTTTCCACCTTTCTCTTCTTCCACCTTAGACCTCCCTTCTGCCCTCCTTTTCCT
GCCACCGCTGCTTCCTGGCCCTTCTCCGACCCGCTCTAGCAGCAGACCTCCTGGGGTCTGTGG
GTTGATCTGTGGCCCTGTGCCCTCCGTGTCCTTTTCGTCTCCCTTCCTCCCGACTCCGCTCCCGG
ACCAGCGGCCTGACCCTGGGGAAGGATGGTTCCCGAGGTGAGGGTCCTCTCCTCCTTGTGGGA
CTCGCGCTGCTCTGGTTCCCCCTGGACTCCCACGCTCGAGCCCGCCAGACATGTTCTGCCTTTT
CCATGGGAAGAGATACTCCCCGGCGAGAGCTGGCACCCTACTTGGAGCCACAAGCCTGATGT
ACTGCCTGCGCTGTACCTGCTCAGAGGGCGCCCATGTGAGTTGTTACCGCCTCCACTGTCCGCT
GTCCACTGCCCCAGCCTGTGACGGAGCCACAGCAATGCTGTCCCAAGTGTGTGGAACCTCACAC
TCCCTCTGGACTCCGGGCCCCACCAAGTCCTGCCAGCACAAACGGGACCATGTACCAACACGGAG
AGATCTTCAGTGCCCATGAGCTGTTCCTCCCGCCTGCCCAACCAGTGTGTCTCTGCAGCTGC
ACAGAGGGCCAGATCTACTGCGGCCTCACAACCTGCCCGAACCAGGCTGCCAGCACCCCTCCC
ACTGCCAGACTCCTGCTGCCAAGCCTGCAAAGATGAGGCAAGTGAAGCAATCGGATGAAGAGGACA
GTGTGCAGTCGCTCCATGGGGTGAGACATCCTCAGGATCCATGTTCCAGTGTGCTGGGAGAAAG
AGAGGCCCCGGGCACCCAGCCCCACTGGCTCAGCGCCCTCTGAGCTTCATCCCTCGCCACTT
CAGACCAAGGGAGCAGGCAGCACAACTGTCAAGATCGTCCTGAAGGAGAAACATAAGAAAGCCT
GTGTGCATGGCGGGAAGACGTACTCCACGGGGAGGTGTGGCACCCGGCCTTCCGTGCCTTCGGC
CCCTTGCCCTGCATCCTATGCACCTGTGAGGATGGCCGCCAGGACTGCCAGCGTGTGACCTGTCC
CACCGAGTACCCCTGCCGTACCCCGAGAAAGTGGCTGGGAAGTGTGCAAGATTTGCCCAGAGG
ACAAAGCAGACCCTGGCCACAGTGAGATCAGTTCTACCAGGTGTCCCAAGGCACCGGGCCGGGTC
CTCGTCCACACATCGGTATCCCCAAGCCAGACAACCTGCGTCGCTTTGCCCTGGAACACGAGGC
CTCGGACTTGGTGGAGATCTACCTCTGGAAGCTGGTAAAAGATGAGGAACTGAGGCTCAGAGAG
GTGAAGTACCTGGCCCAAGGCCACACAGCCAGAATCTTCCACTTGAATCAGATCAAGAAAGTCAG
GAAGCAAGACTTCCAGAAAGAGGCACAGCACTTCCGACTGCTCGCTGGCCCCACGAAGGTCCT
GGAACGTCTTCCTAGCCAGACCCTGGAGCTGAAGGTACAGGCCAGTCCAGACAAAGTGACCAAG
ACATAACAAAGACCTAACAGTTGCAGATATGAGCTGTATAATTGTTGTTATTATATATTAATAAA
TAAGAAGTTGCATTACCCTCAAAAAAAAAAAAAAAAAAAAAA

FIGURE 82

MVPEVRLSSLLGLALLWFPLDSHARARPDMFCLFHGKRYSPGESWHPYLEPQGLMYCLRCTCSE
GAHVSCYRLHCPPVHCPQPVTEPQQCCPKCVEPHTPSGLRAPPKSCQHNGTMYQHGEIFSAHELF
PSRLPNQCVLCSCTEGQIYCGLTTCPEPGCPAPLPLPDSCCQACKDEASEQSDEEDSVQSLHGVR
HPQDPCSSDAGRKRGPPTPAPTGLSAPLSFIPRHFRPKGAGSTTVKIVLKEKHKKACVHGGKTYS
HGEVWHPAFRAFGPLPCILCTCEDGRQDCQRVTCPTTEYPCRHPKVAGKCKICPEDKADPGHSE
ISSTRCPKAPGRVLVHTSVSPDNLRRFALEHEASDLVEIYLWKLVKDEETEAQRGEVPGPRPH
SQNLPLDSDQESQEARLPERGTALPTARWPPRRSLERLPSDPGAEGHGQSRQSDQDITKT

Signal peptide:

amino acids 1-25

FIGURE 83

GACAGCTGTGTCTCGATGGAGTAGACTCTCAGAACAGCGCAGTTTGCCCTCCGCTCACGCAGAGCCTCTCC
GTGGCTTCCGCACCTTGAGCATTAGGCCAGTTCTCCTTCTCTCTAATCCATCCGTCACCTCTCCTGTCA
TCCGTTTCCATGCCGTGAGGTCCATTACAGAACACATCCATGGCTCTCATGCTCAGTTTGGTTCTGAGTC
TCCTCAAGCTGGGATCAGGGCAGTGGCAGGTGTTTGGGCCAGACAAGCCTGTCCAGGCCTTGGTGGGGAG
GACGCAGCATTCTCCTGTTTCTGTCTCCTAAGACCAATGCAGAGGCCATGGAAGTGCAGTTCTTTCAGGGG
CCAGTTCTCTAGCGTGGTCCACCTCTACAGGGACGGGAAGGACCAGCCATTTATGCAGATGCCACAGTATC
AAGGCAGGACAAACTGGTGAAGGATTCTATTGCGGAGGGGCGCATCTCTCTGAGGCTGGAAAACATTACT
GTGTTGGATGCTGGCCTCTATGGGTGCAGGATTAGTTCCAGTCTTACTACCAGAAGGCCATCTGGGAGCT
ACAGGTGTGAGCACTGGGCTCAGTTCCCTCTCATTCCATCACGGGATATGTTGATAGAGACATCCAGCTAC
TCTGTGAGTCTCGGGCTGGTTCCCCCGGCCACAGCGAAGTGGAAGGTCCACAAGGACAGGATTGTGCC
ACAGACTCCAGGACAAACAGAGACATGCATGGCCTGTTTGATGTGGAGATCTCTCTGACCGTCCAAGAGAA
CGCCGGGAGCATATCCTGTTCCATGCGGCATGCTCATCTGAGCCGAGAGGTGGAATCCAGGTTACAGATAG
GAGATACCTTTTTTCGAGCCTATATCGTGGCACCTGGCTACCAAAGTACTGGGAATACTCTGCTGTGGCCTA
TTTTTTGGCATTGTTGGACTGAAGATTTTCTTCTCCAAATCCAGTGGAATAATCCAGGCGGAAGTGGACTG
GAGAAGAAAGCACGGACAGGCAGAAATTGAGAGACGCGCGAAACACGCAGTGGAGGTGACTCTGGATCCAG
AGACGGCTCACCCGAAGCTCTGCGTTTCTGATCTGAAAAGTGAACCCATAGAAAAGCTCCCCAGGAGGTG
CCTCACTCTGAGAAGAGATTTACAAGGAAGAGTGTGGTGGCTTCTCAGAGTTTCCAAGCAGGGAACATTA
CTGGGAGGTGGACGGAGGACACAATAAAGGTGGCGGTGGGAGTGTGCCGGATGATGTGGACAGGAGGA
AGGAGTACGTGACTTTGTCTCCCGATCATGGGTACTGGGTCTCAGACTGAATGGAGAACATTTGTATTTT
ACATTAAATCCCCGTTTTATCAGCGTCTTCCCCAGGACCCACCTACAAAAATAGGGGTCTTCTGGACTA
TGAGTGTGGGACCATCTCCTTCTTCAACATAAATGACCAGTCCCTTATTTATACCCTGACATGTGGTTTG
AAGGCTTATTGAGGCCCTACATTGAGTATCCGTCTTATAATGAGCAAAATGGAAGTCCCATAGTCATCTGC
CCAGTCACCCAGGAATCAGAGAAAGAGGCCTCTTGGCAAAGGCCTCTGCAATCCCAGAGACAAGCAACAG
TGAGTCTCTCTCACAGGCAACCACGCCCTTCTCCCCAGGGGTGAAATGTAGGATGAATCACATCCCACAT
TCTTCTTTAGGGATATTAAGGTCTCTCTCCAGATCCAAAGTCCCGCAGCAGCCGGCCAAGGTGGCTTCCA
GATGAAGGGGGACTGGCCTGTCCACATGGGAGTCAGGTGTCTGCTGCCCCGAGCTGGGAGGGAAGAAGG
CTGACATTACATTTAGTTTGTCTCACTCCATCTGGCTAAGTGATCTTGAAATACCACCTCTCAGGTGAAG
AACCCTCAGGAATCCCATCTCACAGGCTGTGGTGTAGATTAAGTAGACAAGGAATGTGAATAATGCTTAG
ATCTTATTGATGACAGAGTGTATCCTAATGGTTTGTTCATTATATTACACTTTCAGTAAAAAAA

FIGURE 84

MALMLSLVLSLLKLGSGQWQVFGPDKPVQALVGEDAAFSCFLSPKTNAEAMEVRFFRGQFSSVVH
LYRDGKDQPFMQMPQYQGRTKLVKDSIAEGRISLRLENITVLDAGLYGCRISQSYQKAIWELQ
VSALGSVPLISITGYVDRDIQLLCQSSGWFFRPTAKWKGPQGQDLSTDSTNRDMHGLFDVEISL
TVQENAGSISCSMRHAHLSREVESRVQIGDTFFEPISWHLATKVLGILCCGLFFGIVGLKIFFSK
FQWKIQAELDWRRKHGQAEIRDARKHAVEVTLPETAHPKLCVSDLKTVTHRKAPEVPHSEKRF
TRKSVVASQSFQAGKHYWEVDGGHNKRWRVGVCRDDVDRRKEYVTLSPDHGYWVLRNLNGEHLFT
LNPRFISVFPRTPTKIGVFLDYECGTISFFNINDQSLIYTLTCRFEGLLRPYIEYPSYNEQNGT
PIVICPVTQESEKEASWQRASAIPESTNSSESSQATTPFLPRGEM

Signal peptide:

amino acids 1-17

Transmembrane domain:

amino acids 239-255

FIGURE 85

AACAGACGTTCCCTCGCGGCCCTGGCACCTCTAACCCAGACATGCTGCTGCTGCTGCTGCCCCCT
GCTCTGGGGGAGGGAGAGGGCGGAAGGACAGACAAGTAACTGCTGACGATGCAGAGTTCCGTGA
CGGTGCAGGAAGGCCTGTGTGTCCATGTGCCCTGCTCCTTCTCCTACCCCTCGCATGGCTGGATT
TACCCTGGCCAGTAGTTTCATGGCTACTGGTTCCGGGAAGGGGCCAATACAGACCAGGATGCTCC
AGTGGCCACAAACAACCCAGCTCGGGCAGTGTGGGAGGAGACTCGGGACCGATTCCACCTCCTTG
GGGACCCACATACCAAGAATTGCACCCTGAGCATCAGAGATGCCAGAAGAAGTGATGCGGGGAGA
TACTTCTTTCGTATGGAGAAAGGAAGTATAAAATGGAATTATAAACATCACCGGCTCTCTGTGAA
TGTGACAGCCTTGACCCACAGGCCAACATCCTCATCCCAGGCACCCCTGGAGTCCGGCTGCCCCC
AGAACTGACCTGCTCTGTGCCCTGGGCCTGTGAGCAGGGGACACCCCTATGATCTCCTGGATA
GGGACCTCCGTGTCCCCCTGGACCCCTCCACCACCCGCTCCTCGGTGCTCACCCCTCATCCCACA
GCCCCAGGACCATGGCACCAGCCTCACCTGTCAGGTGACCTTCCCTGGGGCCAGCGTGACCACGA
ACAAGACCGTCCATCTCAACGTGTCTACCCGCCTCAGAACTTGACCATGACTGTCTTCCAAGGA
GACGGCACAGTATCCACAGTCTTGGGAAATGGCTCATCTCTGTCACTCCAGAGGGCCAGTCTCT
GCGCCTGGTCTGTGCAGTTGATGCAGTTGACAGCAATCCCCCTGCCAGGCTGAGCCTGAGCTGGA
GAGGCTGACCCGTGTGCCCTCACAGCCCTCAAACCCGGGGTGCTGGAGCTGCCTTGGGTGCAC
CTGAGGGATGCAGCTGAATTACCTGCAGAGCTCAGAACCTCTCGGCTCTCAGCAGGTCTACCT
GAACGTCTCCCTGCAGAGCAAAGCCACATCAGGAGTGAATCAGGGGGTGGTTCGGGGGAGCTGGAG
CCACAGCCCTGGTCTTCTGTCTTCTGCGTCATCTTCGTTGTAGTGAGGTCTGCAGGAAGAAA
TCGGCAAGGCCAGCAGCGGGCGTGGGAGATACGGGCATAGAGGATGCAAACGCTGTGAGGGGTTT
AGCCTCTCAGGGGCCCTGACTGAACCTTGGGCAGAAGACAGTCCCCAGACCAGCCTCCCCAG
CTTCTGCCCGCTCCTCAGTGGGGGAAGGAGAGCTCCAGTATGCATCCCTCAGCTTCCAGATGGTG
AAGCCTTGGGACTCGCGGGGACAGGAGGCCACTGACACCGAGTACTCGGAGATCAAGATCCACAG
ATGAGAACTGCAGAGACTCACCTGATTGAGGGATCACAGCCCCTCCAGGCAAGGGAGAAGTCA
GAGGCTGATTCTTGTAGAATTAACAGCCCTCAACGTGATGAGCTATGATAACACTATGAATTATG
TGCAGAGTGAAGACACAGGCTTTAGAGTCAAAGTATCTCAAACCTGAATCCACACTGTGCCC
TCCCTTTTATTTTTTAACTAAAAGACAGACAAATTCCTA

FIGURE 86

MLLLLLPLLWGRERAEGQTSKLLTMQSSVTVQEGLCVHVPCSFSYPSHGWIIYPGPVVHGYWFREG
ANTDQDAPVATNNPARAVWEETRDRFHLLGDPHTKNCTLSIRDARRSDAGRYFFRMEKGSIKWNY
KHHRLSVNVTALTHRPNILIPGTLESGCPQNLTCSVPWACEQGTPPMISWIGTSVSPDPSTTRS
SVLTLIPQPDHGTSLTCQVTFPGASVTTNKTVHLNVSYPQNLTMTVFQGDGTVSTVLGNGSSL
SLPEGQSLRLVCAVDAVDSNPPARLSLSWRGLTLCPSQPSNPGVLELPWVHLRDAAEFTCRAQNP
LGSQQVYLVNLSLQSKATSGVTQGVVGGAGATALVFLSFCVIFVVVRSCRKKSARPAAGVGDGTGIE
DANAVRGASQGPLTEPWAEDSPPDQPPASARSSVGEGELQYASLSFQMVKPWDSRGQEATDTE
YSEIKIHR

Signal peptide:

amino acids 1-15

Transmembrane domain:

amino acids 351-370

FIGURE 87

AGAAAGCTGCACTCTGTTGAGCTCCAGGGCGCAGTGGAGGGAGGGAGTGAAGGAGCTCTCTGTAC
CCAAGGAAAGTGCAGCTGAGACTCAGACAAGATTACAATGAACCAACTCAGCTTCCTGCTGTTTC
TCATAGCGACCACCAGAGGATGGAGTACAGATGAGGCTAATACTTACTTCAAGGAATGGACCTGT
TCTTCGTCTCCATCTCTGCCCAGAAGCTGCAAGGAAATCAAAGACGAATGTCCTAGTGCATTTGA
TGGCCTGTATTTCTCCGCACTGAGAATGGTGTATCTACCAGACCTTCTGTGACATGACCTCTG
GGGTGGGGCTGGACCCTGGTGGCCAGCGTGCATGAGAATGACATGCGTGGGAAGTGCACGGTG
GGCGATCGCTGGTCCAGTCAGCAGGGCAGCAAAGCAGACTACCCAGAGGGGGACGGCAACTGGGC
CAACTACAACACCTTTGGATCTGCAGAGGCGGCCACGAGCGATGACTACAAGAACCCTGGCTACT
ACGACATCCAGGCCAAGGACCTGGGCATCTGGCACGTGCCCAATAAGTCCCCCATGCAGCACTGG
AGAAACAGCTCCCTGCTGAGGTACCGCACGGGACACTGGCTTCCTCCAGACACTGGGACATAATCT
GTTTGGCATCTACCAGAAATATCCAGTGAAATATGGAGAAGGAAAGTGTGGACTGACAACGGCC
CGGTGATCCCTGTGGTCTATGATTTTGGCGACGCCCAGAAAACAGCATCTTATTACTCACCTAT
GGCCAGCGGGAATTCAGTGCGGGATTTGTTCACTTCAGGGTATTTAATAACGAGAGAGCAGCCAA
CGCCTTGTGTGCTGGAATGAGGGTCACCGGATGTAACTGAGCATCACTGCATTGGTGGAGGAG
GATACTTTCAGAGGCCAGTCCCCAGCAGTGTGGAGATTTTCTGGTTTTGATTGGAGTGGATAT
GGAATCATGTTGGTTACAGCAGCAGCCGTGAGATACTGAGGCAGCTGTGCTTCTATTCTATCG
TTGAGAGTTTTTGTGGGAGGGAACCCAGACCTCTCCTCCCAACCATGAGATCCCAAGGATGGAGAA
CAACTTACCCAGTAGCTAGAATGTTAATGGCAGAAGAGAAAACAATAAATCATATTGACTCAAGA
AAAAAA

FIGURE 88

MNQLSFLLFLIATTRGWSTDEANTYFKEWTCSSSPSLPRSCKEIKDECPSAFDGLYFLRTENGVI
YQTFCDMTSGGGGWTLVASVHENDMRGKCTVGDRWSSQQGSKADYPEGDGNWANYNTFGSAEAAT
SDDYKNPGYYDIQAKDLGIWHVPNKSPMQHWRNSSLLRYRTDTGFLQTLGHNLFGLIYQKYPVKYG
EGKCWTDNGPVI PVVYDFGDAQKTASYISPYGQREFTAGFVQFRVFNNERAANALCAGMRVTGCN
TEHHCIGGGGYFPEASPPQCGDFSGFDWSGYGTHVGYSSSREITEAAVLLFYR

Important features:

Signal peptide:

amino acids 1-16

N-glycosylation site.

amino acids 163-167

Glycosaminoglycan attachment sites.

amino acids 74-78, 289-293

N-myristoylation sites.

amino acids 76-82, 115-121, 124-130, 253-259, 292-298

FIGURE 89

CTAGATTTGTCGGCTTGCAGGGGAGACTTCAGGAGTCGCTGTCTCTGAACTTCCAGCCTCAGAGAC
CGCCGCCCTTGTCCCGAGGGGCCATGGGCCGGGTCTCAGGGCTTGTGCCCTCTCGCTTCCTGACG
CTCCTGGCGCATCTGGTGGTCGTCATCACCTTATTCTGGTCCCGGGACAGCAACATACAGGCCTG
CCTGCCTCTCACGTTACCCCCGAGGAGTATGACAAGCAGGACATTCAGCTGGTGGCCGCGCTCT
CTGTCACCCTGGGCCTCTTTGCAGTGGAGCTGGCCGGTTTCCTCTCAGGAGTCTCCATGTTCAAC
AGCACCAGAGCCTCATCTCCATTGGGGCTCACTGTAGTGCATCCGTGGCCCTGTCCTTCTTCAT
ATTCGAGCGTTGGGAGTGCACCTACGTATTGGTACATTTTGTCTTCTGCAGTGGCCTTCCAGCTG
TCACTGAAATGGCTTTATTTCGTCACCGTCTTTGGGCTGAAAAAGAAACCCTTCTTGATTACCTTCA
TGACGGGAACCTAAGGACGAAGCCTACAGGGGCAAGGGCCGCTTCGTATTCTGGAAGAAGGAAG
GCATAGGCTTCGGTTTTTCCCTCGGAACTGCTTCTGCTGGAGGATATGTGTTGGAATAATTACG
TCTTGAGTCTGGGATTATCCGCATTGTATTTAGTGCTTTGTAATAAAATATGTTTTGTAGTAACA
TTAAGACTTATATACAGTTTTTAGGGGACAATTAAAAAAAAAAAA

FIGURE 90

MGRVSGLVPSRFLTLLAHLVVITLFWSRDSNIQACLPLTFTPEEYDKQDIQLVAALSVTLGLFA
VELAGFLSGVSMFNSTQSLISIGAHCSASVALSFFIFERWECTTYWYIFVFCALPAVTEMALFV
TVFGLKKKPF

Transmembrane domain:

amino acids 12-28 (type II), 51-66, 107-124

APP ID=10063563

FIGURE 91

CTGGGACCCCGAAAAGAGAAGGGGAGAGCGAGGGGACGAGAGCGGAGGAGGAAGATGCAACTGAC
TCGCTGCTGCTTCGTGTTCCCTGGTGCAGGGTAGCCTCTATCTGGTCATCTGTGGCCAGGATGATG
GTCTCCCGGCTCAGAGGACCCTGAGCGTGATGACCACGAGGGCCAGCCCCGGCCCCGGGTGCCT
CGGAAGCGGGGCCACATCTCACCTAAGTCCCGCCCCATGGCCAATTCCAATCTCCTAGGGCTGCT
GGCCCCGCCTGGGGAGGCTTGGGGCATTCTTGGGCAGCCCCCAACGCCCCGAACCACAGCCCCC
CACCTCAGCCAAGGTGAAGAAAATCTTTGGCTGGGGCGACTTCTACTCCAACATCAAGACGGTG
GCCCTGAACCTGCTCGTCACAGGAAGATTGTGGACCATGGCAATGGGACCTTCAGCGTCCACTT
CCAACACAATGCCACAGGCCAGGGAAACATCTCCATCAGCCTCGTGCCCCCAGTAAAGCTGTAG
AGTTCCACCAGGAACAGCAGATCTTCATCGAAGCCAAGGCCTCCAAAATCTTCAACTGCCGGATG
GAGTGGGAGAAGGTAGAACGGGGCCGCGGACCTCGCTTTGCACCCACGACCCAGCCAAGATCTG
CTCCCGAGACCACGCTCAGAGCTCAGCCACCTGGAGCTGCTCCCAGCCCTTCAAAGTCGTCTGTG
TCTACATCGCCTTCTACAGCACGGACTATCGGCTGGTCCAGAAGGTGTGCCCAGATTACAACCTAC
CATAGTGATACCCCCCTACTACCCATCTGGGTGACCCGGGGCAGGCCACAGAGGCCAGGCCAGGGC
TGGAAGGACAGGCCTGCCCATGCAGGAGACCATCTGGACACCGGGCAGGGAAGGGTTGGGCCTC
AGGCAGGGAGGGGGTGGAGACGAGGAGATGCCAAGTGGGGCCAGGGCCAAGTCTCAAGTGGCAG
AGAAAGGGTCCCAAGTGCTGGTCCCAACCTGAAGCTGTGGAGTGAAGTAGATCACAGGAGCACTGG
AGGAGGAGTGGGCTCTGTGCAGCCTCACAGGGCTTTGCCACGGAGCCACAGAGAGATGCTGGG
TCCCCGAGGCCTGTGGGCAGGCCGATCAGTGTGCCCCAGATCAAGTCATGGGAGGAAGCTAAGC
CCTTGCTTCTTGCCATCCTGAGGAAAGATAGCAACAGGGAGGGGGAGATTTTCATCAGTGTGGACA
GCCTGTCAACTTAGGATGGATGGCTGAGAGGGCTTCTAGGAGCCAGTCAGCAGGGTGGGGTGGG
GCCAGAGGAGCTCTCCAGCCCTGCCTAGTGGGCGCCCTGAGCCCCTTGTCTGTGCTGAGCATGG
CATGAGGCTGAAGTGGAACCTGGGGTCTTTGATGTCTTGACAGATTGACCATCTGTCTCCAGC
CAGGCCACCCCTTTCCAAAATTCCTCTTCTGCCAGTACTCCCCCTGTACCACCCATTGCTGATG
GCACACCCATCCTTAAGCTAAGACAGGACGATTGTGGTCTCCACACTAAGGCCACAGCCCATC
CGCGTGTCTGTGTCCCTCTTCCACCCCAACCCCTGCTGGCTCCTCTGGGAGCATCCATGTCCCG
GAGAGGGGTCCCTCAACAGTCAGCCTCACCTGTCAGACCGGGGTCTCCCGGATCTGGATGGCGC
CGCCCTCTCAGCAGCGGGCACGGGTGGGGCGGGGCCGGGCCGAGAGCATGTGCTGGATCTGTTT
TGTGTGTCTGTCTGTGGGTGGGGGAGGGGAGGGAAGTCTTGTGAAACCGTGATTGCTGACTTT
TGTGTGAAGAATCGTGTCTTGGAGCAGGAAATAAAGCTTGCCCCGGGGCA

FIGURE 92

MLTRCCFVFLVQGSLLVICGQDDGPPGSEDPERDDHEGQPRPRVPRKRGHISPKSRPMANSTL
LGLLAPPGEAWGILGQPPNRPNHSPPPSAKVKKIFGWGDFYSNIKTVALNLLVTGKIVDHGNGTF
SVHFQHNATGQGNISISLVPPSKAVEFHQEQQIFIEAKASKIFNCRMWEKVERGRRTSLCTHDP
AKICSRDHAQSSATWSCSQPFKVVCVYIAFYSTDYRLVQKVCPCDYNHSDTPYYPSG

Important features of the protein:

Signal peptide:

amino acids 1-14

N-glycosylation sites.

amino acids 62-65, 127-130, 137-140, 143-146

2-oxo acid dehydrogenases acyltransferase

amino acids 61-71

FIGURE 93

CGGTGGCCATGACTGCGGCCGTGTTCTTCGGCTGCGCCTTCATTGCCTTCGGGCCCTGCGCTCGCC
CTTTATGTCTTCACCATCGCCATCGAGCCGTTGCGTATCATCTTCCTCATCGCCGGAGCTTTCTT
CTGGTTGGTGTCTCTACTGATTTTCGTCCCTTGTTTGGTTCATGGCAAGAGTCATTATTGACAACA
AAGATGGACCAACACAGAAATATCTGCTGATCTTTGGAGCGTTTGTCTCTGTCTATATCCAAGAA
ATGTTCCGATTTGCATATTATAAACTCTTAAAAAAGCCAGTGAAGGTTTGAAGAGTATAAACCC
AGGTGAGACAGCACCCCTCTATGCGACTGCTGGCCTATGTTTCTGGCTTGGGCTTTGGAATCATGA
GTGGAGTATTTTCCTTTGTGAATACCCTATCTGACTCCTTGGGGCCAGGCACAGTGGGCATTCAT
GGAGATTCTCCTCAATTCTTCCTTTATTTCAGCTTTCATGACGCTGGTCATTATCTTGCTGCATGT
ATTCTGGGGCATTGTATTTTTTGATGGCTGTGAGAAGAAAAAGTGGGGCATCCTCCTTATCGTTC
TCCTGACCCACCTGCTGGTGTGAGCCAGACCTTCATAAGTTCTTATTATGGAATAAACCTGGCG
TCAGCATTTATAATCCTGGTGCTCATGGGCACCTGGGCATTCTTAGCTGCGGGAGGCAGCTGCCG
AAGCCTGAAACTCTGCCTGCTCTGCCAAGACAAGAACTTTCTTCTTTACAACCAGCGCTCCAGAT
AACCTCAGGGAACCAGCACTTCCCAAACCGCAGACTACATCTTTAGAGGAAGCACAACTGTGCCT
TTTTCTGAAAATCCCTTTTTCTGGTGGAATTGAGAAAGAAATAAACTATGCAGATA

FIGURE 94

MTAAVFFGCAFIAGFPALALYVFTIAIEPLRIIFLIAGAFFWLVSLLISSLVWFMARVIIDNKDG
PTQKYLLIFGAFVSVYIQEMFRFAYYKLLKKASEGLKSINPGETAPSMRLLAYVSGLGFGIMSGV
FSFVNTLSDSLGPGTVGIGHDSPQFFLYSAFMTLVIIILLHVFWGIVFFDGCEKKKWGILLIVLLT
HLLVSAQTFISSYYGINLASAFIILVLMGTWAFLAAGGSCRSLKCLLCQDKNFLLYNQRRSR

Important features of the protein:

Signal peptide:

amino acids 1-19

Transmembrane domains:

amino acids 32-51, 119-138, 152-169, 216-235

Glycosaminoglycan attachment site.

amino acids 120-123

Sodium:neurotransmitter symporter family protein

amino acids 31-65

FIGURE 95

AATTTTTCACCAGAGTAACTTGAGAAACCAACTGGACCTTGAGTATTGTACATTTTGCCTCGTG
GACCCAAAGGTAGCAATCTGAAACATGAGGAGTACGATTCTACTGTTTTGTCTTCTAGGATCAAC
TCGGTCATTACCACAGCTCAAACCTGCTTTGGGACTCCCTCCCACAAAACCTGGCTCCGGATCAGG
GAACACTACCAAAACACAGCAGTCAAATCAGGTCTTTCCTTCTTTAAGTCTGATACCATTAACA
CAGATGCTCACACTGGGGCCAGATCTGCATCTGTAAATCCTGCTGCAGGAATGACACCTGGTAC
CCAGACCCACCCATTGACCCTGGGAGGGTTGAATGTACAACAGCAACTGCACCCACATGTGTTAC
CAATTTTGTACACAACCTTGAGCCCAGGGCACTATCCTAAGCTCAGAGGAATTGCCACAAATC
TTCACGAGCCTCATCATCCATTCTTGTTCCTGGGAGGCATCCTGCCACCAGTCAGGCAGGGGC
TAATCCAGATGTCCAGGATGGAAGCCTTCCAGCAGGAGGAGCAGGTGTAAATCCTGCCACCCAGG
GAACCCAGCAGGCCGCTCCCAACTCCCAGTGGCACAGATGACGACTTTGCAGTGACCACCCCT
GCAGGCATCCAAAGGAGCACACATGCCATCGAGGAAGCCACCACAGAATCAGCAAATGGAATTCA
GTAAGCTGTTTCAAATTTTTTCAACTAAGCTGCCTCGAATTTGGTGATACATGTGAATCTTTATC
ATTGATTATATTATGGAATAGATTGAGACACATTGGATAGTCTTAGAAGAAATTAATCTTAATT
TACCTGAAAATATCTTGAAATTTTCAGAAAATATGTTCTATGTAGAGAATCCCAACTTTTAAAAA
CAATAATTCAATGGATAAATCTGTCTTTGAAATATAACATTATGCTGCCTGGATGATATGCATAT
TAAACATATTTGGAAAACCTGGAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 96

MRSTILLFCLLGSTRSLPQLKPALGLPPTKLAPDQGTLPNQQQSNQVFPSLSLIPLTQM
LTLGPDHLHLLNPAAGMTPGTQTHPLTLGGLNVQQQLHPHVLPIFVTQLGAQGTILSSEE
LPQIFTSLIIHSLFFGGILPTSQAGANPDVQDGSLPAGGAGVNPATQGTPAGRLPTPSG
TDDDFAVTTPAGIQRSTHAIEEATTESANGIQ

Signal peptide:

amino acids 1-16

MRSTILLFCLLGSTRSLPQLKPALGLPPTKLAPDQGTLPNQQQSNQVFPSLSLIPLTQM
LTLGPDHLHLLNPAAGMTPGTQTHPLTLGGLNVQQQLHPHVLPIFVTQLGAQGTILSSEE
LPQIFTSLIIHSLFFGGILPTSQAGANPDVQDGSLPAGGAGVNPATQGTPAGRLPTPSG
TDDDFAVTTPAGIQRSTHAIEEATTESANGIQ

FIGURE 97

GCTCAAGTGCCCTGCCTTGCCCCACCCAGCCCAGCCTGGCCAGAGCCCCCTGGAGAAGGAGCTCT
 CTTCTTGCTTGGCAGCTGGACCAAGGGAGCCAGTCTTGGGCGCTGGAGGGCCTGTCTTGACCATG
 GTCCCTGCCTGGCTGTGGCTGCTTTGTGTCTCCGTCCCCAGGCTCTCCCCAAGGCCAGCCTGC
 AGAGCTGTCTGTGGAAGTTCCAGAAAACATATGGTGGAATTTCCCTTTATACCTGACCAAGTTGC
 CGCTGCCCCGTGAGGGGGCTGAAGGCCAGATCGTGTCTGTCAGGGGACTCAGGCAAGGCAACTGAG
 GGCCATTGCTATGGATCCAGATTCTGGCTTCCTGCTGGTGACAGGGCCCTGGACCGAGAGGA
 GCAGGCAGAGTACCAGCTACAGGTCACCCCTGGAGATGCAGGATGGACATGTCTTGTGGGGTCCAC
 AGCCTGTGCTTGTGCACGTGAAGGATGAGAATGACCAGGTGCCCCATTTCTCTCAAGCCATCTAC
 AGAGCTCGGCTGAGCCGGGGTACCAGGCCCTGGCATCCCCCTTCCTCTTCTTGGGCTTCAGACCG
 GGATGAGCCAGGCACAGCCAACCTCGGATCTTCGATTCCACATCCTGAGCCAGGCTCCAGCCCCAGC
 CTTCCCCAGACATGTTCCAGCTGGAGCCTCGGCTGGGGGGCTCTGGCCCTCAGCCCCAAGGGGAGC
 ACCAGCCTTGACCACGCCCTGGAGAGGACCTACCAGCTGTTGGTACAGGTCAAGGACATGGGTGA
 CCAGGCCTCAGGCCACCAGGCCACTGCCACCGTGAAGTCTCCATCATAGAGAGCACCTGGGTGT
 CCCTAGAGCCTATCCACCTGGCAGAGAATCTCAAAGTCCCTATACCCGCACCATGGCCAGGTA
 CACTGGAGTGGGGGTGATGTGCACTATCACCTGGAGAGCCATCCCCCGGACCCCTTTGAAGTGAA
 TGCAGAGGGAAACCTCTACGTGACCAGAGAGCTGGACAGAGAAGCCCAGGCTGAGTACCTGCTCC
 AGGTGCGGGCTCAGAATTCCTATGGCGAGGACTATGCGGCCCTCTGGAGCTGCACGTGCTGGTG
 ATGGATGAGAATGACAACGTGCCTATCTGCCCTCCCCGTGACCCACAGTCAGCATCCCTGAGCT
 CAGTCCACCAGGTACTGAAGTGACTAGACTGTGACGAGAGGATGCAGATGCCCCCGGCTCCCCCA
 ATTCCACGTTGTGTATCAGCTCCTGAGCCCTGAGCCTGAGGATGGGGTAGAGGGGAGAGCCTTC
 CAGGTGGACCCCACTTCAGGCAGTGTGACGCTGGGGGTGCTCCCACTCCGAGCAGGCCAGAACAT
 CCTGCTTCTGGTGTGGCCATGGACCTGGCAGGCGCAGAGGGTGGCTTCAGCAGCACGTGTGAAG
 TCGAAGTCGCAGTCACAGATATCAATGATCACGCCCCTGAGTTCATCACTTCCAGATTGGGCCT
 ATAAGCCTCCCTGAGGATGTGGAGCCCCGGGACTCTGGTGGCCATGCTAACAGCCATTGATGCTGA
 CCTCGAGCCCGCCTTCGCTCATGGATTTGCCATTGAGAGGGGAGACACAGAAGGGACTTTTG
 GCCTGGATTGGGAGCCAGACTCTGGGCATGTTAGACTCAGACTCTGCAAGAACCTCAGTTATGAG
 GCAGCTCCAAGTCATGAGGTGGTGGTGGTGGTGCAGAGTGTGGCGAAGCTGGTGGGGCCAGGCCC
 AGGCCCTGGAGCCACCGCCACGGTGACTGTGCTAGTGGAGAGAGTGTGCCACCCCCCAAGTTGG
 ACCAGGAGAGCTACGAGGCCAGTGTCCCCATCAGTGCCCCAGCCGGCTCTTCTCTGTGACCATC
 CAGCCCTCCGACCCCATCAGCCGAACCTCAGGTTCTCCCTAGTCAATGACTCAGAGGGCTGGCT
 CTGCATTGAGAAATTCTCCGGGGAGGTGCACACCGCCAGTCCCTGCAGGGCGCCAGCCTGGGG
 ACACCTACACGGTGTGTGTGGAGGCCAGGATACAGCCCTGACTCTTGCCCTGTGCCCTCCCAA
 TACCTCTGCACACCCCGCCAAGACCATGGCTTGATCGTGAGTGGACCCAGCAAGGACCCCGATCT
 GGCCAGTGGGCACGGTCCCTACAGCTTACCCTTGGTCCCAACCCCAAGGTGCAACGGGATTTGGC
 GCCTCCAGACTCTCAATGGTTCCCATGCCTACCTACCTTGGCCCTGCATTGGGTGGAGCCACGT
 GAACACATAATCCCGTGGTGGTCAGCCACAATGCCAGATGTGGCAGCTCCTGGTTTCGAGTGAT
 CGTGTGTCGCTGCAACGTGGAGGGGAGTGCATGCGCAAGGTGGGCGCATGAAGGGCATGCCCA
 CGAAGCTGTGCGCAGTGGGCATCCTTGTAGGCACCTGGTAGCAATAGGAATCTTCTCATCCTC
 ATTTTCACCCACTGGACCATGTCAAGGAAGAAGGACCCGGATCAACCAGCAGACAGCGTGGCCCT
 GAAGGCGACTGTCTGAATGGCCAGGCAGCTCTAGCTGGGAGCTTGGCCTCTGGCTCCATCTGAG
 TCCCTTGGGAGAGAGCCAGCACCCAAGATCCAGCAGGGGACAGGACAGAGTAGAAGCCCTCCA
 TCTGCCCTGGGGTGGAGGCACCATCACCATCACCAGGCATGTCTGCAGAGCCTGGACACCAACTT
 TATGGACTGCCCATGGGAGTGCTCCAAATGTCAGGGTGTGTTGCCCAATAATAAAGCCCCAGAGAA
 CTGGGCTGGGCCCTATGGGAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAG

FIGURE 98

MVPAWLWLLCVSPQALPKAQPaelSVeVPENYGGNFPLYLTKLPLPREGAEGQIVLSGDSGKAT
EGPFAMDPDSGFLLVTRALDREEQAEYQLQVTLEMQDGHVLWGPQPVLVHVKDENDQVPHFSQAI
YRARLSRGTRPGIPFLFLEASDRDEPGTANSDLRFHILSQAPAQSPDMFQLEPRLGALALSPKG
STSLDHALERTYQLLVQVKMDQASGHQATATVEVSIIESTWVSLEPIHLAENLKVLYPHHMAQ
VHWSSGDVHYHLESHPPGPFVNAEGNLYVTRELDREAQAEYLLQVRAQNSHGEDIAAPLELHVL
VMDENDNVPICPPRDPTVSIPELSPPGTEVTRLAEDADAPGSPNSHVYQLLSPEPEDGVEGRA
FQVDPSTSGSVTLGVLPRLAGQNILLVLAMDLAEGGFSSTCEVEVAVTDINDHAPEFITSQIG
PISLPEDVEPGTLVAMLTAIDADLEPAFRLMDFAIERGDTEGTFGLDWEPDSGHVRLRLCKNLSY
EAAPSEHVVVVVQSVAKLVGPGPGGATATVTVLVERVMPPPKLDQESYEASVPISAPAGSFLLT
IQPSDPISRTLRFSLVNDSEGWLCIEKFSGEVHTAQSLQGAQPGDTYTVLVEAQDTALTAPVPS
QYLCTPRQDHGLIVSGPSKDPDLASGHGPYSFTLGNPTVQRDWRLQTLNGSHAYLTALHWVEP
REHII PVVSHNAQMWQLLVRIVCRCNVEGQCMRKVGRMKGMPTKLSAVGIIVGTLVAIGIFLI
LIFTHWTMSRKKDPDQPADSVPLKATV

Signal peptide:

amino acids 1-18

Transmembrane domain:

amino acids 762-784

FIGURE 99

GGCTGACCGTGCTACATTGCCTGGAGGAAGCCTAAGGAACCCAGGCATCCAGCTGCCCACGCCTG
AGTCCAAGATTCTTCCCAGGAACACAAACGTAGGAGACCCACGCTCCTGGAAGCACCAGCCTTTA
TCTCTTCAACCTTCAAGTCCCCTTTCTCAAGAATCCTCTGTTCTTTGCCCTCTAAAGTCTTGGTAC
ATCTAGGACCCAGGCATCTTGCTTTCCAGCCACAAAGAGACAGATGAAGATGCAGAAAGGAAATG
TTCTCCTTATGTTTGGTCTACTATTGCATTTAGAAGCTGCAACAAATTCCAATGAGACTAGCACC
TCTGCCAACACTGGATCCAGTGTGATCTCCAGTGGAGCCAGCACAGCCACCAACTCTGGGTCCAG
TGTGACCTCCAGTGGGGTCAGCACAGCCACCATCTCAGGGTCCAGCGTGACCTCCAATGGGGTCA
GCATAGTCACCAACTCTGAGTTCCATACAACTCCAGTGGGATCAGCACAGCCACCAACTCTGAG
TTCAGCACAGCGTCCAGTGGGATCAGCATAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGG
GGCCAGCACAGCCACCAACTCTGAGTCCAGCACACCCTCCAGTGGGGCCAGCACAGTCACCAACT
CTGGGTCCAGTGTGACCTCCAGTGGAGCCAGCACTGCCACCAACTCTGAGTCCAGCACAGTGTCC
AGTAGGGCCAGCACTGCCACCAACTCTGAGTCTAGCACACTCTCCAGTGGGGCCAGCACAGCCAC
CAACTCTGACTCCAGCACAACTCCAGTGGGGCTAGCACAGCCACCAACTCTGAGTCCAGCACAA
CCTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAGCACAGTGTCCAGTAGGGCCAGCACT
GCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAG
AACGACCTCCAATGGGGCTGGCACAGCCACCAACTCTGAGTCCAGCACAGCTCCAGTGGGGCCA
GCACAGCCACCAACTCTGACTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAG
TCCAGCACGACCTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCCAGCACGACCTCCAGTGG
GGCTAGCACAGCCACCAACTCTGACTCCAGCACAACTCCAGTGGGGCCGGCACAGCCACCAACT
CTGAGTCCAGCACAGTGTCCAGTGGGATCAGCACAGTCACCAATTCTGAGTCCAGCACACCCTCC
AGTGGGGCCAACACAGCCACCAACTCTGAGTCCAGTACGACCTCCAGTGGGGCCAACACAGCCAC
CAACTCTGAGTCCAGCACAGTGTCCAGTGGGGCCAGCACTGCCACCAACTCTGAGTCCAGCACAA
CCTCCAGTGGGGTCAGCACAGCCACCAACTCTGAGTCCAGCACAACTCCAGTGGGGCTAGCACA
GCCACCAACTCTGACTCCAGCACAACTCCAGTGGGGCCAGCACAGCCACCAACTCTGAGTCTAG
CACAGTGTCCAGTGGGATCAGCACAGTCACCAATTCTGAGTCCAGCACAACTCCAGTGGGGCCA
ACACAGCCACCAACTCTGGGTCCAGTGTGACCTCTGCAGGCTCTGGAACAGCAGCTCTGACTGGA
ATGCACACAACTTCCCATAGTGCATCTACTGCAGTGAAGTGGGCAAAGCCTGGTGGGTCCCTGGT
GCCGTGGGAAATCTTCTCATCACCTTGGTCTCGGTGTGGCGGCCGTGGGGCTCTTTGCTGGGC
TCTTCTTCTGTGTGAGAAACAGCCTGTCCCTGAGAAACACCTTTAACACAGCTGTCTACCACCT
CATGGCCTCAACCATGGCCTTGGTCCAGGCCCTGGAGGGAATCATGGAGCCCCCAGGCCCCAG
GTGGAGTCCCTAACTGGTTCTGGAGGAGACAGTATCATCGATAGCCATGGAGATGAGCGGGAGGA
ACAGCGGGCCCTGAGCAGCCCCGGAAGCAAGTGCCGCATTCTTCAGGAAGGAAGAGACCTGGGCA
CCCCAGACCTGGTTTCCTTTTCATTTCATCCCAGGAGACCCCTCCAGCTTGTGTTGAGATCCTGAA
AATCTTGAAGAAGGTATTCTCACCTTTCTTGCCCTTTACCAGACACTGGAAAGAGAATACTATAT
TGCTCATTTAGCTAAGAAATAAATACATCTCATCTAACACACACGACAAAGAGAAGCTGTGCTTG
CCCCGGGGTGGGTATCTAGCTCTGAGATGAAGTCAAGTTATAGGAGAAAACCTCCATGCTGGACTC
CATCTGGCATTCAAAATCTCCACAGTAAATCCAAAGACCTCAAAAAAAAAAAAAAAAAAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 100

MKMQKGNVLLMFGLLLHLEATNSNETSTSA NTGSSVISSGASTATNSGSSVTSSGVSTATISGS
SVTSNGVSIVTNSEFHTTSSGISTATNSEFSTASSGISIATNSESSTTSSGASTATNSESSTPSS
GASTVTNSGSSVTSSGASTATNSESSTVSSRASTATNSESSTLSSGASTATNSDSSTTSSGASTA
TNSESSTTSSGASTATNSESSTVSSRASTATNSESSTTSSGASTATNSESRTTNGAGTATNSES
STTSSGASTATNSDSSTVSSGASTATNSESSTTSSGASTATNSESSTTSSGASTATNSDSSTTSS
GAGTATNSESSTVSSGISTVTNSESSTPSSGANTATNSESSTTSSGANTATNSESSTVSSGASTA
TNSESSTTSSGVSTATNSESSTTSSGASTATNSDSSTTSSEASTATNSESSTVSSGISTVTNSES
STTSSGANTATNSGSSVTSAGSGTAALTGMHTTSHSASTAVSEAKPGGSLVPWEIFLITLVSVVA
AVGLFAGLFFCVRNLSLRNTFNTAVYHPHGLNHGLGPGPGGNHGAPHRPRWSPNWFWRPVS
SI
AMEMSGRNSGP

Signal peptide:

amino acids 1-20

Transmembrane domain:

amino acids 510-532

FIGURE 101

GGCCGGACGCCTCCGCGTTACGGGATGAATTAACGGCGGGTTCCGCACGGAGGTTGTGACCCCTA
CGGAGCCCCAGCTTGCCACGCACCCCACTCGGCGTCGCGCGGCGTGCCTGCTTGTCACAGGTG
GGAGGCTGGAATATCAGGCTGAAAAACAGAGTGGGTACTCTCTTCTGGGAAGCTGGCAACAAAT
GGATGATGTGATATATGCATTCCAGGGGAAGGGAAATTGTGGTGCTTCTGAACCCATGGTCAATT
AACGAGGCAGTTTCTAGCTACTGCACGTACTTCATAAAGCAGGACTCTAAAAGCTTTGGAATCAT
GGTGTGATGGAAAGGATTTACTTTTATACTGACTCTGTTTTGGGGAAGCTTTTTTGAAGCATT
TCATGCTGAGTCCCTTTTTTACCTTTGATGTTGTAAACCCATCTTGGTATCGCTGGATCAACAAC
CGCCTTGTGGCAACATGGCTCACCCCTACCTGTGGCATTATTGGAGACCATGTTTGGTGTAAGT
GATTATAACTGGGGATGCATTTGTTCCCTGGGAGAAAGTGTCAATTATCATGAACCATCGGACAA
GAATGGACTGGATGTTTCTGTGGAATTGCTGATGCGATATAGCTACCTCAGATTGGAGAAAATT
TGCCTCAAAGCGAGTCTCAAAGGTGTTCTGGATTTGGTTGGGCCATGCAGGCTGCTGCCTATAT
CTTCATTCATAGGAAATGGAAGGATGACAAGAGCCATTTTGAAGACATGATTGATTACTTTTGTG
ATATTCACGAACCACTTCAACTCCTCATATTTCCAGAAGGGACTGATCTCACAGAAAACAGCAAG
TCTCGAAGTAATGCATTTGCTGAAAAAATGGACTTCAGAAATATGAATATGTTTTACATCCAAG
AACTACAGGCTTTACTTTTGTGGTAGACCGTCTAAGAGAAGGTAAGAACCTTGATGCTGTCCATG
ATATCACTGTGGCGTATCCTCACAACATTCTCAATCAGAGAAGCACCTCCTCCAAGGAGACTTT
CCCAGGGAAATCCACTTTCACGTCCACCGGTATCCAATAGACACCCTCCCCACATCCAAGGAGGA
CCTTCAACTCTGGTGCCACAAACGGTGGGAAGAGAAAGAGAGAGGCTGCGTTCTTCTATCAAG
GGGAGAAGAATTTTTATTTTACCGGACAGAGTGTCATTCCACCTTGCAAGTCTGAACTCAGGGTC
CTTGTGGTCAAATTGCTCTCTATACTGTATTGGACCCTGTTTCAGCCCTGCAATGTGCCTACTCAT
ATATTTGTACAGTCTTGTTAAGTGGTATTTTATAATCACCATTGTAATCTTTGTGCTGCAAGAGA
GAATATTTGGTGGACTGGAGATCATAGAACTTGCATGTTACCGACTTTTACACAAACAGCCACAT
TTAAATTCAAAGAAAAATGAGTAAAGATTATAAGGTTTGCCATGTGAAAACCTAGAGCATATTTTG
GAAATGTTCTAAACCTTTCTAAGCTCAGATGCATTTTTGCATGACTATGTGCAATATTTCTTACT
GCCATCATTATTTGTTAAAGATATTTGCACTTAATTTTGTGGGAAAAATATTGCTACAATTTTT
TTAATCTCTGAATGTAATTTGATACTGTGTACATAGCAGGGAGTGATCGGGGTGAAATAACTT
GGGCCAGAATATTATTAAACAATCATCAGGCTTTTTAA

FIGURE 102

MHSRGREIVVLLNPWSINEAVSSYCTYFIKQDSKSFSGIMVSWKGIYFILTLFWGSFFGSI FMLS P
FLPLMFVNPSWYRWINNRLVATWLTLPVALLETMFGVKVIITGDAFVPGERSVIIMNHRTRMDWM
FLWNCIMRYSYLRLKICLKASLKGVPFGFGWAMQAAAYIFIHRKWDDKSHFEDMIDYFCDIHEP
LQLLIFPEGTDLTENSKSRNAFAEKNGLQKYEYVLHPRTTGFTFVVDRLREGKNLDAVHDITVA
YPHNIPQSEKHLQGDFFPREIHFHVHRYPIDTLPTSKE DLQLWCHKRWEEKEERLSFYQGEKNF
YFTGQSVIPPCKSELRLVVKLLSILYWTLFSPAMCLLIYLYSLVKWYFIITIVIFVLQERIFGG
LEIIE LACYRLLHKQPHLNSKKNE

Important features of the protein:

Signal peptide:

amino acids 1-22

Transmembrane domains:

amino acids 44-63, 90-108, 354-377

FIGURE 103

CGGCTCGAGCGGCTCGAGTGAAGAGCCTCTCCACGGCTCCTGCGCCTGAGACAGCTGGCCTGACC
TCCAAATCATCCATCCACCCCTGCTGTCATCTGTTTTTCATAGTGTGAGATCAACCCACAGGAATA
TCCATGGCTTTTGTGCTCATTTTGGTTCTCAGTTTCTACGAGCTGGTGTGAGGACAGTGGCAAGT
CACTGGACCGGGCAAGTTTGTCCAGGCCTTGGTGGGGGAGGACGCCGTGTTCTCCTGCTCCCTCT
TTCTGAGACCAGTGCAGAGGCTATGGAAGTGGGTTCTTCAGGAATCAGTTCCATGCTGTGGTC
CACCTCTACAGAGATGGGGAAGACTGGGAATCTAAGCAGATGCCACAGTATCGAGGGAGAAGTGA
GTTTGTGAAGGACTCCATTGCAGGGGGGCGTGTCTCTAAGGCTAAAAACATCACTCCCTCGG
ACATCGGCCTGTATGGGTGCTGGTTTCAGTTCCAGATTTACGATGAGGAGGCCACCTGGGAGCTG
CGGGTGGCAGCACTGGGCTCACTTCCTCTCATTTCCATCGTGGGATATGTTGACGGAGGTATCCA
GTTACTCTGCCTGTCTCAGGCTGGTTCCCCCAGCCACAGCCAAGTGGAAAGGTCCACAAGGAC
AGGATTTGTCTTCAGACTCCAGAGCAAATGCAGATGGGTACAGCCTGTATGATGTGGAGATCTCC
ATTATAGTCCAGGAAAATGCTGGGAGCATATTGTGTTCCATCCACCTTGCTGAGCAGAGTCATGA
GGTGAATCCAAGGTATTGATAGGAGAGACGTTTTTCCAGCCCTCACCTTGGCGCCTGGCTTCTA
TTTTACTCGGGTTACTCTGTGTGCCCTGTGTGGTGTGTGCATGGGGATGATAATTGTTTTCTTC
AAATCCAAAGGAAAAATCCAGGCGGAAGTGGACTGGAGAAGAAAGCACGGACAGGCAGAATTGAG
AGACGCCCCGAAACACGCAGTGGAGGTGACTCTGGATCCAGAGACGGCTCACCCGAAGCTCTGCG
TTTCTGATCTGAAAAGTGTAAACCATAGAAAAGCTCCCCAGGAGGTGCCTCACTCTGAGAAGAGA
TTTACAAGGAAGAGTGTGGTGGCTTCTCAGGGTTTCCAAGCAGGGAGACATTACTGGGAGGTGGA
CGTGGGACAAAATGTAGGGTGGTATGTGGGAGTGTGTGGGATGACGTAGACAGGGGGAAGAACA
ATGTGACTTTGTCTCCCAACAATGGGTATTGGGTCTCAGACTGACACAGAACATTTGTATTTT
ACATTCAATCCCCATTTTATCAGCCTCCCCCCCAGCACCCCTCCTACACGAGTAGGGGTCTTCCT
GGACTATGAGGGTGGGACCATCTCCTTCTCAATACAAATGACCAGTCCCTTATTTATACCCTGC
TGACATGTGAGTTTGAAGGCTTGTGAGACCTATATCCAGCATGCGATGTATGACGAGGAAAAG
GGGACTCCCATATTCATATGTCCAGTGTCTGGGGATGAGACAGAGAAGACCCTGCTTAAAGGGC
CCCCACACCACAGACCAGACACAGCCAAGGGAGAGTGTCTCCGACAGGTGGCCCCAGCTTCTCT
CCGGAGCCTGCGCACAGAGAGTCACGCCCCCCTCTCTTTAGGGAGCTGAGGTTCTTCTGCCC
TGAGCCCTGCAGCAGCGGCAGTCACAGCTTCCAGATGAGGGGGGATTGGCCTGACCTGTGGGAG
TCAGAAGCCATGGCTGCCCTGAAGTGGGGACGGAATAGACTCACATTAGGTTTAGTTTGTGAAAA
CTCCATCCAGCTAAGCGATCTTGAACAAGTCACAACCTCCAGGCTCCTCATTTGCTAGTCACGG
ACAGTGATTCCCTGCCTCACAGGTGAAGATTAAAGAGACAAACGAATGTGAATCATGCTTGCAGGTT
TGAGGGCACAGTGTGCTAATGATGTGTTTTTATATTATACATTTTCCACCATAAACTCTGTT
TGCTTATTTCCACATTAATTTACTTTTCTCTATACCAAATCACCCATGGAATAGTTATTGAACACC
TGCTTTGTGAGGCTCAAAGAATAAAGAGGAGGTAGGATTTTCACTGATTCTATAAGCCCAGCAT
TACCTGATACCAAAACCAGGCAAAGAAAACAGAAGAAGAGGAAGGAAAACCTACAGGTCCATATCC
CTCATTAACACAGACACAAAAATCTAAATAAAATTTTAACAAATTAACATAAACAATATATTTA
AAGATGATATATACTACTCAGTGTGGTTTGTCCCACAAATGCAGAGTTGGTTTAAATTTAAAT
ATCAACCAGTGTAATTCAGCACATTAATAAAGTAAAAAAGAAAACCATAAAAA

FIGURE 104

MAFVLILVLSFYELVSGWQVTGPGKFVQALVGEDAVFSCSLFPETSAEAMEVRFFRNQFHAVVH
LYRDGEDWESKQMPQYRGRTEFVKDSIAGGRVSLRLKNITPSDIGLYGCWFSSQIYDEEATWELR
VAALGSLPLISIVGYVDGGIQLLCLSSGWFPQPTAKWKGPQGDLSSDSRANADGYSLYDVEISI
IVQENAGSILCSIHLAEQSHEVESKVLIGETFFQSPWRLASILLGLLCGALCGVVMGMIIVFFK
SKGKIQAELDWRKKGQAEIRDARKHAVEVTLDPETAHPKLCVSDLKTVTHRKAPQEVPHSEKRF
TRKSVVASQGFQAGRHYWEVDVGQNVGWYVGVCRDDVDRGKNNVTLSPNNGYWVLRLLTTEHLYFT
FNPHFISLPPSTPPTRVGVFLDYEGGTISFFNTNDQSLIYTLLTCQFEGLLRPYIQHAMYDEEKG
TPIFICPVSWG

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 131-150, 235-259

FIGURE 105

CCTTCACAGGACTCTTCATTGCTGGTTGGCAATGATGTATCGGCCAGATGTGGTGAGGGCTAGGAAAAGAG
TTTGTGGGAACCTGGGTTATCGGCCTCGTCATCTTCATATCCCTGATTGTCTGGCAGTGTGCATTGGA
CTCACTGTTTATTATGTGAGATATAATCAAAGAAGACCTACAATTACTATAGCACATTGTCATTTACAAC
TGACAAACTATATGCTGAGTTTGGCAGAGAGGCTTCTAACAATTTTACAGAAATGAGCCAGAGACTTGAAT
CAATGGTGAAAAATGCATTTTATAAATCTCCATTAAGGGAAGAATTTGTCAAGTCTCAGGTTATCAAGTTC
AGTCAACAGAAGCATGGAGTGTGGCTCATATGCTGTTGATTTGTAGATTTCACTCTACTGAGGATCCTGA
AACTGTAGATAAAATTTGTTCAACTTGTTTTACATGAAAAGCTGCAAGATGCTGTAGGACCCCTAAAGTAG
ATCCTCACTCAGTTAAAATTAATAAATCAACAAGACAGAAACAGACAGCTATCTAAACCATTGCTGCGGA
ACACGAAGAAGTAAACTCTAGGTGAGTCTCAGGATCGTTGGTGGGACAGAAGTAGAAGAGGGTGAATG
GCCCTGGCAGGCTAGCCTGCAGTGGGATGGGAGTCATCGCTGTGGAGCAACCTTAATTAATGCCACATGGC
TTGTGAGTGCTGCTCACTGTTTTACAACATATAAGAACCCTGCCAGATGGACTGCTTCCTTTGGAGTAACA
ATAAAACCTTCGAAAATGAAACGGGGTCTCCGGAGAATAATTGTCCATGAAAATACAAACACCCATCACA
TGACTATGATATTTCTCTTGCAGAGCTTTCTAGCCCTGTTCCTACACAAATGCAGTACATAGAGTTTGTCT
TCCTGATGCATCCTATGAGTTTCAACCAGGTGATGTGATGTTTGTGACAGGATTTGGAGCACTGAAAAAT
GATGGTTACAGTCAAATCATCTTCGACAAGCACAGGTGACTCTCATAGACGCTACAACTTGAATGAACC
TCAAGCTTACAATGACGCCATAACTCCTAGAATGTTATGTGCTGGCTCCTTAGAAGGAAAAACAGATGCAT
GCCAGGGTGACTCTGGAGGACCACTGGTTAGTTCAGATGCTAGAGATATCTGGTACCTTGCTGGAATAGTG
AGCTGGGAGATGAATGTGCGAAACCCAACAAGCCTGGTGTCTTACTAGAGTTACGGCCTTGCGGGACTG
GATTACTTCAAAAACCTGGTATCTAAGAGACAAAAGCCTCATGGAACAGATAACATTTTTTTTTGTTTTTG
GGTGTGGAGGCCATTTTTAGAGATACAGAATTGGAGAAGACTTGCAAAACAGCTAGATTTGACTGATCTCA
ATAAACTGTTTGCTTGATGCATGTATTTCTTCCAGCTCTGTTCCGCACGTAAGCATCCTGCTTCTGCCA
GATCAACTCTGTCTGTGAGCAATAGTTGAACTTTATGTACATAGAGAAATAGATAATACAATATTAC
ATTACAGCCTGTATTCAATTTGTTCTCTAGAGTTTGTGAGAATTTGACTTGTTGACATAAATTTGTAAT
GCATATATACAATTTGAAGCACTCCTTTTCTTCACTTCCCTCAGCTCCTCTCATTTTCAAGCAATATCCATTT
TCAAGGTGCAGAACAGGAGTGAAGAAAATATAAGAAGAAAAAATCCCCTACATTTTATTGGCACAGAA
AAGTATTAGGTGTTTTCTTAGTGAATATTAGAAATGATCATATTCATTATGAAAGGTCAAGCAAGACA
GCAGAATACCAATCACTTCATCATTTAGGAAGTATGGGAAGTAAGTAAGGAAGTCCAGAAAGAAGCCAAG
ATATATCCTTATTTTCAATTTCCAAACAATACTATGATAAATGTGAAGAAGATTCTGTTTTTTTGTGACCT
ATAATAATTATACAACTTCATGCAATGTACTTGTCTAAGCAAATTAAGCAAATATTTATTTAACATTG
TTACTGAGGATGTCAACATATAACAATAAAATATAAATCACCCA

FIGURE 106

MMYRPDVVRARKRVCWEPWVIGLVIFISLIVLAVCIGLTVHYVRYNQKKTYNYYSTLSFTTDKLY
AEFGREASNNFTEMSQRLESMVKNAFYKSPLREEFVKSQVIKFSQQKHGVLAHMLLICRFHSTED
PETVDKIVQLVLHEKLQDAVGPPKVDPHSVKIKKINKTETDSYLNHCCGTRRSKTLGQSLRIVGG
TEVEEGEWPWQASLQWDGSHRCGATLINATWLVSAHCFTTYKNPARWTASFGVTIKPSKMKRGL
RRIIVHEKYKHPSHDYDISLAELSSPVPTYNAVHRVCLPDASYEFQPGDVMFVTGFGALKNDGYS
QNHLRQAQVTLIDATTCTNEPQAYNDAITPRMLCAGSLEGKTDACQGDSSGGLVSSDARDIWYLAG
IVSWGDECAKPNKPGVYTRVTALRDWITSKTGI

Transmembrane domain:

amino acids 21-40 (type II)

FIGURE 107

AGAGAAAGAAGCGTCTCCAGCTGAAGCCAATGCAGCCCTCCGGCTCTCCGCGAAGAAGTTCCCTG
CCCCGATGAGCCCCCGCCGTGCGTCCCCGACTATCCCCAGGCGGGCGTGGGGCACCGGGCCCCAGC
GCCGACGATCGCTGCCGTTTTGCCCCTTGGGAGTAGGATGTGGTGAAAGGATGGGGCTTCTCCCTT
ACGGGGCTCACAAATGGCCAGAGAAGATTCCGTGAAGTGTCTGCGCTGCCTGCTCTACGCCCTCAA
TCTGCTCTTTTGGTTAATGTCCATCAGTGTGTTGGCAGTTTCTGCTTGGATGAGGGACTACCTAA
ATAATGTTCTCACTTTAACTGCAGAAACGAGGGTAGAGGAAGCAGTCATTTTGACTTACTTTCTT
GTGGTTTCATCCGGTCATGATTGCTGTTTGTCTGTTTCTTATCATTGTGGGGATGTAGGATATTG
TGGAACGGTGAAAAGAAATCTGTTGCTTCTTGCATGGTACTTTGGAAGTTTGCTTGTCAATTTCT
GTGTAGAACTGGCTTGTGGCGTTTGGACATATGAACAGGAACCTTATGGTTCCAGTACAATGGTCA
GATATGGTCACTTTGAAAGCCAGGATGACAAATTATGGATTACCTAGATATCGGTGGCTTACTCA
TGCTTGGAAATTTTTTTCAGAGAGAGTTTAAAGTGTCTGTGGAGTAGTATATTTCAGTACTGGTTGG
AAATGACAGAGATGGACTGGCCCCAGATTCTCTGCTGTGTTAGAGAATTCCCAGGATGTTCCAAA
CAGGCCCCACCAGGAAGATCTCAGTGACCTTTATCAAGAGGGTTGTGGGAAGAAAATGTATTCTT
TTTGAGAGGAACCAAACTGCAGGTGCTGAGGTTTCTGGGAATCTCCATTGGGGTGACACAAA
TCCTGGCCATGATTCTCACCATTACTCTGCTCTGGGCTCTGTATTATGATAGAAGGGAGCCTGGG
ACAGACCAAATGATGTCTTGAAGAATGACAACTCTCAGCACCTGTCTATGTCCCTCAGTAGAACT
GTTGAAACCAAGCCTGTCAAGAATCTTTGAACACACATCCATGGCAAACAGCTTTAATACACACT
TTGAGATGGAGGAGTTATAAAGAAATGTCACAGAAGAAAACCACAACTTGTTTTATTGGACT
TGTAATTTTTGAGTACATACTATGTGTTTCAAGAAATATGTAGAAATAAAATGTTGCCATAAAA
TAACACCTAAGCATATACTATTCTATGCTTTAAATGAGGATGGAAAAGTTTCATGTCATAAGTC
ACCACCTGGACAATAATTGATGCCCTTAAATGCTGAAGACAGATGTCATACCCACTGTGTAGCC
TGTTATGACTTTTACTGAACACAGTTATGTTTTGAGGCAGCATGGTTTGATTAGCATTTCGCCA
TCCATGCAAACGAGTCACATATGGTGGGACTGGAGCCATAGTAAAGGTTGATTTACTTCTACCAA
CTAGTATATAAAGTACTAATTAAATGCTAACATAGGAAGTTAGAAAATACTAATAACTTTTATTA
CTCAGCGATCTATTCTTCTGATGCTAAATAAATATATATCAGAAAACCTTCAATATTGGTGACT
ACCTAAATGTGATTTTTGCTGGTTACTAAAATATTCTTACCCTTAAAAGAGCAAGCTAACACAT
TGCTTTAAGCTGATCAGGGATTTTTTGTATATAAGTCTGTGTTAAATCTGTATAATTCAAGTCGAT
TTCAGTTCTGATAATGTTAAGAATAACCATTATGAAAAGGAAAATTTGCTCTGTATAGCATCATT
ATTTTATAGCCTTTCTGTTAATAAAGCTTTACTATTCTGTCTGGGCTTATATTACACATATAAC
TGTTATTTAAATACTTAACCACTAATTTTGAAAATTACCAGTGTGATACATAGGAATCATTATTC
AGAATGTAGTCTGGTCTTTAGGAAGTATTAAATAAGAAAATTTGCACATAACTTAGTTGATTGAGA
AAGGACTTGTATGCTGTTTTCTCCAAATGAAGACTCTTTTGACACTAAACACTTTTTTAAAAA
GCTTATCTTTGCCCTTCTCCAAACAAGAAGCAATAGTCTCCAAGTCAATATAAATTTACAGAAAA
TAGTGTTCTTTTTCTCCAGAAAAATGCTTGTGAGAATCATTAAACATGTGACAATTTAGAGATT
CTTTGTTTTATTTCACTGATTAATATACTGTGGCAAATTACACAGATTATTAAATTTTTTACAA
GAGTATAGTATATTTATTTGAAATGGGAAAAGTGCAATTTTACTGTATTTTGTGATTTTGTTTAT
TTCTCAGAATATGGAAGAAAATTAATGTGTCAATAAATATTTTCTAGAGAGTAA

FIGURE 108

MAREDSVKCLRCLLYALNLLFWLMSISVLAVSAWMDYLNVLTLTAETRVEEAVILTYFPVVHP
VMIAVCCFLIIVGMLGYCGTVKRNLLLLAWYFGSLLVIFCVELACGVWTYEQELMVPVQWSDMVT
LKARMTNYGLPRYRWLTHAWNFFQREFKCCGVVYFTDWLEMTMDWPPDSCCVREFPGCSKQAHQ
EDLSDLYQEGCGKMYSLRGTQLQLRFLGISIGVTQILAMILTITLLWALYYDRREPGTDQM
MSLKNDNSQHLSCPSVELLKPSLSRIFEHTSMANSFNTHFEMEEL

Signal peptide:

amino acids 1-33

Transmembrane domains:

amino acids 12-35, 57-86, 94-114, 226-248

FIGURE 109

CCAAGGCCAGAGCTGTGGACACCTTATCCCACCTCATCCTCTTCCTCTGATAAAGCCCCCTACCAGTGCT
GATAAAGTCTTTCTCGTGAGAGCCTAGAGGCCCTAAAAAAGTGCTTGAAAGAGAAGGGGACAAAGGAACA
CCAGTATTAAGAGGATTTTCCAGTGTTTCTGGCAGTTGGTCCAGAAGGATGCCCTCCATTCTCTGCTTCTCACCTG
CCTCTTCATCACAGGCACCTCCGTGTCAACCCGTGGCCCTAGATCCTTGTCTGCTTACATCAGCCTGAATGAGC
CCTGGAGGAACACTGACCACCACTGGATGAGTCTCAAGGTCTCTCTATGTGACAACCATGTGAATGGGGAG
TGGTACCCTTACGGGCATGGCGGGAGATGCCATGCCCTACCTTCTGCATACCAGAAAACCACTGTGGAACCCA
CGCACCTGTCTGGCTCAATGGCAGCCACCCCTAGAAAGCGACGGCATTGTGCAACGCCAGGCTTGTGCCAGCT
TCAATGGGAAGTCTGTCTCTGGAACACCACGGTGGAAGTCAAGGCTTGGCCTGGAGGCTACTATGTGTATCGT
CTGACCAAGCCCAGCGTCTGCTTCCACGTCTACTGTGGTCATTTTTATGACATCTGCGACGAGGACTGCCATGG
CAGCTGCTCAGATACCAGCGAGTGCACATGCCGTCCAGGAAGTGTGCTAGGCCCTGACAGGCAGACATGCTTTG
ATGAAATGAATGTGAGCAAAACACGGTGGCTGCAGTGAGATCTGTGTGAACCTCAAAAACCTCTACCGCTGT
GAGTGTGGGGTTGGCCGTGTGCTAAGAAGTGATGGCAAGACTTGTGAAGACGTTGAAGGATGCCACAATAACAA
TGGTGGCTGCAGCCACTCTTGCCCTGGATCTGAGAAAGCTACCAGTGTGAATGTCCCCGGGGCTGGTGTCTGT
CTGAGGATAACCACACTTGCCAAGTCCCTGTGTTGTGCAAATCAAATGCCATTGAAGTGAACATCCCCAGGGAG
CTGGTTGGTGGCTGGAGCTCTTCTGACCAACACCTCCTGCCGAGGAGTGTCAAACGGCACCCATGTCAACAT
CCTCTTCTCTCTCAAGACATGTGGTACAGTGGTCGATGTGGTGAATGACAAGATTGTGGCCAGCAACCTCGTGA
CAGGTCTACCAAGCAGACCCCGGGGAGCAGCGGGGACTTCATCATCCGAACAGCAAGCTGCTGATCCCGGTG
ACCTGCGAGTTTCCACGCCGTGTACACCAATTTCTGAAGGATACGTTCCCAACCTTCGAAACTCCCCACTGGAAT
CATGAGCCGAAATCATGGGATCTTCCCATTCACTCTGGAGATCTTCAAGGACAATGAGTTTGAAGAGCCTTACC
GGGAAGCTCTGCCCACCCTCAAGCTTCGTGACTCCCTCTACTTTGGCATTGAGCCCGTGGTGCACGTGAGCGGC
TTGGAAGCTTGGTGGAGAGCTGCTTTGCCACCCCACTCCAAGATCGACGAGGTCTGAAATACTACCTCAT
CCGGGATGGCTGTGTTTCAGATGACTCGGTAAAGCAGTACACATCCCGGGATCACCTAGCAAAGCACTTCCAGG
TCCCTGTCTTCAAGTTTGTGGGCAAGACCACAAGGAAGTGTCTGCACTGCCGGGTTCTTGTCTGTGGAGTG
TTGGACGAGCGTTCCCGCTGTGCCAGGGTTGCCACCGCGAATGCGTCTGGGGCAGGAGGAGGACTCAGC
CGGTCTACAGGGCCAGACGCTAACAGCGGCCCGATCCGCATCGACTGGGAGGACTAGTTTCGTAGCCATACCTC
GAGTCCCTGCATTGGACGGCTCTGCTCTTTGGAGCTTCTCCCCCACCGCCCTCTAAGAACATCTGCCAACAGC
TGGGTTTCAGACTTCACACTGTGAGTTCAGACTCCCAGCACCACTCACTCTGATTCTGGTCCATTCACTGGGCA
CAGGTACAGCACTGCTGAACAATGTGGCTGGGTGGGTTTCATCTTTCTAGGGTTGAAAATAAACTGTCCA
CCCAGAAAGACACTCACCCATTTCCCTCATTTCTTCTTCTACACTTAAATACCTCGTGTATGGTGAATCAGAC
CACAAAATCAGAAGCTGGGTATAATATTTCAAGTTACAAACCCCTAGAAAAATTAAACAGTTACTGAAATTATGA
CTTAAATACCAATGACTCCTTAAATATGTAAATTATAGTTATACCTTGAAATTTCAATTCAAATGCAGACTAA
TTATAGGAATTTGGAAGTGTATCAATAAAACAGTATATAATTTT

FIGURE 110

MPPFLLLTCLFITGTSVSPVALDPCSAYISLNEPWRNTDQQLDESQGPPLCDNHVNGEWYHFTGMAGDAMP
TFCIPENHCGTHAPVWLNGSHPLEGDGIVQRQACASFNGNCCLWNTTVEVKACPGGYVYRLTKPSVCFHV
YCGHFYDIDCEDCHGSCSDTSECTCAPGTVLGPDRQTCFDENECEQNNGGCSEICVNLKNSYRCECGVGRV
LRSDGKTCEDVEGCHNNNGGCSHSLGSEKGYQCECPRGLVLSNHTCQVPVLCKSNAIEVNIIPRELVGG
LELFLTNTSCRGVSNNGTHVNILFSLKTCGTVVDVNDKIVASNLVTGLPKQTPGSSGDFIIRTSKLLIPVT
CEFPRLYTISEGYVPNLRNSPLEIMSRNHGIFPFTLEIFKDNEFEOPYREALPTLKLRLDSLYFGIEPVVHV
SGLESLVESCFATPTSKIDEVLKYYLIRDGCVSDDSVKQYTSRDHLAKHFQVPVFKFVGKDHKEVFLHCRV
LVCGVLDERSRCAQGCHRRMRRGAGGEDSAGLQGQTLTGGPPIRIDWED

Important features of the protein:

Signal peptide:

amino acids 1-16

N-glycosylation sites.

amino acids 89-93, 116-120, 259-263, 291-295, 299-303

Tyrosine kinase phosphorylation sites.

amino acids 411-418, 443-451

N-myristoylation sites.

amino acids 226-232, 233-239, 240-246, 252-258, 296-302, 300-306,
522-528, 531-537

Aspartic acid and asparagine hydroxylation site.

amino acids 197-209

ZP domain proteins.

amino acids 431-457

Calcium-binding EGF-like proteins.

amino acids 191-212, 232-253

FIGURE 111

GAGAGAGGCAGCAGCTTGCTCAGCGGACAAGGATGCTGGGCGTGAGGGACCAAGGCCTGCCCTGCACTCGG
GCCTCCTCCAGCCAGTGTGTGACCAGGGACTTCTGACCTGCTGGCCAGCCAGGACCTGTGTGGGAGGCCCT
CCTGCTGCCTTGGGGTGACAATCTCAGCTCCAGGCTACAGGGAGACCGGGAGGATCACAGAGCCAGCATGT
TACAGGATCCTGACAGTGATCAACCTCTGAACAGCCTCGATGTCAAACCCCTGCGCAAACCCCGTATCCCC
ATGGAGACCTTCAGAAAGGTGGGGATCCCCATCATCATAGCACTACTGAGCCTGGCGAGTATCATCATTGT
GGTTGTCTCATCAAGGTGATTCTGGATAAACTACTTCTCTGCGGGCAGCCTCTCCACTTCATCCCGA
GGAAGCAGCTGTGTGACGGAGAGCTGGACTGTCCCTTGGGGGAGGACGAGGAGCACTGTGTCAAGAGCTTC
CCCGAAGGGCCTGCAGTGGCAGTCCGCCCTCTCCAAGGACCGATCCACACTGCAGGTGCTGGACTCGGCCAC
AGGGAACCTGGTTCTCTGCCTGTTTCGACAACCTTCACAGAAGCTCTCGCTGAGACAGCCTGTAGGCAGATGG
GCTACAGCAGAGCTGTGGAGATTGGCCCAGACCAGGATCTGGATGTTGTTGAAATCACAGAAAACAGCCAG
GAGCTTCGCATGCGGAACCTCAAGTGGGCCCTGTCTCTCAGGCTCCCTGGTCTCCCTGCACTGTCTTGCCTG
TGGGAAGAGCCTGAAGACCCCCCGTGTGGTGGGTGGGGAGGAGGCTCTGTGGATTCTTGGCCTTGGCAGG
TCAGCATCCAGTACGACAAACAGCACGCTGTGTGGAGGGAGCATCTGGACCCCCACTGGGTCCCTCAGGGCA
GCCCCACTGCTTCAGGAAACATACCGATGTGTTCAACTGGAAGGTGCGGGCAGGCTCAGACAAACTGGGCAG
CTTCCCATCCCTGGCTGTGGCCAAAGATCATCATCATTGAATTCAACCCCATGTACCCCAAGACAATGACA
TCGCCCCATGAAGCTGCAGTTCCCACTCACTTTCTCAGGCACAGTCAGGCCCATCTGTCTGCCCTTCTTT
GATGAGGAGCTCACTCCAGCCACCCCACTCTGGATCATTGGATGGGGCTTTACGAAGCAGAATGGAGGGAA
GATGTCTGACATACTGTGTCAGGCGTCAGTCCAGGTCATTGACAGCACACGGTGCAATGCAGACGATGCGT
ACCAGGGGGAAGTCACCGAGAAGATGATGTGTGCAGGCATCCCGGAAGGGGGTGTGGACACCTGCCAGGGT
GACAGTGGTGGGCCCCGTGATGTACCAATCTGACCAGTGGCATGTGGTGGGCATCGTTAGCTGGGGCTATGG
CTGCGGGGGCCCGAGCACCCCAAGGATATACACCAAGGTCTCAGCCTATCTCAACTGGATCTACAATGTCT
GGAAGGCTGAGCTGTAATGCTGTGTCCTTTGTCAGTGTGGGAGCCGCTTCCTTCTGCTGCCCTGCCACCT
GGGGATCCCCCAAAGTCAGACACAGAGCAAGAGTCCCTTGGGTACACCCCTCTGCCACAGCCTCAGCAT
TTCTTGGAGCAGCAAAGGGCCTCAATTCCTGTAAGAGACCCTCGCAGCCCAGAGGCGCCAGAGGAAGTCA
GCAGCCCTAGCTCGGCCACACTTGGTGTCCCAGCATCCCAGGGAGAGACACAGCCCACTGAACAAGGTCT
CAGGGGTATTGCTAAGCCAAGAAGGAACCTTCCACACTACTGAATGGAAGCAGGCTGTCTTGTAAGGCC
CAGATCACTGTGGGCTGGAGAGGAGAAGGAAAGGTCTGCGCCAGCCCTGTCCGTCTTACCCATCCCCAA
GCCTACTAGAGCAAGAAACCAGTTGTAATATAAAATGCACTGCCCTACTGTTGGTATGACTACCGTTACCT
ACTGTTGTCAATTGTTATTACAGCTATGGCCACTATTATTAAAGAGCTGTGTAACATCTCTGGCAAAAAAA
AAAA

FIGURE 112

MLQDPDSQPLNSLDVKPLRKPRIPMETFRKVGIPIIIALLSLASIIIVVLIKVILDKYYFLCG
QPLHFIPRKQLCDGELDCPLGEDEEHCVKSFPEGPAVAVRLSKDRSTLQVLDSATGNWFSACFDN
FTEALAETACRQMGYSRAVEIGPDQDLVDVEITENSQELMRNSSGPCLSGSLVSLHCLACGKSL
KTPRVVGEEASVDSWPWQVSIQYDKQHVCSSILDPHWLTAHCFRKHTDVFNNKVRAGSDKL
GSFPSLAVAKIIIIIEFNPMYPKDNDIALMKLQFPLTFSGTVRPICLPFFDEELTPATPLWIIIGWG
FTKQNGGKMSDILLQASVQVIDSTRCNADDAYQGEVTEKMMCAGIPEGGVDTCCQGDSSGGLMYQS
DQWHVVGIVSWGYGCGGPSTPGVYTKVSAYLNWIYNVWKAEL

Transmembrane domain:

amino acids 32-53 (typeII)

FIGURE 113

GGCTGGACTGGAACCTCTGGTCCCAAGTGATCCACCCGCTCAGCCTCCCAAGGTGCTGTGATTA
TAGGTGTAAGCCACCGTGTCTGGCCTCTGAACAACCTTTTCAGCAACTAAAAAGCCACAGGAGT
TGAAGTGTAGGATTCTGACTATGCTGTGGTGGCTAGTGCTCCTACTCCTACCTACATTAAAATC
TGTTTTTTGTTCTCTTGTAAGTACCTTTACCTTCCTAACACAGAGGATCTGTCACTGTGGCTCT
GGCCCAAACCTGACCTTCACTCTGGAACGAGAACAGAGGTTTCTACCCACACCGTCCCCTCGAAG
CCGGGGACAGCCTCACCTTGCTGGCCTCTCGCTGGAGCAGTGCCCTCACCAACTGTCTCACGTCT
GGAGGCACTGACTCGGGCAGTGACAGGTAGCTGAGCCTCTTGGTAGCTGCGGCTTTCAAGGTGGGC
CTTGCCCTGGCCGTAGAAGGGATTGACAAGCCCGAAGATTTTCATAGGCGATGGTCCCCTGCCC
AGGCATCAGCCTTGCTGTAGTCAATCACTGCCCTGGGGCCAGGACGGGCCGTGGACACCTGTCTCA
GAAGCAGTGGGTGAGACATCACGCTGCCCCGCCATCTAACCTTTTCATGTCCTGCACATCACCTG
ATCCATGGGCTAATCTGAACTCTGTCCCAAGGAACCCAGAGCTTGAGTGAGCTGTGGCTCAGACC
CAGAAGGGGTCTGCTTAGACCACCTGGTTTATGTGACAGGACTTGCATTCTCCTGGAACATGAGG
GAACGCCGGAGGAAAGCAAAGTGGCAGGGAAGGAACCTGTGCCAAATTATGGGTCAGAAAAGATG
GAGGTGTTGGGTTATCACAAGGCATCGAGTCTCCTGCATTAGTGGACATGTGGGGGAAGGGCTG
CCGATGGCGCATGACACACTCGGGACTCACCTCTGGGGCCATCAGACAGCCGTTTCCGCCCCGAT
CCACGTACCAGCTGCTGAAGGGCAACTGCAGGCCGATGCTCTCATCAGCCAGGCAGCAGCCAAAA
TCTGCGATCACCAGCCAGGGGCAGCCGTCTGGGAAGGAGCAAGCAAAGTGACCATTCTCCTCCC
CTCCTTCCCTCTGAGAGGCCCTCCTATGTCCCTACTAAAGCCACCAGCAAGACATAGCTGACAGG
GGCTAATGGCTCAGTGTTGGCCCAGGAGGTGAGCAAGGCCTGAGAGCTGATCAGAAGGGCCTGCT
GTGCGAACACGGAAATGCCTCCAGTAAGCACAGGCTGCAAATCCCCAGGCAAAGGACTGTGTGG
CTCAATTTAAATCATGTTCTAGTAATTGGAGCTGTCCCAAGACCAAAGGAGCTAGAGCTTGTT
CAAATGATCTCCAAGGGCCCTTATACCCAGGAGACTTTGATTTGAATTTGAAACCCCAAATCCA
AACCTAAGAACCAGGTGCATTAAAGAATCAGTTATTGCCGGGTGTGGTGGCCTGTAATGCCAACAT
TTTGGGAGGCCGAGGCGGTAGATCACCTGAGGTGAGGAGTTCAAGACCAGCCTGGCCAACATGG
TGAAACCCCTGTCTCTACTAAAAATACAAAAAACTAGCCAGGCATGGTGGTGTGTGCCTGTATC
CCAGCTACTCGGGAGGCTGAGACAGGAGAATTACTTGAACCTGGGAGGTGAAGGAGGCTGAGACA
GGAGAATCACTTCAGCCTGAGCAACACAGCGAGACTCTGTCTCAGAAAAATAAAAAAGAATTA
TGGTTATTTGTAA

FIGURE 114

MLWWLVLLLLPTLKSVFCSLVTSLYLPNTEDLSLWLWPKPDLHSGTRTEVSTHTVPSKPGTASPC
WPLAGAVPSPTVSRLEALTRAVQVAEPLGSCGFQGGPCPGRRRD

Signal peptide:
amino acids 1-15

MLWWLVLLLLPTLKSVFCSLVTSLYLPNTEDLSLWLWPKPDLHSGTRTEVSTHTVPSKPGTASPC
WPLAGAVPSPTVSRLEALTRAVQVAEPLGSCGFQGGPCPGRRRD

FIGURE 115

CAGCAGTGGTCTCTCAGTCCTCTCAAAGCAAGGAAAGAGTACTGTGTGCTGAGAGACCATGGCAA
AGAATCCTCCAGAGAATTGTGAAGACTGTCACATTCTAAATGCAGAAGCTTTTAAATCCAAGAAA
ATATGTAAATCACTTAAGATTTGTGGACTGGTGTGGTATCCTGGCCCTAACTCTAATTGTCCT
GTTTTGGGGGAGCAAGCACTTCTGGCCGGAGGTACCCAAAAAGCCTATGACATGGAGCACACTT
TCTACAGCAATGGAGAGAAGAAGAAGATTACATGGAAATTGATCCTGTGACCAGAACTGAAATA
TTCAGAAGCGGAAATGGCACTGATGAAACATTGGAAGTGCACGACTTTAAAAACGGATACACTGG
CATCTACTTCGTGGGTCTTCAAAAATGTTTTATCAAACTCAGATTAAAGTGATTCCTGAATTTT
CTGAACCAGAAGAGGAAATAGATGAGAATGAAGAAATTACCACAACCTTTCTTTGAACAGTCAGTG
ATTTGGGTCCCAGCAGAAAAGCCTATTGAAAACCGAGATTTTCTTAAAAATTCCAAAATCTGGA
GATTTGTGATAACGTGACCATGTATTGGATCAATCCCACTCTAATATCAGTTTCTGAGTTACAAG
ACTTTGAGGAGGAGGGAGAAGATCTTCACTTTCCTGCCAACGAAAAAAGGGATTGAACAAAAT
GAACAGTGGGTGGTCCCTCAAGTGAAAGTAGAGAAGACCCGTCACGCCAGACAAGCAAGTGAGGA
AGAAGTTCCAATAAATGACTATACTGAAATGGAATAGAATTTGATCCCATGCTGGATGAGAGAG
GTTATTGTTGTATTTACTGCCGTGAGGCAACCGCTATTGCCGCCGCGTCTGTGAACCTTTACTA
GGCTACTACCCATATCCATACTGCTACCAAGGAGGACGAGTCATCTGTCGTGTCATCATGCCTTG
TAACTGGTGGGTGGCCCGCATGCTGGGGAGGGTCTAATAGGAGGTTTGAGCTCAAATGCTTAAAC
TGCTGGCAACATATAATAAATGCATGCTATTCAATGAATTTCTGCCTATGAGGCATCTGGCCCT
GGTAGCCAGCTCTCCAGAATTACTTGTAGGTAATTCCTCTCTTCATGTTCTAATAAACTTCTACA
TTATCACCAAAAAAAAAAAAAAAAAA

FIGURE 116

MAKNPPENCEDCHILNAEAFKSKKICKSLKICGLVFGILALTLIVLFWGSKHFWPEVPPKAYDME
HTFYSNGEKKKIYMEIDPVTRTEIFRSGNGTDETLVHDFKNGYTGIFYVGLQKCFIKTQIKVIP
EFSEPEEEIDENEEIITTTFFEQSVIWPVPAEKPIENRDFLKNSKILEICDNVTMYWINPTLISVSE
LQDFEEEGEDLHFPANEKKGIEQNEQWVVPQVKVEKTRHARQASEEELPINDYTENGIEFDPMLD
ERGYCCIIYCRRGNRYCRRVCEPLLGYYPYPYCYQGGRVICRVIMPCNWWVARMLGRV

Important features of the protein:

Signal peptide:

amino acids 1-40

Transmembrane domain:

amino acids 25-47 (type II)

N-glycosylation sites.

amino acids 94-97, 180-183

Glycosaminoglycan attachment sites.

amino acids 92-95, 70-73, 85-88, 133-136, 148-151, 192-195, 239-
242

N-myristoylation sites.

amino acids 33-38, 95-100, 116-121, 215-220, 272-277

Microbodies C-terminal targeting signal.

amino acids 315-317

Cytochrome c family heme-binding site signature.

amino acids 9-14

FIGURE 117

GAGCTCCCCCTCAGGAGCGCGTTAGCTTCACACCTTCGGCAGCAGGAGGGCGGCAGCTTCTCGCAGGCGGCA
GGGCGGGCGGCCAGGATCATGTCCACCACCACATGCCAAGTGGTGGCGTTCCCTCCTGTCCATCCTGGGGCT
GGCCGGCTGCATCGCGGCCACCGGGATGGACATGTGGAGCACCAGGACCTGTACGACAACCCCGTCACCT
CCGTGTTCCAGTACGAAGGGCTCTGGAGGAGCTGCGTGAGGCAGAGTTCAGGCTTCACCGAATGCAGGCCC
TATTTACCATCCTGGGACTTCCAGCCATGCTGCAGGCAGTGCAGGCCCTGATGATCGTAGGCATCGTCTCT
GGGTGCCATTGGCCTCCTGGTATCCATCTTTGCCCTGAAATGCATCCGCATTGGCAGCATGGAGGACTCTG
CCAAAGCCAACATGACACTGACCTCCGGGATCATGTTTCATTGTCTCAGGTCTTTGTGCAATTGCTGGAGTG
TCTGTGTTTGCCAACATGCTGGTGACTAATTCTGGATGTCCACAGCTAACATGTACACCGGCATGGGTGG
GATGTGTCAGACTGTTTCAGACCAGGTACACATTTGGTGGCGCTCTGTTCTGGGCTGGGTGCTGGAGGCC
TCACACTAATTGGGGGTGTGATGATGTGCATCGCCTGCCGGGGCTGGCACCAGAAGAAACCAACTACAAA
GCCGTTTCTTATCATGCCTCAGGCCACAGTGTTCCTACAAGCCTGGAGGCTTCAAGGCCAGCACTGGCTT
TGGGTCCAACACCAAAAACAAGAAGATATACGATGGAGGTGCCCGCACAGAGGACGAGGTACAATCTTATC
CTTCCAAGCACGACTATGTGTAATGCTCTAAGACCTCTCAGCACGGGCGGAAGAACTCCCGGAGAGCTCA
CCCAAAAAACAAGGAGATCCCATCTAGATTTCTTCTTGTCTTTTGACTCACAGCTGGAAGTTAGAAAAGCCT
CGATTTTCATCTTTGGAGAGGCCAAATGGTCTTAGCCTCAGTCTCTGTCTCTAAATATTCCACCATAAAACA
GCTGAGTTATTTATGAATTAGAGGCTATAGCTCACATTTTCAATCCTCTATTTCTTTTTTAAATATAACT
TTCTACTCTGATGAGAGAATGTGGTTTTAATCTCTCTCTCACATTTTGATGATTTAGACAGACTCCCCCTC
TTCCTCCTAGTCAATAAACCCATTGATGATCTATTTCCAGCTTATCCCCAAGAAACTTTTGAAAGGAAA
GAGTAGACCCAAAGATGTTATTTTCTGCTGTTTGAATTTTGTCTCCCCACCCCAACTTGGCTAGTAATAA
ACACTTACTGAAGAAGAAGCAATAAGAGAAAGATATTTGTAATCTCTCCAGCCCATGATCTCGGTTTTCTT
ACACTGTGATCTTAAAGTTACCAAACCAAGTCATTTTCAGTTTGAGGCAACCAACCTTTCTACTGCTG
TTGACATCTTCTTATTACAGCAACACCATTCTAGGAGTTTCCTGAGCTCTCCACTGGAGTCTCTTTCTGT
CGCGGGTCAGAAATTGTCCCTAGATGAATGAGAAAATTATTTTTTTAATTTAAGTCTAAATATAGTTAA
AATAAATAATGTTTTAGTAAATGATACACTATCTCTGTGAAATAGCCTCACCCCTACATGTGGATAGAAG
GAAATGAAAAAATAATTGCTTTGACATTGTCTATATGGTACTTTGTAAAGTCATGCTTAAGTACAAATTCC
ATGAAAAGCTCACACCTGTAATCCTAGCACTTTGGGAGGCTGAGGAGGAAGGATCACTTGAGCCCAGAAGT
TCGAGACTAGCCTGGGCAACATGGAGAAGCCCTGTCTCTACAAAATACAGAGAGAAAAATCAGCCAGTCA
TGGTGGCATAACCTGTAGTCCCAGCATTCGGGAGGCTGAGGTGGGAGGATCACTTGAGCCCAGGGAGGT
TGGGGCTGCAGTGAGCCATGATCACACCACTGCACTCCAGCCAGGTGACATAGCGAGATCCTGTCTAAAAA
AATAAAAAATAAATAATGGAACACAGCAAGTCTAGGAAGTAGGTTAAACTAATTCTTTAA

FIGURE 118

MSTTTCQVVAFLLSILGLAGCIAATGMDMWSTQDLYDNPVTSVFQYEGLRSCVRQSSGFTECRP
YFTILGLPAMLQAVRALMIVGIVLGAIGLLVSI FALKCIRIGSMEDSAKANMTLTSGIMFIVSGL
CAIAGVSVFANMLVTNFWMSTANMYTGMGGMVQTVQTRYTFGAALFVGWVAGGLTLIGGVMMCIA
CRGLAPEETNYKAVSYHASGHSVAYKPGGFKASTGFGSNTKNKKIYDGGARTEDEVQSYPSKHDY
V

Signal peptide:

amino acids 1-23

Transmembrane domains:

amino acids 81-100, 121-141, 173-194

FIGURE 119

GGAAAACTGTTCTCTTCTGTGGCACAGAGAACCCTGCTTCAAAGCAGAAGTAGCAGTTCGGGAGTCC
AGCTGGCTAAAACATCCCAGAGGATAAATGGCAACCCATGCCTTAGAAATCGCTGGGCTGTTTCTTG
GTGGTGTGGAATGGTGGGCACAGTGGCTGTCACTGTGCCTCAGTGGAGAGTGTGGCCTTCATT
GAAAACAACATCGTGGTTTTTGAACCTTCTGGGAAGGACTGTGGATGAATTGCGTGAGGCAGGCTAA
CATCAGGATGCAGTGCAAAATCTATGATTCCCTGCTGGCTCTTCTCCGGACCTACAGGCAGCCAGAG
GACTGATGTGTGCTGCTTCCGTGATGTCTTCTTGGCTTTCATGATGGCCATCCTTGGCATGAAATGC
ACCAGGTGCACGGGGGACAATGAGAAGGTGAAGGCTCACATTCTGCTGACGGCTGGAATCATCTTCAT
CATCACGGGCATGGTGGTGTCTCATCCCTGTGAGCTGGGTTGCCAATGCCATCATCAGAGATTTCTATA
ACTCAATAGTGAATGTTGCCCAAAACGTGAGCTTGGAGAAGCTCTCTACTTAGGATGGACCACGGCA
CTGGTGTGCTGATTGTTGGAGGAGCTCTGTTCTGCTGCGTTTTTTGTTGCAACGAAAAGAGCAGTAGCTA
CAGATACTCGATACCTTCCCATCGCACACCCAAAAAGTTATCACACCGGAAAGAAGTCACCGAGCG
TCTACTCCAGAAGTCAGTATGTAGTTGTGTATGTTTTTTAACTTTACTATAAAGCCATGCAAATG
ACAAAAATCTATATTACTTTCTCAAAATGGACCCCAAAGAACTTTGATTTACTGTTCTTAACTGCCT
AATCTTAATTACAGGAAGTGTGCATCAGCTATTTATGATTCTATAAGCTATTTACGAGAATGAGATA
TTAAACCCCAATGCTTTGATTGTTCTAGAAAGTATAGTAATTTGTTTTCTAAGGTGGTTCAAGCATCTA
CTCTTTTTTATCATTTACTTCAAATGACATTGCTAAAGACTGCATTATTTTACTACTGTAATTTCTCC
ACGACATAGCATTATGTACATAGATGAGTGAACATTTATATCTCACATAGAGACATGCTTATATGGT
TTTATTTAAATGAAATGCCAGTCCATTACACTGAATAAATAGAACTCACTATTGCTTTTCAGGGAA
ATCATGGATAGGGTTGAAGAAGGTACTATTAATTGTTTAAAAACAGCTTAGGGATTAATGTCTCCCA
TTTATAATGAAGATTTAAATGAAGGCTTTAATCAGCATTGTAAAGGAAATTGAATGGCTTTCTGATAT
GCTGTTTTTTAGCCTAGGAGTTAGAAATCCTAATCTTTATCCTCTTCTCCAGAGGCTTTTTTTTT
CTTGTGTATTAAATTAACATTTTTTAAACGCAGATATTTTGTCAAGGGGCTTTCATTCAAACCTGCTT
TTCCAGGGCTATACTCAGAAGAAAGATAAAAGTGTGATCTAAGAAAAAGTGATGGTTTTAGGAAAGTG
AAAAATTTTTGTTTTTGTATTTGAAGAAGATGATGCATTTTGACAAGAAATCATATATGTATGGAT
ATATTTTAATAAGTATTTGAGTACAGACTTTGAGGTTTCATCAATATAAATAAAGAGCAGAAAAATA
TGCTTGGTTTTTCATTGCTTACCAAAAAACAACAACAAAAAAGTTGTCCTTTGAGAACTTCACCT
GCTCCTATGTGGGTACCTGAGTCAAAATTGTCATTTTGTCTGTGAAAAATAAATTCCTTCTTGTA
CCATTTCTGTTTAGTTTTACTAAATCTGTAAATACGTATTTTCTGTTTATCCAAATTTGATGAA
ACTGACAATCCAATTTGAAAGTTTGTGTCGACGTCTGTCTAGCTTAAATGAATGTGTCTATTGCTT
TATACATTTATATTAATAAATTGTACATTTTTCTAATT

FIGURE 120

MATHALEIAGLFLGGVGMVGTVAVTVMQWRVSAFIENNIVVFENFWEGLWMNCVRQANIRMQCK
IYDSLLALSPDLQAARGLMCAASVMSFLAFMMAILGMKCTRCTGDNEKVKAHILLTAGIIFIITG
MVLIPVSWVANAIIRDfYNSIVNVAQKRELGEALYLGWTTALVLIVGGALFCCVFCCNEKSSSY
RYSIPSHRTTQKSYHTGKKSPSVYSRSQYV

Signal peptide:

amino acids 1-17

Transmembrane domains:

amino acids 82-101, 118-145, 164-188

FIGURE 121

GGAGAGAGGCGCGCGGGTGAAAGGCGCATTGATGCAGCCTGCGGCGGGCTCGGAGCGCGGCGGAG
CCAGACGCTGACCACGTTTCCTCTCCTCGGTCTCCTCCGCTCCAGCTCCGCGCTGCCCCGGCAGCC
GGGAGCCATGCGACCCCAGGGCCCCGCGCCTCCCCGAGCGGGCTCCGCGGGCTCCTGCTGCTCC
TGCTGCTGCAGCTGCCCCGCGCCGTCGAGCGCCTCTGAGATCCCCAAGGGGAAGCAAAAGGCGCAG
CTCCGGCAGAGGGAGGTGGTGGACCTGTATAATGGAATGTGCTTACAAGGGCCAGCAGGAGTGCC
TGGTCGAGACGGGAGCCCTGGGGCCAATGTTATTCCGGGTACACCTGGGATCCCAGGTGCGGATG
GATTCAAAGGAGAAAAGGGGAATGTCTGAGGGAAAGCTTTGAGGAGTCCTGGACACCCAACCTAC
AAGCAGTGTTTCATGGAGTTCATTGAATTATGGCATAGATCTTGGGAAAATTGCGGAGTGATACATT
TACAAAGATGCGTTCAAATAGTGCTCTAAGAGTTTTGTTCAAGTGGCTCACTTCGGCTAAAATGCA
GAAATGCATGCTGTGAGCGTTGGTATTTACATTCAATGGAGCTGAATGTTAGGACCTCTTCCC
ATTGAAGCTATAATTTATTTGGACCAAGGAAGCCCTGAAATGAATTCAACAATTAATATTCATCG
CACTTCTTCTGTGGAAGGACTTTGTGAAGGAATTGGTGCTGGATTAGTGGATGTTGCTATCTGGG
TTGGCACTTGTTTCAGATTACCCAAAAGGAGATGCTTCTACTGGATGGAATTCAGTTTCTCGCATC
ATTATTGAAGAACTACCAAAATTAAATGCTTTAATTTTCATTTGCTACCTCTTTTTTTTATTATGCC
TTGGAATGGTTCACTTAAATGACATTTTAAATAAGTTTATGTATACATCTGAATGAAAAGCAAAG
CTAAATATGTTTACAGACCAAAGTGATTTACACTGTTTTTAAATCTAGCATTATTCATTTTG
CTTCAATCAAAAGTGGTTTCAATATTTTTTTTAGTTGGTTAGAATACTTTCTTCATAGTACATT
CTCTCAACCTATAATTGGAATATTGTTGTGGTCTTTTGTTTTTTCTCTTAGTATAGCATTTTTTA
AAAAAATATAAAAGCTACCAATCTTTGTACAATTGTAAATGTTAAGAATTTTTTTTATATCTGT
TAAATAAAATTATTTCCAACA

FIGURE 122

MRPQGPAASPQRLRGLLLLLLLQLPAPSSASEIPKGKQKAQLRQREVVDLYNGMCLQGPAGVPGR
DGSPGANVIPGTPGIPGRDGFKEKGECLRESFEESWTPNYKQCSWSSLNYGIDLGKIAECTFTK
MRSNSALRVLFSGSLRLKCRNACCQRWYFTFNGAECGGLPIEAIYLDQGSPEMNSTINIHRTS
SVEGLCEGIGAGLVDVAIWVGTCSDYPKGDASTGWNSVSRIIEELPK

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 195-217

FIGURE 123

GCTGAGCGTGTGCGCGGTACGGGGCTCTCTGCCTTCTGGGCTCCAACGCAGCTCTGTGGCTGAA
CTGGGTGCTCATCACGGGAACCTGCTGGGCTATGGAATACAGATGTGGCAGCTCAGGTAGCCCCAA
ATTGCTTGGAGAATACATCATGTTTTTCGATAAGAAGAAATTGTAGGATCCAGTTTTTTTTTTA
ACCGCCCCCTCCCCACCCCCCAAAAAAAGCTGTAAAGATGCAAAAACGTAATATCCATGAAGATCC
TATTACCTAGGAAGATTTTGATGTTTTGCTGCGAATGCGGTGTTGGGATTTATTTGTTCTTGGAG
TGTTCTGCGTGGCTGGCAAAGAATAATGTTCCAAAATCGGTCCATCTCCAAGGGGTCCAATTTT
TCTTCTGGGTGTGAGCGAGCCCTGACTCACTACAGTGCAGCTGACAGGGGGCTGTCATGCAACTG
GCCCCAAGCCAAAGCAAAGACCTAAGGACGACCTTTGAACAATACAAAGGATGGGTTTCAATG
TAATTAGGCTACTGAGCGGATCAGCTGTAGCACTGGTTATAGCCCCACTGTCTTACTGACAATG
CTTCTTTCTGCGAAGCAGGATGCCCTAAGGGCTGTAGGTGTGAAGGCAAAATGGTATATTGTGA
ATCTCAGAAATTACAGGAGATACCCTCAAGTATATCTGCTGGTTGCTTAGGTTTGTCCCTTCGCT
ATAACAGCCTTCAAAAACCTAAGTATAATCAATTTAAAGGGCTCAACCAGCTCACCTGGCTATAC
CTTGACCATAACCATATCAGCAATATTGACGAAAATGCTTTTAAATGGAATACGCAGACTCAAAGA
GCTGATTCTTAGTTCCAATAGAATCTCCTATTTCTTAACAATACCTTCAGACCTGTGACAAATT
TACGGAACTTGGATCTGTCTATAATCAGCTGCATTCTCTGGGATCTGAACAGTTTCGGGGCTTG
CGGAAGCTGCTGAGTTTACATTTACGGTCTAACTCCCTGAGAACCATCCCTGTGCGAATATTCCA
AGACTGCCGCAACCTGGAACCTTTGGACCTGGGATATAACCGGATCCGAAGTTTAGCCAGGAATG
TCTTTGCTGGCATGATCAGACTCAAAGAACCTCACCTGGAGCACAATCAATTTTCCAAGCTCAAC
CTGGCCCTTTTCCAAGGTTGGTCAGCCTTCAGAACCTTTACTTGCACTGGAATAAAATCAGTGT
CATAGGACAGACCATGTCTGGACCTGGAGCTCCTTACAAAGGCTTGATTTATCAGGCAATGAGA
TCGAAGCTTTTCACTGGACCCAGTGTTTTCCAGTGTGTCCCGAATCTGCAGCGCCTCAACCTGGAT
TCCAACAAGCTCACATTTATTTGGTCAAGAGATTTTGGATTCTTGGATATCCCTCAATGACATCAG
TCTTGCTGGGAATATATGGGAATGCAGCAGAAATATTTGCTCCCTTGTAAGCTGGCTGAAAAGTT
TTAAAGGTCTAAGGGAGAATACAATTATCTGTGCCAGTCCCAAAGAGCTGCAAGGAGTAAATGTG
ATCGATGCAGTGAAGAACTACAGCATCTGTGGCAAAAGTACTACAGAGAGGTTTGATCTGGCCAG
GGCTCTCCCAAAGCCGACGTTTAAAGCCAAAGCTCCCCAGGCCGAAGCATGAGAGCAAAACCCCTT
TGCCCCCGACGGTGGGAGCCACAGAGCCCGCCAGAGACCGATGCTGACGCCGAGCACATCTCT
TTCCATAAAATCATCGCGGGCAGCGTGGCGCTTTTCTGTCCGTGCTCGTCATCTGCTGGTTAT
CTACGTGTCTGGAAGCGGTACCCTGCGAGCATGAAGCAGCTGCAGCAGCGCTCCCTCATGCGAA
GGCACAGGAAAAAGAAAAGACAGTCCCTAAAGCAAATGACTCCCAGCACCCAGGAATTTTATGTA
GATTATAAACCCACCAACACGGAGACCAGCGAGATGCTGCTGAATGGGACGGGACCCCTGCACCTA
TAACAAATCGGGCTCCAGGGAGTGTGAGGTATGAACCATTGTGATAAAAAGAGCTCTTAAAGCT
GGGAAATAAGTGGTGCTTTTATTGAACTCTGGTGACTATCAAGGGAACGCGATGCCCCCTCCCC
TTCCCTCTCCCTCTCACTTTGGTGGCAAGATCCTTCTTGTCCGTTTTAGTGCATTATAATACT
GGTCATTTTCTCTCATACATAATCAACCCATTGAAATTTAAATACCACAATCAATGTGAAGCTT
GAACCTCCGGTTTAAATAATACCTATTGTATAAGACCCCTTACTGATTCCATTAATGTGCGATTT
GTTTTAAGATAAAACTTCTTTCATAGGTAAAAA

FIGURE 124

MGFNVIRLLSGSAVALVIAPT VLLTMLSSAERGCPKGCRCEGKMVYCESQKLQEIPSSISAGCLG
LSLRYNLSLQKLKYNQFKGLNQLTWLYLDHNHISNIDENAFNGIRRLKELILSSNRISYFLNNTFR
PVTNLRNLDLSYNQLHSLGSEQFRGLRKLSSLHLRSNSLRITIPVRI FQDCRNLELLDLGYNRIRS
LARNVFAGMIRLKEHLHLEHNQFSKLNLFRLVSLQNLQWNKISVIGQTMSWTWSSLQRLDL
SGNEIEAFSGPSVFCVFNLRNLDSNKLTFIGQEILDSWISLNDISLAGNIWECSRNICSLVN
WLKSFKGLRENTIICASPKELQGVNVIDAVKNYSICGKSTTERFDLARALPKPTFKPKLPRPKHE
SKPPLPPTVGATEPGPETDADAEHISFHKIIAGSVALFLSVLVILLVIYVSWKRYPASMKQLQQR
SLMRRHRKKRQSLKQMTPTQEFYVDYKPTNTETSEMLLNGTGPCTYNKSGSRECEV

Important features of the protein:

Signal peptide:

amino acids 1-33

Transmembrane domain:

amino acids 420-442

N-glycosylation sites.

amino acids 126-129, 357-360, 496-499, 504-507

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 465-468

Tyrosine kinase phosphorylation site.

amino acids 136-142

N-myristoylation sites.

amino acids 11-16, 33-38, 245-250, 332-337, 497-502, 507-512

FIGURE 125

CCGTTATCGTCTTGCGCTACTGCTGAATGTCCGTCCCGGAGGAGGAGGAGAGGCTTTTGCCGCTG
ACCCAGAGATGGCCCCGAGCGAGCAAATTCCTACTGTCCGGCTGCGCGGCTACCGTGGCCGAGCT
AGCAACCTTTCCCCTGGATCTCACAAAACTCGACTCCAAATGCAAGGAGAAGCAGCTCTTGCTC
GGTTGGGAGACGGTGCAAGAGAATCTGCCCCCTATAGGGGAATGGTGCGCACAGCCCTAGGGATC
ATTGAAGAGGAAGGCTTTCTAAAGCTTTGGCAAGGAGTGACACCCGCCATTTACAGACACGTAGT
GTATTCTGGAGGTCGAATGGTCACATATGAACATCTCCGAGAGGTTGTGTTTGGCAAAAGTGAAG
ATGAGCATTATCCCCCTTTGGAAATCAGTCATTGGAGGGATGATGGCTGGTGTATTGGCCAGTTT
TTAGCCAATCCAAGTACCTAGTGAAGGTTGAGATGCAAAATGGAAGGAAAAGGAACTGGAAGG
AAAACCATTTGCGATTTTCGTGGTGTACATCATGCATTTGCAAAAATCTTAGCTGAAGGAGGAATAC
GAGGGCTTTGGGCAGGCTGGGTACCCAATATACAAAGAGCAGCACTGGTGAATATGGGAGATTTA
ACCACTTATGATACAGTGAAACACTACTTGGTATTGAATACACCACTTGAGGACAATATCATGAC
TCACGGTTTATCAAGTTTATGTTCTGGACTGGTAGCTTCTATTCTGGGAACACCAGCCGATGTCA
TCAAAAGCAGAATAATGAATCAACCACGAGATAAACAAGGAAGGGGACTTTTGTATAAATCATCG
ACTGACTGCTTGATTGAGGCTGTTCAAGGTGAAGGATTCATGAGTCTATATAAAGGCTTTTTTACC
ATCTTGGCTGAGAATGACCCCTTGGTCAATGGTGTCTGGCTTACTTATGAAAAATCAGAGAGA
TGAGTGGAGTCAGTCCATTTTAA

FIGURE 126

MSVPEEEEERLLPLTQRWPRASKFLLSGCAATVAELATFPLDLTKTRLQMGEAALARLGDGARES
APYRGMVRTALGIIIEEGFLKLWQGVTPAIYRHVVYSGGRMVTYEHLREVVFVGKSEDEHYPLWKS
VIGGMMAGVIGQFLANPTDLVKVQMQMEGKRKLEGKPLRFRGVHHAFAKILAEGGIRGLWAGWVP
NIQRAALVNMGDLTTYDTVKHYLVLNTPLEDNIMTHGLSSLCSGLVASILGTPADVIKSRIMNQF
RDKQGRGLLYKSSTDCLIQAVQGEGFMSLYKGFLPSWLRMTPWSMVFWLTYEKIREMSGVSPF

Transmembrane domains:

amino acids 25-38, 130-147, 233-248

FIGURE 127

CGCGGATCGGACCCAAGCAGGTGCGCGGCGGGCGGCAGGAGAGCGGCCGGGCGTCAGCTCCTCGAC
CCCCGTGTCGGGCTAGTCCAGCGAGGCGGACGGGCGGCGTGGGCCCATGGCCAGGCCCGGCATGG
AGCGGTGGCGCGACCGGCTGGCGCTGGTGACGGGGGCTCGGGGGGCATCGGCGCGGCCGTGGCC
CGGGCCCTGGTCCAGCAGGGACTGAAGGTGGTGGGCTGCGCCGCACTGTGGGCAACATCGAGGA
GCTGGCTGCTGAATGTAAGAGTGACAGGTACCCCGGACTTTGATCCCCTACAGATGTGACCTAT
CAAATGAAGAGGACATCCTCTCCATGTTCTCAGCTATCCGTTCTCAGCACAGCGGTGTAGACATC
TGCATCAACAATGCTGGCTTGGCCCGGCTGACACCCTGCTCTCAGGCAGCACCAGTGGTTGGAA
GGACATGTTCAATGTGAACGTGCTGGCCCTCAGCATCTGCACACGGGAAGCCTACCAGTCCATGA
AGGAGCGGAATGTGGACGATGGGCACATCAATAACATCAATAGCATGTCTGGCCACCGAGTGTTA
CCCTGTCTGTGACCCACTTCTATAGTGCCACCAAGTATGCCGTCACTGCGCTGACAGAGGGACT
GAGGCAAGAGCTTCGGGAGGCCAGACCCACATCCGAGCCACGTGCATCTCTCCAGGTGTGGTGG
AGACACAATTGCGCTTCAAACCTCCACGACAAGGACCCCTGAGAAGGCAGCTGCCACCTATGAGCAA
ATGAAGTGTCTCAAACCCGAGGATGTGGCCGAGGCTGTTATCTACGTCCTCAGCACCCCCGCACA
CATCCAGATTGGAGACATCCAGATGAGGCCACGAGCAGGTGACCTAGTGACTGTGGGAGCTCC
TCCTTCCCTCCCCACCCTTCATGGCTTGCCCTCCTGCCTCTGGATTTTAGGTGTTGATTTCTGGAT
CACGGGATACCACTTCCTGTCCACACCCGACCAGGGGCTAGAAAATTTGTTTGAGATTTTATA
TCATCTTGTCAAATTGCTTCAGTTGTAAATGTGAAAAATGGGCTGGGGAAAGGAGGTGGTGTCCC
TAATTGTTTTACTTGTTAACTTGTTCTTGTGCCCCCTGGGCACTTGGCCTTTGTCTGCTCTCAGTG
TCTTCCCTTTGACATGGGAAAGGAGTTGTGGCCAAAATCCCCATCTTCTTGACCTCAACGTCTG
TGGCTCAGGGCTGGGGTGGCAGAGGGAGGCCTTCACCTTATATCTGTGTTGTTATCCAGGGCTCC
AGACTTCCTCCTCTGCCTGCCCCACTGCACCCTCTCCCCCTTATCTATCTCCTTCTCGGCTCCCC
AGCCCAGTCTTGGCTTCTTGTCCCCTCCTGGGGTCATCCCTCCACTCTGACTCTGACTATGGCAG
CAGAACACCAGGGCCTGGCCCAGTGGATTTTCATGGTGATCATTAAAAAGAAAAATCGCAACCAA
AAAAAAAAAA

FIGURE 128

MARPGMERWRDRLALVTGASGGIGA A VARALVQQGLKVVG CARTVGNIEELAAECKSAGYPGTLI
PYRCDLSNEEDILSMFSAIRSQHSGVDICINNAGLARPD TLLSGSTSGWKDMFNVNVLALSICTR
EAYQSMKERNVDDGHIININMSGHRVLP LSVTHFY SATKYAVTALTEGLRQELREAQTHIRATC
ISPGVVETQFAFKLHDKDPEKAAATYEQMKCLKPEDVAEAVIYVLSTPAHIQIGDIQMRPTEQVT

Important features of the protein:

Signal peptide:

amino acids 1-17

N-myristoylation sites.

amino acids 18-24, 21-27, 22-28, 24-30, 40-46, 90-96, 109-115,
199-205

Short-chain alcohol dehydrogenase.

amino acids 30-42, 104-114

FIGURE 129

AACTTCTACATGGGCCTCCTGCTGCTGGTGCTCTTCCTCAGCCTCCTGCCGGTGGCCTACACCAT
CATGTCCCTCCCACCCTCCTTTGACTGCGGGCCGTTTCAGGTGCAGAGTCTCAGTTGCCCGGAGC
ACCTCCCCTCCCGAGGCAGTCTGCTCAGAGGGCCTCGGCCAGAATTCCAGTTCTGGTTTCATGC
CAGCCTGTAAAAGGCCATGGAACCTTTGGGTGAATCACCGATGCCATTTAAGAGGGTTTTCTGCCA
GGATGGAAATGTTAGGTCGTTCTGTGTCTGCGCTGTTTCATTTTCAGTAGCCACCAGCCACCTGTGG
CCGTTGAGTGCTTGAAATTGAGGAAGTGAAGAAATTAATTTCTCATGTATTTTTCTCATTTATTTA
TTAATTTTTAACTGATAGTTGTACATATTTGGGGGTACATGTGATATTTGGATACATGTATACAA
TATATAATGATCAAATCAGGGTAACTGGGATATCCATCACATCAAACATTTATTTTTTATTCTTT
TTAGACAGAGTCTCACTCTGTCAACCAGGCTGGAGTGCAGTGGTGCCATCTCAGCTTACTGCAAC
CTCTGCCTGCCAGGTTCAAGCGATTCTCATGCCTCCACCTCCCAAGTAGCTGGGACTACAGGCAT
GCACCACAATGCCCAACTAATTTTTGTATTTTAGTAGAGACGGGGTTTTGCCATGTTGCCCAGG
CTGGCCTTGAACCTCCTGGCCTCAAACAATCCACTTGCCTCGGCCTCCCAAAGTGTTATGATTACA
GGCGTGAGCCACCGTGCCTGGCCTAAACATTTATCTTTTCTTTGTGTTGGGAACCTTTGAAATTAT
ACAATGAATTATTGTAACTGTCATCTCCCTGCTGTGCTATGGAACACTGGGACTTCTTCCCTCT
ATCTAACTGTATATTTGTACCAGTTAACCAACCGTACTTCATCCCCACTCCTCTCTATCCTTCCC
AACCTCTGATCACCTCATTCTACTCTCTACCTCCATGAGATCCACTTTTTTAGCTCCCACATGTG
AGTAAGAAAATGCAATATTTGTCTTTCTGTGCCTGGCTTATTTCACTTAACATAATGACTTCCTG
TTCCATCCATGTTGCTGCAAATGACAGGATTTCGTTCTTAATTTCAATTAAAATAACCACACATG
GCAAAAA

FIGURE 130

MGLLLLVLFLSLLPVAYTIMSLPPSFDCGPFRCRVSVAREHLPSRGSLLRGPRPRIPVLVSCQPV
KKGHTLGESPMFPKRVFCQDGNVRSFCVCAVHFSSHQPPVAVECLK

Important features of the protein:

Signal peptide:

amino acids 1-18

N-myristoylation site.

amino acids 86-92

Zinc carboxypeptidases, zinc-binding region 2 signature.

amino acids 68-79

FIGURE 131

TTCTGAAGTAACGGAAGCTACCTTGTATAAAGACCTCAACACTGCTGACCATGATCAGCGCAGCCTGGAGC
ATCTTCCTCATCGGGACTAAAATTGGGCTGTTCTTCAAGTAGCACCTCTATCAGTTATGGCTAAATCCTG
TCCATCTGTGTGCTCGCTGCGATGCGGGTTTCATTTACTGTAATGATCGCTTTCTGACATCCATTCCAACAG
GAATACCAGAGGATGCTACAACCTCTTACCTTCAGAACAACCAAATAAATAATGCTGGGATTCTTCAGAT
TTGAAAACTTGCTGAAAGTAGAAGAATATACCTATAACCACAACAGTTTAGATGAATTCCTACCAACCT
CCCAAAGTATGTAAAAGAGTTACATTTGCAAGAAAATAACATAAGGACTATCACTTATGATTCACTTTCAA
AAATTCCTATCTGGAAGAATTACATTTAGATGACAACCTCTGTCTCTGCAGTTAGCATAGAAGAGGGAGCA
TTCCGAGACAGCAACTATCTCCGACTGCTTTTCTGTCCCGTAATCACCTTAGCACAATTCCCTGGGGTTT
GCCCAGGACTATAGAAGAACTACGCTTGGATGATAATCGCATATCCACTATTTTCATCACCATCTCTTCAAG
GTCTCACTAGTCTAAAACGCCTGGTTCTAGATGGAAACCTGTTGAACAATCATGGTTTAGTGACAAAGTT
TTCTTCAACCTAGTTAATTTGACAGAGCTGTCCCTGGTGCGGAATTCCCTGACTGCTGCACCAGTAAACCT
TCCAGGCACAAACCTGAGGAAGCTTTATCTTCAAGATAACCACATCAATCGGGTGCCCCAAATGCTTTTT
CTTATCTAAGGCAGCTCTATCGACTGGATATGTCCAATAATAACCTAAGTAATTTACCTCAGGGTATCTTT
GATGATTTGGACAATATAACACAACCTGATTCTTCGCAACAATCCCTGGTATTGCGGGTGCAAGATGAAATG
GGTACGTGACTGGTTACAATCACTACCTGTGAAGGTCAACGTGCGTGGGCTCATGTGCCAAGCCCCAGAAA
AGGTTCTGTGGGATGGCTATTAAGGATCTCAATGCAGAACTGTTTGATTGTAAGGACAGTGGGATTGTAAGC
ACCATTAGATAACCACTGCAATACCCAACACAGTGATCTCTGCCAAGGACAGTGGCCAGCTCCAGTGAC
CAAACAGCCAGATATTAAGAACCCCAAGCTCACTAAGGATCAACAAACCACAGGGAGTCCCTCAAGAAAAA
CAATTACAATTACTGTGAAGTCTGTACCTCTGATACCATTATATCTCTTGGAACCTTGCTCTACCTATG
ACTGCTTTGAGACTCAGCTGGCTTAAACTGGGCCATAGCCCGGCATTTGGATCTATAACAGAAACAATTGT
AACAGGGGAACGCAGTGAGTACTTGGTCACAGCCCTGGAGCCTGATTACCCCTATAAAGTATGCATGGTTC
CCATGGAAACCAGCAACCTCTACCTATTTGATGAAACTCCTGTTTGATTGAGACTGAACTGCACCCCTT
CGAATGTACAACCCTACAACCACCTCAATCGAGAGCAAGAGAAAGAACCTTACAAAAACCCCAATTTACC
TTTGGCTGCCATCATTGGTGGGGCTGTGGCCCTGGTTACCATTTGCCCTTCTTGCTTTAGTGTGTTGGTATG
TTCATAGGAATGGATCGCTCTTCTCAAGGAACCTGTGCATATAGCAAAGGGAGGAGAAGAAAGGATGACTAT
GCAGAAGCTGGCACTAAGAAGGACAACCTATCTGGAATCAGGGAACTTCTTTTCAGATGTTACCAAT
AAGCAATGAACCCATCTCGAAGGAGGAGTTTGTAAACACACCATATTTCTCTTAATGGAATGAATCTGT
ACAAAAACAATCAGTGAAAGCAGTAGTAACCGAAGCTACAGAGACAGTGGTATTCCAGACTCAGATCAC
TCACACTCATGATGCTGAAGGACTCACAGCAGACTTGTGTTTTGGGTTTTTAAACCTAAGGGAGGTGATG
GT

FIGURE 132

MISAAWSIFLIGTKIGLFLQVAPLSVMAKSCPSVCRC DAGFIYCND RFLTSIPTGIPEDATTLYL
QNNQINNAGIPSDLKNLLKVERIYLYHNSLDEFPTNLPKYVKELHLQENNIR TITYDSLSKIPYL
EELHLDNDSVSAVSIEEGAFRDSNYLRLFLSRNHLSTIPWGLPRTIEELRLDDNRISTISSPSL
QGLTSLKRLVLDGNLLNNHGLGDKVFFNLVNLTELSLVRNSLT AAPVNLPGTNLRKLYLQDNHIN
RVPPNAFSYLRQLYRLDMSNNNLSNLPQGIFDDL DNTQLILRNNPWYCGCKMKWVRDWLQSLPV
KVNVRGLMCQAPEKVRGMAIKDLNAELFDCKDSGIVSTIQITTAIPNTVYPAQGQWPAPVTKQPD
IKNPKLTKDQQTGSPSRKTITITVKSVTSDTIHISWKLALPMTALRLSWLKLGHSPA FGSITET
IVTGERSEYLVTALEPDSPYKVCMPMETSNLYLFD ETPVCIETETAPLRMYNP TTTLNREQEKE
PYKNPNPLAAIIGGAVALVTIALLALVCWYVHRNGSLFSRNCAYS KGRRRKDDYAEAGTKKDNS
ILEIRETSFQMLPISNEPISKEEFVIHTIFPPNGMNL YKNNHSESSSNRSYRDSGIPDS DSHSHS

Important features of the protein:

Signal peptide:

amino acids 1-28

Transmembrane domain:

amino acids 531-552

N-glycosylation sites.

amino acids 226-229, 282-285, 296-299, 555-558, 626-629, 633-636

Tyrosine kinase phosphorylation site.

amino acids 515-522

N-myristoylation sites.

amino acids 12-17, 172-177, 208-213, 359-364, 534-539, 556-561,
640-645

Amidation site.

amino acids 567-570

Leucine zipper pattern.

amino acids 159-180

Phospholipase A2 aspartic acid active site.

amino acids 34-44

FIGURE 133

CCGTCATCCCCCTGCAGCCACCCTTCCCAGAGTCCTTTGCCCAGGCCACCCAGGCTTCTTGGCA
GCCCTGCCGGGGCCACTTGTCTTCATGCTCTGCCAGGGGGAGGTGGGAAGGAGGTGGGAGGAGGGCG
TGCAGAGGCAGTCTGGGCTTGGCCAGAGCTCAGGGTGTGAGCGTGTGACCAGCAGTGAGCAGAG
GCCGGCCATGGCCAGCCTGGGGCTGCTGCTCCTGCTCTTACTGACAGCACTGCCACCGCTGTGGT
CCTCCTCACTGCCTGGGCTGGACACTGCTGAAAGTAAAGCCACCATTGCAGACCTGATCCTGTCT
GCGCTGGAGAGAGCCACCGTCTTCTAGAACAGAGGCTGCCTGAAATCAACCTGGATGGCATGGT
GGGGGTCCGAGTGCTGGAAGAGCAGCTAAAAAGTGTCCGGGAGAAGTGGGCCCAGGAGCCCCCTGC
TGCAGCCGCTGAGCCTGCGCGTGGGGATGCTGGGGGAGAAGCTGGAGGCTGCCATCCAGAGATCC
CTCCACTACCTCAAGCTGAGTGATCCCAAGTACCTAAGAGAGTTCAGCTGACCCTCCAGCCCCG
GTTTTGGAAGCTCCACATGCTGGATCCACACTGATGCTCCTTGGTGTACCCACGTTCTGGGG
CCCAGGACTCATTCTCAGAGGAGAGAAGTGACGTGTGCCTGGTGCAGCTGCTGGGAACCGGGACG
GACAGCAGCGAGCCCTGCGGCCTCTCAGACCTCTGCAGGAGCCTCATGACCAAGCCCGGCTGCTC
AGGCTACTGCCTGTCCCACCAACTGCTCTTCTCTCTGCGCCAGAATGAGGGGATGCACACAGG
GACCACTCCAACAGAGCCAGGACTATATCAACCTCTTCTGCGCCAACATGATGGACTTGAACCGC
AGAGCTGAGGCCATCGGATACGCCTACCCTACCCGGGACATCTTCATGGAAAACATCATGTTCTG
TGGAATGGGCGGCTTCTCCGACTTCTACAAGCTCCGGTGGCTGGAGGCCATTCTCAGCTGGCAGA
AACAGCAGGAAGGATGCTTCGGGGAGCCTGATGCTGAAGATGAAGAATTATCTAAAGCTATTCAA
TATCAGCAGCATTTTTCGAGGAGAGTGAAGAGGCGAGAAAAACAATTTCCAGATTCTCGCTCTGT
TGCTCAGGCTGGAGTACAGTGGCGCAATCTCGGCTCACTGCAACCTTTGCCTCCTGGGTCAAGC
AATTCTCTTGCTCATCCTCCCGAGTAGCTGGGACTACAGGAGCGTGCCACCATACTGGCTAAT
TTTTATATTTTTTTAGTAGAGACAGGGTTTCATCATGTTGCTCATGCTGGTCTCGAACTCCTGAT
CTCAAGAGATCCGCCACCTCAGGCTCCCAAAGTGTGGGATTATAGGTGTGAGCCACCGTGTCTG
GCTGAAAAGCACTTTCAAAGAGACTGTGTTGAATAAAGGGCCAAGTTCTTGCCACCCAGCACTC
ATGGGGGCTCTCTCCCTTAGATGGCTGCTCCTCCACAACACAGCCACAGCAGTGGCAGCCCTGG
GTGGCTTCCTATACATCCTGGCAGAATACCCCCCAGCAAACAGAGAGCCACACCCATCCACACCG
CCACCACCAAGCAGCCGCTGAGACGGACGGTTCATGCCAGCTGCCTGGAGGAGGAACAGACCCC
TTTAGTCTCATCCCTTAGATCCTGGAGGGCACGGATCACATCCTGGGAAGAAGGCATCTGGAGG
ATAAGCAAAGCCACCCGACACCCAATCTTGGAAGCCCTGAGTAGGCAGGGCCAGGGTAGGTGGG
GGCCGGGAGGGACCCAGGTGTGAACGGATGAATAAAGTTCAACTGCAACTGAAAAAAAAAAAA

FIGURE 134

MSARGRWEGGGRRACRGS LGLARAQGAERVTSS EQRPAMASLG LLLLLLLLTALPPLWSSSLPGLD
TAESKATIADLILSALERATVFLEQRLPEINLDGMVGVRVLEEQLKSVREKWAQEPLLQPLSLRV
GMLGEKLEAAIQRS LHYLKLSDPKYLREFQLTLQPGFWKLP HAWIHTDASLVYPTFGPQDSFSEE
RSDVCLVQLLGTGTDSS EPCGLSDLCRSLMTKPGCSGYCLSHQLLFFLWARMRGCTQGFLQSQD
YINLFCANMMDLNRRAEAIGYAYPTRDIFMENIMFCGMGGFSDFYKLRWLEAILS WQKQEGCFG
EPDAEDEELSKAIQYQQHFSRRVKRREKQFPDSRSVAQAGVQWRNLGSLQLPLPPGFKQFSCLILP
SSWDYRSVPPYLANFYIFLVETGFHHVAHAGLELLISRDPPTSGSQSVGL

Important features of the protein:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 39-56

Tyrosine kinase phosphorylation sites.

amino acids 149-156, 274-282

N-myristoylation sites.

amino acids 10-16, 20-26, 63-69, 208-214

Amidation site.

amino acids 10-14

Glycoprotein hormones beta chain signature 1.

amino acids 230-237

FIGURE 135

GGTCTGAGTGCAGAGCTGCTGTCATGGCGGCCGCTCTGTGGGGCTTCTTTCCCGTCTGCTGCTG
CTGCTGCTATCGGGGGATGTCCAGAGCTCGGAGGTGCCCCGGGGCTGCTGCTGAGGGATCGGGAGG
GAGTGGGGTCGGCATAGGAGATCGCTTCAAGATTGAGGGGCGTGCA GTTGTTCAGGGGTGAAGC
CTCAGGACTGGATCTCGGCGGCCCGAGTGTGGTAGACGGAGAAGAGCACGTGCGTTTCCTTAAG
ACAGATGGGAGTTTTGTGGTTCATGATATACCTTCTGGATCTTATGTAGTGAAGTTGTATCTCC
AGCTTACAGATTTGATCCCGTTCGAGTGGATATCACTTCGAAAGGAAAAATGAGAGCAAGATATG
TGAATTACATCAAAACATCAGAGGTTGTCAGACTGCCCTATCCTCTCCAAATGAAATCTTCAGGT
CCACCTTCTTACTTTATTAAAAGGGAATCGTGGGGCTGGACAGACTTCTAATGAACCCAATGGT
TATGATGATGGTTCTTCCTTTATTGATATTTGTGCTTCTGCCTAAAGTGGTCAACACAAGTGATC
CTGACATGAGACGGGAAATGGAGCAGTCAATGAATATGCTGAATTCCAACCATGAGTTGCCTGAT
GTTTCTGAGTTCATGACAAGACTCTTCTCTTCAAAATCATCTGGCAAATCTAGCAGCGGCAGCAG
TAAACAGGCAAAAGTGGGGCTGGCAAAGGAGGTAGTCAGGCCGTCCAGAGCTGGCATTGTCAC
AAACACGGCAACACTGGGTGGCATCCAAGTCTTGAAAACCGTGTGAAGCAACTACTATAAACTT
GAGTCATCCCGACGTTGATCTCTTACAACGTGTATGTT
AACTTTTGTAGCACATGTTTTGTACTTGGTACACGAGAAAACCCAGCTTTCATCTTTTGTCTGTAT
GAGGTCAATATTGATGTCACTGAATTAATTACAGTGTCTATAGAAAATGCCATTAATAAATTAT
ATGAACTACTATACATTATGTATATTAATTAAAACATCTTAATCCAGAAATCAAAAAAAAAAAAA
AAAAAAAAAAAAAAAA

FIGURE 136

MAAALWGFFPVLLLLLLSGDVQSSEVPGAAAEGSGSGVGIGDRFKIEGRAVVPGVKPDWISAA
RVLVDGEEHVGLKTDGSFVVDIPSGSYVVEVVSAPAYRFDPPVRVDITSKGKMRARYVNYIKTSE
VVRLPYPLQMKSSGPPSYFIKRESWGWTDFLMNPMVMMVLPLLIFVLLPKVVNTSDPDMRREME
QSMNMLNSNHELDPDVSEFMTRLFFSSKSSGKSSSGSSKTGKSGAGKRR

Important features of the protein:

Signal sequence:

amino acids 1-23

Transmembrane domain:

amino acids 161-182

N-glycosylation site.

amino acids 184-187

Glycosaminoglycan attachment sites.

amino acids 37-40, 236-239

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 151-154

N-myristoylation sites.

amino acids 33-38, 36-41, 38-44, 229-234

Amidation site.

amino acids 238-241

ATP/GTP-binding site motif A (P-loop).

amino acids 229-236

FIGURE 137

GATGGCGCAGCCACAGCTTCTGTGAGATTGATTTCTCCCCAGTTCCTGTGGGTCTGAGGGGA
CCAGAAGGGTGAGCTACGTTGGCTTTCTGGAAGGGGAGGCTATATGCGTCAATTCCTCCAAACAA
GTTTTGACATTTCCCCTGAAATGTCATTCTCTATCTATTCACTGCAAGTGCCTGCTGTTCCAGGC
CTTACCTGCTGGGCACTAACGGCGGAGCCAGGATGGGGACAGAATAAAGGAGCCACGACCTGTGC
CACCAACTCGCACTCAGACTCTGAACCTCAGACCTGAAATCTTCTCTTCACGGGAGGCTTGGCAGT
TTTTCTTACTCCTGTGGTCTCCAGATTTTCAGGCCTAAGATGAAAGCCTCTAGTCTTGCCTTCAGC
CTTCTCTCTGCTGCGTTTTATCTCCTATGGACTCCTTCCACTGGACTGAAGACACTCAATTTGGG
AAGCTGTGTGATCGCCACAAACCTTCAGGAAATACGAAATGGATTTTCTGAGATACGGGGCAGTG
TGCAAGCCAAAGATGGAACATTGACATCAGAATCTTAAGGAGGACTGAGTCTTTGCAAGACACA
AAGCCTGCGAATCGATGCTGCTCCTGCGCCATTTGCTAAGACTCTATCTGGACAGGGTATTTAA
AACTACCAGACCCCTGACCATTATACTCTCCGGAAGATCAGCAGCCTCGCCAATTCTTTCTTA
CCATCAAGAAGGACCTCCGGCTCTCTCATGCCACATGACATGCCATTGTGGGGAGGAAGCAATG
AAGAAATACAGCCAGATTCTGAGTCACTTTGAAAGCTGGAACCTCAGGCAGCAGTTGTGAAGGC
TTTGGGGGAAC TAGACATTCTTCTGCAATGGATGGAGGAGACAGAATAGGAGGAAAGTGATGCTG
CTGCTAAGAATATTCGAGGTCAAGAGCTCCAGTCTTCAATACCTGCAGAGGAGGCATGACCCCAA
ACCACCATCTCTTTACTGTACTAGTCTTGTGCTGGTCACAGTGTATCTTATTTATGCATTACTTG
CTTCCTTGCAATGATTGTCTTTATGCATCCCCAATCTTAATTGAGACCATACTTGTATAAGATTTT
TGTAATATCTTTCTGCTATTGGATATATTTATTAGTTAATATATTTATTTATTTTGTCTATTTA
ATGTATTTATTTTTTACTTGGACATGAACTTTAAAAAAATTCACAGATTATATTTATAACCTG
ACTAGAGCAGGTGATGTATTTTATACAGTAAAAAATAAACCTTGTAATCTAGAAAGAGTG
CTAGGGGGGTATTTCATTTGTATTCAACTAAGGACATATTTACTCATGCTGATGCTCTGTGAGAT
ATTTGAAATTGAACCAATGACTACTTAGGATGGGTTGTGGAATAAGTTTGTATGTGAATTGCAC
ATCTACCTTACAATTACTGACCATCCCCAGTAGACTCCCCAGTCCCATAATTGTGTATCTTCCAG
CCAGGAATCTACACGGCCAGCATGTATTTCTACAAATAAAGTTTCTTTGCATACCAAAAAAA
AAAAA

FIGURE 138

MRQFPKTSFDISPMSFSIYSLQVPAVPG LTCWALTAEPGWGQNGATT CATNSHSDSEL RPEIF
SSREAWQFFLLLWSPDFRPKM KASSLAFSLLSAAFYLLWTPSTGLKTLNLGSCVIATNLQEIRNG
FSEIRGSVQAKDGNIDIRILRRTESLQDTKPANRCCLLRHLLRLYLDRVFKNYQTPDHYYTLRKIS
SLANSFLT IKKDLRLSHAHMTCHCGEEAMKKYSQILSHFEKLEPQA AVVKALGELDILLQWMEET
E

Important features of the protein:

Signal peptide:

amino acids 1-42

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 192-195, 225-228

N-myristoylation sites.

amino acids 42-47, 46-51, 136-141

[illegible][illegible]

FIGURE 140

MRLGSGTFATCCVAIEVLGIAVFLRGFFPAPVRSSARAEHGAEPPEPSAGASSNWTTLPPPLE
SKVVIVLIDALRDDFVFGSKGVKFMPTTYLVEKGASHSFVAEAKPPTVTMPRIKALMTGSLPGF
VDVIRNLNSPALLEDVIRQAKAAGKRIVFYGDETWVKLFPKHFEYDGTTSFFVSDYTEVDNNV
TRHLDKVLKRGDWDILILHYLGLDGHIGHISGPN SPLIGQKLSEMDSVLMKIHTSLQSKERETPLP
NLLVLCGDHGMSETGSHGASSTEEVNTPLILISSAFERKPGDIRHPKHVQ

Important features of the protein:

Signal peptide:

amino acids 1-34

Transmembrane domain:

amino acids 58-76

N-glycosylation sites.

amino acids 56-60, 194-198

N-myristoylation sites.

amino acids 6-12, 52-58, 100-106, 125-131, 233-239, 270-276,
275-281, 278-284

Amidation site.

amino acids 154-158

Cell attachment sequence.

amino acids 205-208

FIGURE 141

GGCACGAGGCAAGCCTTCCAGGTTATCGTGACGCACCTTGAAAGTCTGAGAGCTACTGCCCTACA
GAAAGTTACTAGTGCCCTAAAGCTGGCGCTGGCACTGATGTTACTGCTGCTGTTGGAGTACAAC
TCCCTATAGAAAACAACTGCCAGCACCTTAAGACCACTCACACCTTCAGAGTGAAGAACTTAAAC
CCGAAGAAATTCAGCATTTCATGACCAGGATCACAAAGTACTGGTCCTGGACTCTGGGAATCTCAT
AGCAGTTCAGATAAAAACTACATACGCCCAGAGATCTTCTTTGCATTAGCCTCATCCTTGAGCT
CAGCCTCTGCGGAGAAAGGAAGTCCGATTCTCTGGGGGTCTCTAAAGGGGAGTTTTGTCTCTAC
TGTGACAAGGATAAAGGACAAAGTCATCCATCCCTTCAGCTGAAGAAGGAGAACTGATGAAGCT
GGCTGCCCCAAAGGAATCAGCACGCCGGCCCTTCATCTTTATAGGGCTCAGGTGGGCTCCTGGA
ACATGCTGGAGTCGGCGGCTCACCCCGGATGGTTCATCTGCACCTCCTGCAATTGTAATGAGCCT
GTTGGGGTGACAGATAAATTTGAGAACAGGAAACACATTGAATTTTCATTCAACCAGTTTGCAA
AGCTGAAATGAGCCCCAGTGAGGTCAGCGATTAGGAAACTGCCCCATTGAACGCCTTCCTCGCTA
ATTTGAACTAATTGTATAAAAAACCAAACCTGCTCACT

FIGURE 142

MLLLLLLEYNFPIENNCQHLKTTHTFRVKNLNPKKFSIHDQDHKVLVLD SGNLI AVDPKNYIRPEI
FFALASSLSSASAEGKSPILLGVSKGEFCLYCDKDKGQSHPSLQLKKEKLMKLA AQKESARRPFI
FYRAQVGSWNMLESAAHPGWFICTSCNCNEPVGVTDKFENRKHIEFSFQPVCKAEMSPSEVSD

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 33-36

N-myristoylation site.

amino acids 50-55, 87-92

Interleukin-1

amino acids 37-182

FIGURE 143

CTAGAGAGTATAGGGCAGAAGGATGGCAGATGAGTGACTCCACATCCAGAGCTGCCTCCCTTTAA
TCCAGGATCCTGTCTTCTGTCTGTAGGAGTGCCTGTTGCCAGTGTGGGGTGAGACAAGTTTG
TCCCACAGGGCTGTCTGAGCAGATAAGATTAAGGGCTGGGTCTGTGCTCAATTAACTCCTGTGGG
CACGGGGGCTGGGAAGAGCAAAGTCAGCGGTGCCTACAGTCAGCACCATGCTGGGCCTGCCGTGG
AAGGGAGGTCTGTCTGCGCTGTCTGTCTTCTCTTAGGCTCCCAGATCCTGCTGATCTATGC
CTGGCATTTCACGAGCAAAGGGACTGTGATGAACACAATGTCATGGCTCGTTACCTCCCTGCCA
CAGTGGAGTTTGCTGTCCACACATTCAACCAACAGAGCAAGGACTACTATGCCTACAGACTGGGG
CACATCTTGAATTCCTGGAAGGAGCAGGTGGAGTCCAAGACTGTATTCTCAATGGAGCTACTGCT
GGGGAGAAGTAGGTGTGGGAAATTTGAAGACGACATTGACAACGCCATTTCCAAGAAAGCACAG
AGCTGAACAATACTTTACCTGCTTCTTCACCATCAGCACCAGGCCCTGGATGACTCAGTTCAGC
CTCCTGAACAAGACCTGCTTGAGGGATTCCACTGAGTGAAACCCACTCACAGGCTTGTCATGT
GCTGCTCCACATTCCGTGGACATCAGCACTACTCTCCTGAGGACTCTTCAGTGGCTGAGCAGCT
TTGGACTTGTTTGTATCCTATTTTGCATGTGTTTGAGATCTCAGATCAGTGTTTTAGAAAATCC
ACACATCTTGAGCCTAATCATGTAGTGTAGATCATTAACATCAGCATTTTAAGAAAAAAAAAAAA
AAA

FIGURE 144

MLGLPWKGGLSWALLLLLLGSQILLIYAWHFHEQRDCDEHNVMARYLPATVEFAVHTFNQQSKDY
YAYRLGHILNSWKEQVESKTVFSMELLGRTRCGKFEDDIDNCHFQESTELNNTFTCFFTISTRP
WMTQFSLNKTCLGFH

Important features of the protein:

Signal peptide:

amino acids 1-25

N-glycosylation sites.

amino acids 117-121, 139-143

N-myristoylation site.

amino acids 9-15

FIGURE 145

CTGTGCAGCTCGAGGCTCCAGAGGCACACTCCAGAGAGAGCCAAGGTTCTGACGCGATGAGGAAG
CACCTGAGCTGGTGGTGGCTGGCCACTGTCTGCATGCTGCTCTTCAGCCACCTCTCTGCGGTCCA
GACGAGGGGCATCAAGCACAGAATCAAGTGAACCGGAAGGCCCTGCCAGCACTGCCAGATCA
CTGAGGCCCAGGTGGCTGAGAACCGCCCGGGAGCCTTCATCAAGCAAGGCCGCAAGCTCGACATT
GACTTCGGAGCCGAGGGCAACAGGTACTACGAGGCCAACTACTGGCAGTTCCCCGATGGCATCCA
CTACAACGGCTGCTCTGAGGCTAATGTGACCAAGGAGGCATTTGTCACCGGCTGCATCAATGCCA
CCCAGGCGGCGAACCAGGGGGAGTTCCAGAAGCCAGACAACAAGCTCCACCAGCAGGTGCTCTGG
CGGCTGGTCCAGGAGCTCTGCTCCCTCAAGCATTGCGAGTTTGGTTGGAGAGGGGCGCAGGACT
TCGGGTCACCATGCACCAGCCAGTGCTCCTCTGCCTTCTGGCTTTGATCTGGCTCATGGTGAAAT
AAGCTTGCCAGGAGGCTGGCAGTACAGAGCGCAGCAGCGAGCAAATCCTGGCAAGTGACCCAGCT
CTTCTCCCCCAAACCCACGCGTGTCTGAAGGTGCCCAGGAGCGGCGATGCACTCGCACTGCAAA
TGCCGCTCCCACGTATGCGCCCTGGTATGTGCCTGCGTTCTGATAGATGGGGGACTGTGGCTTCT
CCGTCACTCCATTCTCAGCCCCCTAGCAGAGCGTCTGGCACACTAGATTAGTAGTAAATGCTTGAT
GAGAAGAACACATCAGGCACCTGCGCCACCTGCTTCACAGTACTTCCCAACAACCTTTAGAGGTAG
GTGTATTCCCGTTTTACAGATAAGGAAACTGAGGCCCAGAGAGCTGAAGTACTGCACCCAGCATC
ACCAGCTAGAAAGTGGCAGAGCCAGGATTCAACCCTGGCTTGTCTAACCCAGGTTTTCTGCTCT
GTCCAATTCCAGAGCTGTCTGGTGATCACTTTATGTCTCACAGGGACCCACATCCAAACATGTAT
CTCTAATGAAATTGTGAAAGCTCCATGTTTAGAAATAAATGAAAACACCTGA

FIGURE 146

MRKHLSWWLATVCMLLFSHLSAVQTRGIKHRIKWNRPSTAQITEAQVAENRPGAFIKQGRK
LDIDFGAEGNRYYEANYWQFPDGIHYNGCSEANVTKEAFVTGCINATQAANQGEFQKPDNKLHQQ
VLWRLVQELCSLKHCEFWLERGAGLRVTMHQPVLLCLLALIWLMLVK

Important features of the protein:

Signal peptide:

amino acids 1-26

Transmembrane domain:

amino acids 157-171

N-glycosylation sites.

amino acids 98-102, 110-114

Tyrosine kinase phosphorylation site.

amino acids 76-83

N-myristoylation sites.

amino acids 71-77, 88-94, 93-99, 107-113, 154-160

Amidation site.

amino acids 62-66

FIGURE 147

GCCTTGGCCTCCCAAAGGGCTGGGATTATAGGCGTGACCACCATGTCTGGTCCAGAGTCTCATT
CCTGATGATTATAGACTCAAAGAAAACTCATGTTTCAGAAGCTCTCTTCTTCTGGCCTCCTCT
CTGTCTTCTTTCCCTCTTTCTTCTTATTTTAATTAGTAGCATCTACTCAGAGTCATGCAAGCTGG
AAATCTTTCATTTTGCTTGTCAGTGGGGTAGGTCAGTCTTAGTTTTATTTTTTGAATTT
CAACTTTCAGATTCAGGGGGTACATGTGAAGGTTTGTGTTTATGAGTATATTGCATTGATGCTGAGG
TTTGGGGT

GCCTTGGCCTCCCAAAGGGCTGGGATTATAGGCGTGACCACCATGTCTGGTCCAGAGTCTCATT
CCTGATGATTATAGACTCAAAGAAAACTCATGTTTCAGAAGCTCTCTTCTTCTGGCCTCCTCT
CTGTCTTCTTTCCCTCTTTCTTCTTATTTTAATTAGTAGCATCTACTCAGAGTCATGCAAGCTGG
AAATCTTTCATTTTGCTTGTCAGTGGGGTAGGTCAGTCTTAGTTTTATTTTTTGAATTT
CAACTTTCAGATTCAGGGGGTACATGTGAAGGTTTGTGTTTATGAGTATATTGCATTGATGCTGAGG
TTTGGGGT

FIGURE 148

MFRSSLLFWPPLCLLSLFLILISSIYSESKLEIFHFACQWGRSLSLSFYFLKFQLSDSGGTCE
GLFYEYIA

Important features of the protein:

Signal peptide:

amino acids 1-25

N-myristoylation site.

amino acids 62-68

FIGURE 149

GTCTCCGCGTCACAGGAAGCTTACGACCCACAGGGCGGACAGCGCTCCCTCTACCTGGAGACTTGAC
TCCCGCGCGCCCCAACCTTGCTTATCCCTTGACCGTCGAGTGTGAGAGATCCTGCAGCCGCCAGTCC
CGGCCCCCTCTCCGCCCCACACCCACCTCCTGGCTCTTCTGTTTTTACTCCTCCTTTTCATTCTATA
ACAAAAGCTACAGCTCCAGGAGCCAGCGCCGGGCTGTGACCAAGCCGAGCGTGAAGAATGGGGTT
CCTCGGGACCGGCACCTGGATTCTGGTGTAGTGCTCCCGATTCAAGCTTTCCCAAACCTGGAGGAA
GCCAAGACAAATCTCTACATAATAGAGAATTAAGTGCAGAAAGACCTTTGAATGAACAGATTGCTGAA
GCAGAAGAAGACAAGATTAAAAAACATATCCTCCAGAAAACAAGCCAGGTGAGAGCAACTATTCTTT
TGTTGATAACTTGAACCTGCTAAAGGCAATAACAGAAAAGGAAAAAATTGAGAAAGAAAGACAATCTA
TAAGAAGCTCCCCACTTGATAATAAGTTGAATGTGGAAGATGTTGATTCAACCAAGAATCGAAAAGT
ATCGATGATTATGACTCTACTAAGAGTGGATTGGATCATAAAATTTCAAGATGATCCAGATGGTCTTCA
TCACTAGACGGGACTCCTTTAACCGCTGAAGACATTGTCCATAAAATCGCTGCCAGGATTTATGAAG
AAAATGACAGAGCCGTGTTTGACAAGATTGTTCTAACTACTTAATCTCGGCCTTATCACAGAAAGC
CAAGCACATACACTGGAAGATGAAGTAGCAGAGGTTTACAAAAATTAATCTCAAAGGAAGCCAACAA
TTATGAGGAGGATCCCAATAAGCCACAAAGCTGGACTGAGAATCAGGCTGGAAAAATACCAGAGAAAG
TGACTCCAATGGCAGCAATTCAGATGGTCTTGCTAAGGGAGAAAACGATGAAACAGTATCTAACACA
TTAACCTTGACAAATGGCTTGGAAGGAGAACTAAAACCTACAGTGAAGACAACCTTTGAGGAACCTCA
ATATTTCCCAAATTTCTATGCGCTACTGAAAAGTATTGATTGAGAAAAGAAAGCAAAAGAGAAAGAAA
CACTGATTACTATCATGAAAACACTGATTGACTTTGTGAAGATGATGGTGAAATATGGAACAATATCT
CCAGAAGAAGGTGTTTCTACCTTGAAAACCTGGATGAAATGATTGCTCTTCAGACCAAAAACAAGCT
AGAAAAAATGCTACTGACAATATAAGCAAGCTTTTCCAGCACCATCAGAGAAGAGTCATGAAGAAA
CAGACAGTACCAAGGAAGAAGCAGCTAAGATGGAAAAGGAATATGGAAGCTTGAAGGATTCCACAAAA
GATGATAACTCCAACCCAGGAGGAAAGACAGATGAACCCAAAGGAAAAACAGAAGCCTATTTGGAAGC
CATCAGAAAAAATATTGAATGGTTGAAGAAACATGACAAAAAGGGAATAAAGAAGATTATGACCTTT
CAAAGATGAGAGACTTCATCAATAAACAAGCTGATGCTTATGTGGAGAAAGGCATCCTTGACAAGGAA
GAAGCCGAGGCCATCAAGCGCATTATAGCAGCCTGTAAAAATGGCAAAAGATCCAGGAGTCTTCAA
CTGTTTCAGAAAACATAATATAGCTTAAACACTTCTAATTCTGTGATTAAAAATTTTTGACCCAAGG
GTTATTAGAAAGTGCTGAATTTACAGTAGTTAACCTTTTACAAGTGGTTAAACATAGCTTTCTTCCC
GTAAAAACTATCTGAAAGTAAAGTTGTATGTAAGCTGAAAAAAAAAAAAAAAAAAAAA

FIGURE 150

MGFLGTGTWILVLVLP IQAFPKPGGSQDKSLHNRELSAERPLNEQIAEAEEDKIKKTYPPENKPG
QSNYSFVDNLNLLKAITEKEKIEKERQSIRSSPLDNKLNVEDVDSTKNRKLIDDYDSTKSGLDHK
FQDDPDGLHQLDGTPLTAEDIVHKIAARIYEENDRAVFDKIVSKLLNLGLITESQAHTLEDEVAE
VLQKLISKEANNYEEDPNKPTSWTENQAGKIPEKVTPMAAIQDGLAKGENDETVSNTLTLTNGLE
RRTKTYSEDNFEELQYFPNFYALLKSIDSEKEAKEKETLITIMKTLD FVKMMVKYGTISPEEGV
SYLENLDEMIALQTKNKLEKNATDNISKLFPAPEKSHEETDSTKEEA AKMEKEYGSLKDSTKDD
NSNPGGKTDEPKGKTEAYLEAIRKNIEWLKKHDKKGNKEDYDLSKMRDFINKQADAYVEKGILDK
EEAEAIKRIYSSL

N-glycosylation sites:

amino acids 68-71, 346-349, 350-353

Casein kinase II phosphorylation site:

amino acids 70-73, 82-85, 97-100, 125-128, 147-150, 188-191, 217-
220, 265-268, 289-292, 305-308, 320-323, 326-329, 362-365, 368-
341, 369-372, 382-385, 386-389, 387-390

N-myristoylation sites:

amino acids 143-148, 239-244

FIGURE 151

CGGCTCGAGGCTCCCGCCAGGAGAAAGGAACATTCTGAGGGGAGTCTACACCCTGTGGAGCTCAA
 GATGGTCTCTGAGTGGGGCGCTGTGCTTCCGAATGAAGGACTCGGCATTGAAGGTGCTTTATCTGC
 ATAATAACCAGCTTCTAGCTGGAGGGCTGCATGCAGGGAAGGTCATTAAAGGTGAAGAGATCAGC
 GTGGTCCCCAATCGGTGGCTGGATGCCAGCCTGTCCCCCGTCATCCTGGGTGTCCAGGGTGGAAG
 CCAGTGCCTGTCTGTGGGGTGGGGCAGGAGCCGACTCTAACACTAGAGCCAGTGAACATCATGG
 AGCTCTATCTTGGTGCCAAGGAATCCAAGAGCTTACCTTCTACCGCGGGACATGGGGCTCACC
 TCCAGCTTCGAGTCGGCTGCCTACCGGGCTGGTTCCCTGTGCACGGTGCCTGAAGCCGATCAGCC
 TGTCAGACTCACCCAGCTTCCCGAGAATGGTGGCTGGAATGCCCCATCACAGACTTCTACTTCC
 AGCAGTGTGACTAGGGCAACGTGCCCCCAGAACTCCCTGGGCAGAGCCAGCTCGGGTGAGGGGT
 GAGTGGAGGAGACCCATGGCGGACAATCACTCTCTCTGCTCTCAGGACCCACGCTGACTTAG
 TGGGCACCTGACCACTTTGTCTTCTGGTTCCAGTTTGGATAAATTCTGAGATTTGGAGCTCAGT
 CCACGGTCTTCCCCACTGGATGGTGCTACTGCTGTGGAACCTTGTAATAAACCATGTGGGGTAAA
 CTGGGAATAACATGAAAAGATTCTGTGGGGGTGGGGTGGGGGAGTGGTGGGAATCATTCCTGCT
 TAATGGTAACGACAAGTGTACCCTGAGCCCCGAGGCCAACCCATCCCCAGTTGAGCCTTATA
 GGGTCAGTAGCTCTCCACATGAAGTCTGTCACTCACCCTGTGCAGGAGAGGGAGGTGGTCATA
 GAGTCAGGGATCTATGGCCCTTGGCCCAGCCCCACCCCTTCCCTTTAATCCTGCCACTGTCATA
 TGCTACCTTTTCTATCTCTTCCCTCATCATCTTGTGTGGGCATGAGGAGGTGGTGATGTCAGAA
 GAAATGGCTCGAGCTCAGAAGATAAAGATAAGTAGGGTATGCTGATCCTCTTTTAAAAACCCAA
 GATACAATCAAAATCCCAGATGCTGGTCTCTATTCCCATGAAAAAGTGTCTATGACATATTGAGA
 AGACCTACTTACAAAGTGGCATATATTGCAATTTATTTTAAATTAAGATACCTATTATATATT
 TCTTTATAGAAAAAGTCTGGAGAGTTTACTTCAATTGTAGCAATGTCAGGGTGGTGGCAGTAT
 AGGTGATTTTTCTTTAATTTCTGTTAATTTATCTGTATTTCCTAATTTTTCTACAATGAAGATGA
 ATTCCTTGTATAAAAAATAAGAAAAGAAATTAATCTTGAGGTAAGCAGAGCAGACATCATCTCTGA
 TTGTCTCAGCCTCCACTTCCCCAGAGTAAATTCAAATTGAATCGAGCTCTGCTGCTCTGGTTGG
 TTGTAGTAGTGATCAGGAAACAGATCTCAGCAAAGCCACTGAGGAGGAGGCTGTGCTGAGTTTGT
 GTGGCTGGAATCTCTGGGTAAGGAACCTAAAGAACAATAATCATCTGGTAATTCTTTCCTAGAAG
 GATCACAGCCCCCTGGGATTCCAAGGCATTGGATCCAGTCTCTAAGAAGGCTGCTGTACTGGTTGA
 ATTGTGTCCCCCTCAAATTCACATCCTTCTTGGAACTCTCAGTCTGTGAGTTTATTTGGAGATAAG
 GTCTCTGCAGATGTAGTTAGTTAAGACAAGGTCTGCTGGATGAAGGTAGACCTAAATTCATAT
 GACTGGTTTTCTTGTATGAAAAGGAGAGGACACAGAGACAGAGGAGACGCGGGGAAGACTATGTA
 AAGATGAAGGCAGAGATCGGAGTTTGCAGCCACAAGCTAAGAAACACCAAGGATTGTGGCAACC
 ATCAGAAGCTTGAAGAGGCAAGAAGAATTCTTCCCTAGAGGCTTTAGAGGGATAACGGCTCTG
 CTGAAACCTTAATCTCAGACTTCCAGCCTCCTGAACGAAGAAAGAATAAATTTCCGGCTGTTTTAA
 GCCACCAAGGATAATTGGTTACAGCAGCTCTAGGAACTAATACAGCTGCTAAAATGATCCCTGT
 CTCCTCGTGTTTACATTCTGTGTGTGTCCCTCCCACAATGTACCAAGTTGTCTTTGTGACCAA
 TAGAATATGGCAGAAGTGATGGCATGCCACTTCCAAGATTAGGTTATAAAAGACACTGCAGCTTC
 TACTTGAGCCCTCTCTCTGCCCCACCCGCCCCCAATCTATCTTGGCTCACTCGCTCTGGGGG
 AAGCTAGCTGCCATGCTATGAGCAGGCCTATAAAGAGACTTACGTGGTAAAAAATGAAGTCTCCT
 GCCACAGCCACATTAGTGAACCTAGAAGCAGAGACTCTGTGAGATAATCGATGTTTGTGTTTT
 AAGTTGCTCAGTTTTGGTCTAAGTTGTTATGCAGCAATAGATAAATAATATGCAGAGAAAGAG

FIGURE 152

MVLSGALCFRMKDSALKVLYLHNNQLLAGGLHAGKVIKGEESISVVPNRWLDASLSPVILGVQGGG
QCLSCGVGQEPTLTLEPVNIMELYLGAKESKSFTFYRRDMGLTSSFESAAYPGWFLCTVPEADQP
VRLTQLPENGGWNAPITDFYFQQCD

N-myristoylation sites.

amino acids 29-34, 30-35, 60-65, 63-68, 73-78, 91-96, 106-111

Interleukin-1 signature.

amino acids 111-131

Interleukin-1 proteins.

amino acids 8-29, 83-120, 95-134, 64-103

FIGURE 153

CTTCAGAACAGGTTCTCCTTCCCCAGTCACCAAGTTGCTCGAGTTAGAATTGTCTGCAAATGGCCGC
CCTGCAGAAATCTGTGAGCTCTTTCCTTATGGGGACCCTGGCCACCAGCTGCCTCCTTCTCTTGG
CCCTCTTGGTACAGGGAGGAGCAGCTGCGCCCATCAGCTCCCACTGCAGGCTTGACAAGTCCAAC
TTCCAGCAGCCCTATATCACCAACCGCACCTTCATGCTGGCTAAGGAGGCTAGCTTGGCTGATAA
CAACACAGACGTTTCGTCTCATTGGGGAGAACTGTTCCACGGAGTCAGTATGAGTGAGCGCTGCT
ATCTGATGAAGCAGGTGCTGAACTTCACCCCTGAAGAAGTGCTGTTCCCTCAATCTGATAGGTTT
CAGCCTTATATGCAGGAGGTGGTGCCCTTCCTGGCCAGGCTCAGCAACAGGCTAAGCACATGTCA
TATTGAAGGTGATGACCTGCATATCCAGAGGAATGTGCAAAAGCTGAAGGACACAGTGAAAAAGC
TTGGAGAGAGTGGAGAGATCAAAGCAATTGGAGAACTGGATTGCTGTTTATGTCTCTGAGAAAT
GCCTGCATTTGACCAGAGCAAAGCTGAAAAATGAATAACTAACCCCTTTCCTTGCTAGAAATAA
CAATTAGATGCCCCAAAGCGATTTTTTTTAAACCAAAGGAAGATGGGAAGCCAACTCCATCATG
ATGGGTGGATTCCAAATGAACCCCTGCGTTAGTTACAAAGGAAACCAATGCCACTTTTGTTTATA
AGACCAGAAGGTAGACTTTCTAAGCATAGATATTTATTGATAACATTTTCATTGTAAGTGGTGTTT
TATACACAGAAAACAATTTATTTTTTAAATAATTGTCTTTTCCATAAAAAAGATTACTTTCCAT
TCCTTTAGGGGAAAAAACCCCTAAATAGCTTCATGTTTCCATAATCAGTACTTTATATTTATAAA
TGTATTTATTATTATTATAAGACTGCATTTTATTTATATCATTTTATTAATATGGATTATTTAT
AGAAACATCATTCGATATTGCTACTTGAGTGTAAGGCTAATATTGATATTTATGACAATAATTAT
AGAGCTATAACATGTTTATTTGACCTCAATAAACACTTGGATATCCC

FIGURE 154

MAALQKSVSSFIMGTLATSCLLLLLVQGGAAPISSHCRLDKSNFQQPYITNRTFMLAKEASL
ADNNTDVRLIGEKLFGVSMSERCYLMKQVLNFTLEEVLFPQSDRFQPYMQEVVPFLARLSNRLS
TCHIEGDDLHIQRNVQKLKDTVKKLGESGEIKAIGELDLLFMSLRNACI

Important features of the protein:

Signal peptide:

amino acids 1-33

N-glycosylation sites.

amino acids 54-58, 68-72, 97-101

N-myristoylation sites.

amino acids 14-20, 82-88

Prokaryotic membrane lipoprotein lipid attachment site.

amino acids 10-21

FIGURE 155

GGCTTGCTGAAAATAAAATCAGGACTCCTAACCTGCTCCAGTCAGCCTGCTTCCACGAGGCCTGT
CAGTCAGTGCCCCACTTGTGACTGAGTGTGCAGTGCCAGCATGTACCAGGTCAGTGCAGAGGGC
TGCCTGAGGGCTGTGCTGAGAGGGAGAGGAGCAGAGATGCTGCTGAGGGTGAGGGAGGCCAAGC
TGCCAGGTTTGGGGCTGGGGGCCAAGTGGAGTGAGAACTGGGATCCCAGGGGGAGGGTGCAGAT
GAGGGAGCGACCCAGATTAGGTGAGGACAGTTCTCTCATTAGCCTTTTCCTACAGGTGGTTGCAT
TCTTGGAATGGTCATGGGAACCCACACCTACAGCCACTGGCCCAGCTGCTGCCCCAGCAAAGGG
CAGGACACCTCTGAGGAGCTGCTGAGGTGGAGCACTGTGCCTGTGCCTCCCCTAGAGCCTGCTAG
GCCCCAACCGCCACCCAGAGTCCTGTAGGGCCAGTGAAGATGGACCCCTCAACAGCAGGGCCATCT
CCCCCTGGAGATATGAGTTGGACAGAGACTTGAACCGGCTCCCCCAGGACCTGTACCACGCCCCGT
TGCCCTGTGCCCCGCACTGCGTCAGCCTACAGACAGGCTCCACATGGACCCCGGGGCAACTCGGA
GCTGCTCTACCACAACCAGACTGTCTTCTACAGGCGGCCATGCCATGGCGAGAAGGGCACCCACA
AGGGCTACTGCCTGGAGCGCAGGCTGTACCGTGTTCCTTAGCTTGTGTGTGTGCGGCCCCGT
GTGATGGGCAGCCGACCTGCTGGAGGCTGGTCCCTTTTGGGAAACCTGGAGCCAGGTGTACA
ACCACTTGCCATGAAGGGCCAGGATGCCAGATGCTTGGCCCCTGTGAAGTGTGTCTGGAGCAG
CAGGATCCCGGGACAGGATGGGGGGCTTTGGGGAAAACCTGCACTTCTGCACATTTTGAAAAGAG
CAGCTGCTGCTTAGGGCCGCCGAAGCTGGTGTCTCTGTCATTTTCTCTCAGGAAAGGTTTCAA
GTTCTGCCCATTTCTGGAGGCCACCACTCCTGTCTCTTCTCTTTTCCCATCCCCTGCTACCCTG
GCCAGCACAGGCACTTTCTAGATATTTCCCCCTTGCTGGAGAAGAAAGAGCCCCCTGGTTTTATT
TGTTTGTGTTTACTCATCACTCAGTGAGCATCTACTTTGGGTGCATTCTAGTGTAGTTACTAGTCTT
TTGACATGGATGATTCTGAGGAGGAAGCTGTTATTGAATGTATAGAGATTTATCCAAATAAATAT
CTTTATTTAAAAATGAAAAA

FIGURE 156

MRERPRLGEDSSLISLFLQVVAFLAMVMGHTYSHWPSCCPKSGQDTSEELLRWSTVPVPPLEPA
RPNRHPESCRASEDGPLNSRAISPWRYELDRDLNRLPQDLYHARCLCPHCVSLQTGSHMDPRGNS
ELLYHNQTVFYRRPCHGEKGTHKGYCLERRLYRVSLACVCVRPRVMG

Important features of the protein:

Signal peptide:

amino acids 1-32

N-glycosylation site.

amino acids 136-140

Tyrosine kinase phosphorylation site.

amino acids 127-135

N-myristoylation sites.

amino acids 44-50, 150-156

FIGURE 157

CCGGCGATGTCGCTCGTGCTGCTAAGCCTGGCCGCGCTGTGCAGGAGCGCCGTACCCCGAGAGCC
GACCGTTCAATGTGGCTCTGAAACTGGGCCATCTCCAGAGTGGATGCTACAACATGATCTAATCC
CCGGAGACTTGAGGGACCTCCGAGTAGAACCTGTTACAAC TAGTGTGCAACAGGGGACTATTCA
ATTTTGATGAATGTAAGCTGGGTACTCCGGGCAGATGCCAGCATCCGCTTGTGAAGGCCACCAA
GATTTGTGTGACGGGCAAAGCAACTTCCAGTCCTACAGCTGTGTGAGGTGCAATTACACAGAGG
CCTTCCAGACTCAGACCAGACCCTCTGGTGGTAAATGGACATTTTCCTACATCGGCTTCCCTGTA
GAGCTGAACACAGTCTATTTTATTGGGGCCATAATATTCCTAATGCAAATATGAATGAAGATGG
CCCTTCCATGTCTGTGAATTTACCTCACCAGGCTGCCTAGACCACATAATGAAATATAAAAAA
AGTGTGTCAAGGCCGGAAGCCTGTGGGATCCGAACATCACTGCTTGTGAAGAAGATGAGGAGACA
GTAGAAGTGAACCTCACAACCACTCCCTGGGAAACAGATACATGGCTCTTATCCAACACAGCAC
TATCATCGGGTTTTCTCAGGTGTTTGAGCCACACCAGAAGAAACAAACGCGAGCTTCAGTGGTGA
TTCCAGTGA CTGGGATAGTGAAGGTGCTACGGTGCAGCTGACTCCATATTTTCCTACTTGTGGC
AGCGACTGCATCCGACATAAAGGAACAGTTGTGCTCTGCCACAAACAGGCGTCCCTTTCCTCT
GGATAACAACAAAAGCAAGCCGGGAGGCTGGCTGCCTCTCCTCCTGCTGTCTCTGCTGGTGCCA
CATGGGTGCTGGTGGCAGGGATCTATCTAATGTGGAGGCACGAAAGGATCAAGAAGACTTCCTTT
TCTACCACCACACTACTGCCCCCATTAAGGTTCTTGTGGTTTACCCATCTGAAATATGTTTCCA
TCACACAATTTGTTACTTCACTGAATTTCTTCAAACCATTCAGAGTGAGGTGATCCTTGAAA
AGTGGCAGAAAAAGAAATAGCAGAGATGGGTCCAGTGCAGTGGCTTGCCACTCAAAGAAGGCA
GCAGACAAAGTCGTCTTCTTCTTCCAATGACGTCAACAGTGTGTGCGATGGTACCTGTGGCAA
GAGCGAGGGCAGTCCAGTGAGAACTCTCAAGACCTCTTCCCCCTTGCCTTTAACCTTTTCTGCA
GTGATCTAAGAAGCCAGATTCTCTGCACAAATACGTGGTGGTCTACTTTAGAGAGATTGATACA
AAAGACGATTACAATGCTCTCAGTGTCTGCCCCAAGTACCACCTCATGAAGGATGCCACTGCTTT
CTGTGCAGAACTTCTCCATGTCAAGCAGCAGGTGTGAGCAGGAAAAGATCACAGCCTGCCACG
ATGGCTGCTGCTCCTTGTAG

FIGURE 158

MSLVLLSLAALCRSAVPREPTVQCGSETGPSPEWMLQHDLPDGLRDLRVEPVTTSVATGDYSILMNVSWV
LRADASIRLLKATKICVTGKSNFQSYSCVRCNYTEAFQTQTRPSGGKWTFSYIGFPVELNTVYFIGAHNIP
NANMNEDGPSMSVNFSPGCLDHIMKYKKKCVKAGSLWDPNITACKKNEETVEVNFTTTPLGNRYMALIQH
STIIGFSQVFEPHQKQTRASVVIPVTGDSEGATVQLTPYFPTCGSDCIRHKGTVVLCPQTGVPFPLDNNK
SKPGGWLPLLLLSLLVATWVLVAGIYLMWRHERIKKTSFSTTTLLPPIKVLVVYPSEICFHHTICYFTEFL
QNHCRSEVILEKWQKKKIAEMGPVQWLATQKKAADKVVFLSNDVNSVCDGTCGKSEGSPSENSQDLFPLA
FNLFCSDLRSQIHLHKYVVVYFREIDTKDDYNALSVCPKYHLMKDATAFCAELLHVKQQVSAGKRSQACHD
GCCSL

Important features of the protein:

Signal peptide:

amino acids 1-14

Transmembrane domain:

amino acids 290-309

N-glycosylation sites.

amino acids 67 - 71, 103 - 107, 156 - 160, 183 - 187, 197 - 201 and 283
- 287

cAMP- and cGMP-dependent protein kinase phosphorylation sites.

amino acids 228 - 232 and 319 - 323

Casein kinase II phosphorylation sites.

amino acids 178 - 182, 402 - 406, 414 - 418 and 453 - 457

N-myristoylation site.

amino acids 116-122

Amidation site.

amino acids 488-452

FIGURE 159

AGCCACCAGCGCAACATGACAGTGAAGACCCTGCATGGCCCAGCCATGGTCAAGTACTTGCTGCT
GTCGATATTGGGGCTTGCCTTTCTGAGTGAGGCGGCAGCTCGGAAAATCCCCAAAGTAGGACATA
CTTTTTTCCAAAAGCCTGAGAGTTGCCCCGCTGTGCCAGGAGGTAGTATGAAGCTTGACATTGGC
ATCATCAATGAAAACCAGCGCGTTTCCATGTCACGTAACATCGAGAGCCGCTCCACCTCCCCCTG
GAATTACACTGTCACTTGGGACCCCAACCGGTACCCCTCGGAAGTTGTACAGGCCCACTGTAGGA
ACTTGGGCTGCATCAATGCTCAAGGAAAGGAAGACATCTCCATGAATTCCGTTCCCATCCAGCAA
GAGACCCTGGTCGTCCGGAGGAAGCACCAAGGCTGCTCTGTTTCTTCCAGTTGGAGAAGGTGCT
GGTGACTGTTGGCTGCACCTGCGTCACCCCTGTCATCCACCATGTGCAGTTAAGAGGTGCATATCC
ACTCAGCTGAAGAAG

FIGURE 16o

MTVKTLHGPMVKYLLLSILGLAFLSEAAARKIPKVGHTFFQKPESCPPVPGGSMKLDIGIINEN
QRVSMsrNIESRSTSPWNYTVTWDPNRYPSEVVQAQCRNLGCINAQGKEDISMNSVPIQQETLVV
RRKHQGCSVSFQLEKVLVTVGCTCVTPVHHVQ

Signal sequence:

amino acids 1-30

N-glycosylation site.

amino acids 83-87

N-myristoylation sites.

amino acids 106-111, 136-141

FIGURE 161

ACACTGGCCAAACAAAAACGAAAGCACTCCGTGCTGGAAGTAGGAGGAGAGTCAAGGACTCCCAGG
ACAGAGAGTGCACAACTACCCAGCACAGCCCCCTCCGCCCCCTCTGGAGGCTGAAGAGGGATT
CAGCCCCCTGCCACCCACAGACACGGGCTGACTGGGGTGTCTGCCCCCTTGGGGGGGGCAGCAC
AGGGCCTCAGGCCTGGGTGCCACCTGGCACCTAGAAGATGCTGTGCCCTGGTTCTTGCTGTCT
TGGCACTGGGCCGAAGCCAGTGGTCTTTCTCTGGAGAGGCTTGTGGGGCCTCAGGACGCTACC
CACTGCTCTCCGGCCTCTCTGCCGCTCTGGGACAGTGACATACTCTGCCTGCCCTGGGGACAT
CGTGCTGTCTCCGGCCCCGTGTGGCGCTTACGCACCTGCAGACAGAGCTGGTGTCTGAGGTGCC
AGAAGGAGACCGACTGTGACCTCTGTCTGCTGTGGCTGTCCACTTGGCCGTGCATGGGCACTGG
GAAGAGCCTGAAGATGAGGAAAAGTTTGGAGGAGCAGCTGACTCAGGGGTGGAGGAGCCTAGGAA
TGCCCTCTCTCCAGGCCAAGTCTGCTCTCCTTCCAGGCTACCTACTGCCCGCTGCGTCTGC
TGGAGGTGCAAGTGCCTGTGCCCTTGTGCACTTTGGTCACTGTGTGGGCTCTGTGGTATATGAC
TGCTTCGAGGCTGCCCTAGGGAGTGAGGTACGAATCTGGTCTATACTCAGCCAGGTACGAGAA
GGAACCTCAACCACACACAGCAGCTGCCTGCCCTGCCCTGGCTCAACGTGTGAGCAGATGGTGACA
ACGTGCATCTGGTCTGAATGTCTGTGAGGAGCAGCACTTCGGCCTCTCCCTGTACTGGAATCAG
GTCCAGGGCCCCCAAAACCCCGGTGGCACAAAAACCTGACTGGACCGCAGATCATTACCTTGAA
CCACACAGACCTGGTTCCCTGCCTCTGTATTCAAGTGTGGCCTCTGGAACCTGACTCCGTTAGGA
CGAACATCTGCCCTTTCAGGGAGGACCCCCGCGCACACCAGAACCTCTGGCAAGCCGCCGACTG
CGACTGCTGACCTGCAGAGCTGGCTGCTGGACGCACCGTGTCTGCTGCCCGCAGAAGCGGCACT
GTGCTGGCGGGCTCCGGGTGGGGACCCCTGCCAGCCACTGGTCCACCGCTTTCTGGGAGAACG
TCACTGTGGACAAGGTTCTCGAGTTCCCATTTGCTGAAAGGCCACCCTAACCTCTGTGTTCAGGTG
AACAGCTCGGAGAGCTGCAGCTGCAGGAGTGTCTTGTGGCTGACTCCCTGGGGCCTCTCAAAGA
CGATGTGCTACTGTTGGAGACACGAGGCCCCCAGGACAACAGATCCCTCTGTGCCTTGAACCCA
GTGGCTGTACTTCACTACCCAGCAAAGCCTCCACGAGGGCAGCTCGCCTTGGAGAGTACTTACTA
CAAGACCTGCAGTCAGGCCAGTGTCTGCAGCTATGGGACGATGACTTGGGAGCGCTATGGGCCTG
CCCCATGGACAAATACATCCACAAGCGCTGGGCCCTCGTGTGGCTGGCCTGCCTACTCTTTGCCG
CTGCGCTTTCCCTCATCTCTCTCTCAAAAAGGATCACGCGAAAGGGTGGCTGAGGCTCTTGAAA
CAGGACGTCCGCTCGGGGGCGGCCGAGGGCCGCGCGGCTCTGCTCCTCTACTCAGCCGATGA
CTCGGGTTTCGAGCGCTGGTGGGGCGCCCTGGCGTCCGGCCTGTGCCAGCTGCCGCTGCGCGTGG
CCGTAGACCTGTGGAGCCGTCTGAACTGAGCGCGCAGGGGCCCGTGGCTTGGTTTACGCGCAG
CGGCGCCAGACCTTGCAGGAGGGCGGCGTGGTCTTGTCTTCTCTCCCGGTGCGGTGGCGCT
GTGCAGCGAGTGGCTACAGGATGGGGTGTCCGGGCCCGGGGCGCACGGCCCGCACGACGCTTCC
GCGCCTCGCTCAGCTGCGTGTGCCCCGACTTCTTGCAGGGCCGGGCGCCCGGCAGCTACGTGGGG
GCCTGTTCGACAGGCTGTCCACCCGACGCGGTACCCGCCCTTTTCCGCACCGTGGCCGTCTT
CACACTGCCCTCCCAACTGCCAGACTTCTTGGGGGCCCTGCAGCAGCCTCGCGCCCCGCTTCCG
GGCGGCTCCAAGAGAGAGCGGAGCAAGTGTCCCGGGCCCTTCAAGCAGCCCTGGATAGCTACTTC
CATCCCCGGGGACTCCCGCGCGGGACGCGGGTGGGACCAGGGGCGGGACCTGGGGCGGGGA
CGGGACTTAAATAAAGGCAGACGCTGTTTTTCTAAAAAA

FIGURE 162

MPVPWFLLSLALGRSPVVLSELRLVGPQDATHCSPGLSCRLWDSILCLPGDIVPAPGPVLAPTHLQTELV
LRCQKETDCDCLLRVAVHLAVHGHWEPEDEEKFGGAADSGVEEPRNASLQAQVVLSTFQAYPTARCVLLEV
QVPAALVQFGQSVGSVVYDCFEAALGSEVRIWSYTPRYEKELNHTQQLPALPWLNVSAADGNVHLVLNV
EEQHFGLSLYWNQVQGPVKPRWHKNLTGPQIITLNHTDLVPCLCIQVWPLEPDSVRTNICPFREDPRAHQ
LWQAARLRLLTLQSWLLDAPCSLPAEAALCWRAPGGDPCQPLVPPLSWENVTVDKVLEFPLLKGHPNLCVQ
VNSSEKLQEQECLWADSLGPKDDVLLLETRGPQDNRSLEPSGCTSLPSKASTRAARLGEYLLQDLQS
GQCLQLWDDDLGALWACPMCKYIHKRWALVWLACLLFAAALSILLKKDHAKGWLRLKQDVRSGAAARG
RAALLLYSADDSGFERLVGALASALCQLPLRVAVDLWSRRELSAQGPVAVFHAQRRQTLQEGGVVLLFSP
GAVALCSEWLQDGVSGPGAHGPHDAFRASLSCVLPDFLQGRAPGSYVGACFDRLHPDAVPALFRTVPVFT
LPSQLPDFLQALQPPRPRSGRLQERAEQVSRALQPALDSYFHPGTPAPGRGVGPGAGPGAGDGT

Signal sequence:

amino acids 1-20

Transmembrane domain.

amino acids 453-475

N-glycosylation sites.

amino acids 118-121, 186-189, 198-201, 211-214, 238-241, 248-251,
334-337, 357-360, 391-394

Glycosaminoglycan attachment site.

amino acids 583-586

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 552-555

N-myristoylation sites.

amino acids 107-112, 152-157, 319-324, 438-443, 516-521, 612-617,
692-697, 696-701, 700-705

FIGURE 163

GGGAGGGCTCTGTGCCAGCCCCGATGAGGACGCTGCTGACCATCTTGACTGTGGGATCCCTGGCT
GCTCACGCCCCTGAGGACCCCTCGGATCTGCTCCAGCACGTGAAATTCAGTCCAGCAACTTTGA
AAACATCTTGACGTGGGACAGCGGGCCAGAGGGCACCCAGACACGGTCTACAGCATCGAGTATA
AGACGTACGGAGAGAGGGACTGGGTGGCAAAGAAGGGCTGTGAGCGGATCACCCGGAAGTCCTGC
AACCTGACGGTGGAGACGGGCAACCTCACGGAGCTCTACTATGCCAGGGTCACCGCT
GTCAGTGGGGAGGGCGGTGAGCCACCAAGATGACTGACAGGTTGAGCTCTCTGCAGCACACTAC
CCTCAAGCCACCTGATGTGACCTGTATCTCCAAAGTGAGATCGATTGAGATGATTGTTTCATCCTA
CCCCACGCCAATCCGTGACGGCGATGGCCACCGGCTAACCTGGAAGACATCTTCCATGACCTG
TTCTACCACTTAGAGCTCCAGGTCAACCGCACCTACCAAATGCACCTTGGAGGGAAGCAGAGAGA
ATATGAGTTCTTCGGCTGACCCCTGACACAGAGTTCTTGGCACCATCATGATTTGCCCTCCCA
CCTGGGCCAAGGAGAGTGCCCCCTACATGTGCCGAGTGAAGACACTGCCAGACCGGACATGGACC
TACTCCTTCTCCGGAGCCTTCTGTCTCCATGGGCTTCTCGTGCAGTACTCTGCTACCTGAG
CTACAGATATGTACCAAGCCGCTGCACCTCCCAACTCCCTGAACGTCCAGCGAGTCTGACTT
TCCAGCCGCTGCGCTTCATCCAGGAGCACGTCTGATCCCTGTCTTTGACCTCAGCGGCCCCAGC
AGTCTGGCCCAGCCTGTCCAGTACTCCAGATCAGGGTGTCTGGACCCAGGGAGCCCCGAGGAGC
TCCACAGCGGCATAGCCTGTCCGAGATCACCTACTTAGGGCAGCCAGACATCTCCATCCTCCAGC
CCTCCAACGTGCCACCTCCCCAGATCCTCTCCCCACTGTCTATGCCCCAACGCTGCCCTGAG
GTGGGGCCCCCATCTATGCACCTCAGGTGACCCCGAAGCTCAATTCCCATTCTACGCCCCACA
GGCCATCTCTAAGGTCCAGCCTTCTCTATGCCCCCAAGCCACTCCGGACAGCTGGCCTCCCT
CCTATGGGGTATGCATGGAAGGTTCTGGCAAAGACTCCCCACTGGGACACTTTCTAGTCTTAA
CACCTTAGGCCTAAAGGTGAGCTTCCAGAAAGAGCCACCAGCTGGAAGCTGCATGTTAGGTGGCCT
TTCTCTGCAGGAGGTGACCTCCTTGGCTATGGAGGAATCCCAAGAAGCAAAATCATTCACCAGC
CCCTGGGGATTTGCACAGACAGAACATCTGACCAAAATGTGCTACACAGTGGGGAGGAAGGGACA
CCACAGTACCTAAAGGGCCAGCTCCCCCTCCTCTCCTCAGTCCAGATCGAGGGCCACCCCATGTC
CCTCCCTTTGCAACCTCCTTCCGGTCCATGTTCCCCCTCGGACCAAGGTCCAAGTCCCTGGGGCC
TGCTGGAGTCCCTTGTGTGTCCCAAGGATGAAGCCAAGAGCCAGCCCCCTGAGACCTCAGACCTG
GAGCAGCCACAGAACTGGATTCTCTTTTTCAGAGGCCTGGCCCTGACTGTGCAAGTGGGAGTCCTG
AGGGGAATGGGAAAGGCTTGGTGCTTCTCCCTGTCCCTACCCAGTGTACATCCTTGGCTGTCA
ATCCCATGCCTGCCCATGCCACACACTCTGCGATCTGGCCTCAGACGGGTGCCCTTGAGAGAAGC
AGAGGGAGTGGCATGCAGGGCCCCCTGCCATGGGTGCGCTCCTCACCGGAACAAAGCAGCATGATA
AGGACTGCAGCGGGGAGCTCTGGGGAGCAGCTTGTGTAGACAAGCGCGTGCTCGCTGAGCCCTG
CAAGGCAGAAATGACAGTGCAAGGAGGAAATGCAGGGAAACTCCCGAGGTCCAGAGCCCCACCTC
CTAACACCATGGATTCAAAGTGCTCAGGGAATTTGCCTCTCCTTGCCCCATTCCTGGCCAGTTTC
ACAATCTAGCTCGACAGAGCATGAGGCCCCCTGCCTCTTCTGTCTATTGTTCAAAGGTGGGAAGAGA
GCCTGGAAAAGAACCAGGCCTGGAAAAGAACCAGAAGGAGGCTGGGCAGAACCAAGCAACCTGC
ACTTCTGCCAAGGCCAGGGCCAGCAGGACGGCAGGACTCTAGGGAGGGGTGTGGCCTGCAGCTCA
TTCCAGCCAGGGCAACTGCCTGACGTTGCACGATTTTCAGCTTCATTCTCTGATAGAACAAGC
GAAATGCAGGTCCACCAGGGAGGGAGACACACAAGCCTTTTCTGCAGGCAGGAGTTTCAGACCT
ATCCTGAGAATGGGGTTTGAAGGAAGGTGAGGGCTGTGGCCCTTGACGGGTACAATAACACAC
TGTACTGATGTCACAACTTTGCAAGCTCTGCCTTGGGTTTCAGCCCATCTGGGCTCAAATTCAGC
CTCACCCTCACAAGCTGTGTGACTTCAAACAAATGAAATCAGTGCCAGAACCTCGGTTTCTC
ATCTGTAATGTGGGGATCATAACACCTACCTCATGGAGTTGTGGTGAAGATGAAATGAAGTCATG
TCTTTAAAGTGCTTAATAGTGCCCTGGTACATGGGCAGTGCCCAATAAACGGTAGCTATTAAAAA
AAAAAAA

FIGURE 164

MRTLLTILTVGSLAAHAPEDPSDLLQHVKFQSSNFENILTWDSGPEGTPDTVYSIEYKTYGERDW
VAKKGCQRITRKSCNLTVETGNLTLEYARVTAVSAGGRSATKMTDRFSSLQHTTLKPPDVTCTIS
KVRSIQMIHVPTPTPIRAGDGHRLTLEDIFHDLFYHLELQVNRTYQMHLGGKQREYEFFGLTPDT
EFLGTIMICVPTWAKESAPYMCRVKTLPDRTWTYSFSGAFLFSMGFLVAVLCYLSYRYVTKPPAP
PNSLNVQRVLTFQPLRFIQEHVLIPVFDLSGPSSLAQPVQYSQIRVSGPREPAGAPQRHSLSEIT
YLGQPDISILQPSNVPPPQILSPLSYAPNAAPEVGPPSYAPQVTPEAQFFPYAPQAISKVQPSSY
APQATPDSWPPSYGVCMEGSGKDSPTGTLSSPKHLRPGQLQKEPPAGSCMLGGLSLQEVTSIAM
EESQEAKSLHQPLGICTDRSDPNVLHSGEETPQYLKGQLPLLSSVQIEGHPMSLPLQPPSGPC
SPSDQGPSPWGGLLESIVCPKDEAKSPAPETSDLEQPTELDSLFRGLALTIVQWES

Signal sequence.

amino acids 1-17

Transmembrane domain.

amino acids 233-250

N-glycosylation sites.

amino acids 80-83, 87-90, 172-175

N-myristoylation sites.

amino acids 11-16, 47-52, 102-107, 531-536, 565-570

FIGURE 165

TGGCCTACTGGAAAAAAAAAAAAAAAAAAGTCACCCGGGCGCCGGTGGCCACAACATGG
CTGCGGGCGCCGGGGCTGCTCTTCTGGCTGTTCTGCTGGGGGCGCTCTGGTGGGTCCCGGGCCAG
TCGGATCTCAGCCACGGACGGCGTTTCTCGGACCTCAAAGTGTGCGGGGACGAAGAGTGCAGCAT
GTTAATGTACCGTGGGAAAGCTCTTGAAGACTTCACGGGCCCTGATTGTCGTTTTGTGAATTTTA
AAAAAGGTGACGATGTATATGTCTACTACAACTGGCAGGGGGATCCCTTGAACTTGGGCTGGA
AGTGTTGAACACAGTTTTGGATATTTCCAAAAGATTTGATCAAGGTACTTCATAAATACACGGA
AGAAGAGCTACATATTCAGCAGATGAGACAGACTTTGTCTGCTTTGAAGGAGGAAGAGATGATT
TTAATAGTTATAATGTAGAAGAGCTTTTAGGATCTTTGGAACTGGAGGACTCTGTACCTGAAGAG
TCGAAGAAAGCTGAAGAAGTTTCTCAGCACAGAGAGAAATCTCCTGAGGAGTCTCGGGGGCGTGA
ACTTGACCCTGTGCCTGAGCCCGAGGCATTGAGAGCTGATTGAGAGGATGGAGAAGGTGCTTTCT
CAGAGAGCACCAGGGGGCTGCAGGGACAGCCCTCAGCTCAGGAGAGCCACCCTCACACCAGCGGT
CCTGCGGCTAACGCTCAGGGAGTGCAGTCTTCGTTGGACACTTTTGAAGAAATTCTGCACGATAA
ATTGAAAGTGCCGGGAAGCGAAAGCAGAACTGGCAATAGTTCTCCTGCCTCGGTGGAGCGGGAGA
AGACAGATGCTTACAAAGTCCTGAAAACAGAAATGAGTCAGAGAGGAAGTGGACAGTGC GTTATT
CATTACAGCAAAGGATTTTCGTTGGCATCAAAATCTAAGTTTGT TTTTACAAAGATTGTTTTTAGTA
CTAAGCTGCCTTGGCAGTTTGCATTTTTGAGCCAAACAAAATATATTATTTTCCCTTCTAAGTA
AAAAAAAAAAAAAAAAAAAA

FIGURE 166

MAAAPGLLFWLFLVGLALWWVPGQSDLSHGRRFSDLKVCGDEECSMLMYRGKALEDFTGPDCRFVN
FKKGDDVYVYYKLAGGSLELWAGSVEHSFGYFPKDLIKVLHKYTEELHIPAETDFVCFEGGRD
DFNSYNVEELLGSLELEDSVPEESKKAEEVSQHREKSPEESRGRELDPVPEPEAFRAEDGEDGA
FSESTGLQGQPSAQESHPTSGPAANAQGVQSSLDTFEEILHDKLKVPGSESRTGNSSPASVER
EKTDAYKVLKTEMSQRGSGQCVIHYSKGFRWHQNLSLFYKDCF

Important features of the protein:

Signal peptide:

amino acids 1-22

N-glycosylation site.

amino acids 294-298

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 30-34

Tyrosine kinase phosphorylation site.

amino acids 67-76

N-myristoylation sites.

amino acids 205-211, 225-231, 277-283

Amidation site.

amino acids 28-32

FIGURE 167

CCAGGACCAGGGCGCACCGGCTCAGCCTCTCACTTGTTCAGAGGCCGGGGAAGAGAAGCAAAGCGC
AACGGTGTGGTCCAAGCCGGGGCTTCTGCTTCGCCTCTAGGACATACACGGGACCCCCCTAACTTC
AGTCCCCCAAACGCGCACCCCTCGAAGTCTTGAAGTCCAGCCCCGCACATCCACGCGCGGCACAGG
CGCGGCAGGCGGCAGGTCCCGGCCGAAGGCGATGCGCGCAGGGGGTCTGGGCAGCTGGGCTCGGGC
GGCGGGAGTAGGGCCCCGGCAGGGAGGCAGGGAGGCTGCATATTCAGAGTCGCGGGCTGCGCCCTG
GGCAGAGGCCGCCCTCGCTCCACGCAACACCTGCTGCTGCCACCGCGCCGCGATGAGCCGCGTGG
TCTCGCTGCTGCTGGGCGCCGCGCTGCTCTGCGGCCACGGAGCCTTCTGCCGCCGCGTGGTTCAGC
GGCCAAAAGGTGTGTTTTGCTGACTTCAAGCATCCCTGCTACAAAATGGCCTACTTCCATGAACT
GTCCAGCCGAGTGAGCTTTCAGGAGGCACGCTGGCTTGTGAGAGTGAGGGAGGAGTCCCTCCTCA
GCCTTGAGAATGAAGCAGAACAGAAGTTAATAGAGAGCATGTTGCAAAACCTGACAAAACCCGGG
ACAGGGATTTCTGATGGTGATTTCTGGATAGGGCTTTGGAGGAATGGAGATGGGCAAACATCTGG
TGCCTGCCCAGATCTCTACCAGTGGTCTGATGGAAGCAATTCCCAGTACCGAAACTGGTACACAG
ATGAACCTTCCTGCGGAAGTGAAAAGTGTGTTGTGATGTATCACCAACCAACTGCCAATCCTGGC
CTTGGGGGTCCCTACCTTTACCAGTGGAAATGATGACAGGTGTAACATGAAGCACAATTATATTTG
CAAGTATGAACCAGAGATTAATCCAACAGCCCCCTGTAGAAAAGCCTTATCTTACAAATCAACCAG
GAGACACCCATCAGAAATGTGGTTGTTACTGAAGCAGGTATAATTCCCAATCTAATTTATGTTGTT
ATACCAACAATACCCCTGCTCTTACTGATACTGGTTGCTTTTGGAACTGTTGTTTCCAGATGCT
GCATAAAAGTAAAGGAAGAACAACAACTAGTCCAAACCAGTCTACACTGTGGATTTCAAAGAGTA
CCAGAAAAGAAAGTGGCATGGAAGTATAATAACTCATTGACTTGGTTCCAGAATTTTGTAAATCT
GGATCTGTATAAGGAATGGCATCAGAACAATAGCTTGGAAATGGCTTGAAATCACAAAGGATCTGC
AAGATGAACTGTAAGCTCCCCCTTGAGGCAAAATATTAAAGTAATTTTTATATGTCTATTATTTCA
TTTAAAGAATATGCTGTGCTAATAATGGAGTGAGACATGCTTATTTTGCTAAAGGATGCACCCAA
ACTTCAAACCTTCAAGCAAATGAAATGGACAATGCAGATAAAGTTGTTATCAACACGTCGGGAGTA
TGTGTGTTAGAAGCAATTCCTTTTATTTCTTTTACCTTTTATAAGTTGTTATCTAGTCAATGTAA
TGTATATTGTATTGAAATTTACAGTGTGCAAAAGTATTTTACCTTTGCATAAGTGTGTTGATAAAA
ATGAACTGTTCTAATATTTATTTTATGGCATCTCATTTTCAATACATGCTCTTTTGATTAAAG
AACTTATTACTGTGTCAACTGAATTCACACACACACAAATATAGTACCATAGAAAAAGTTTGT
TTTCTCGAAATAATTCATCTTTCAGCTTCTCTGCTTTTGGTCAATGTCTAGGAAATCTCTTCAGA
AATAAGAAGCTATTTCAATTAAGTGTGATATAAACCTCCTCAAACATTTTACTTAGAGGCAAGGAT
TGTCTAATTTCAATTGTGCAAGACATGTGCCTTATAATTATTTTTAGCTTAAAATTAACAGATT
TTGTAATAATGTAACCTTTGTTAATAGGTGCATAAACACTAATGCAGTCAATTTGAACAAAAGAAG
TGACATACACAATATAAATCATATGTCTTCACACGTTGCCTATATAATGAGAAGCAGCTCTCTGA
GGGTTCTGAAATCAATGTGGTCCCTCTCTTGGCCACTAAACAAAGATGGTTGTTTCGGGGTTTGGG
ATTGACACTGGAGGCAGATAGTTGCAAAGTTAGTCTAAGGTTTCCCTAGCTGTATTTAGCCTCTG
ACTATATTAGTATACAAAGAGGTCATGTGGTTGAGACCAGGTGAATAGTCACTATCAGTGTGGAG
ACAAGCACAGCACACAGACATTTTAGGAAGGAAAGGAACTACGAAATCGTGTGAAAATGGGTTGG
AACCCATCAGTGATCGCATATTCATTGATGAGGGTTTGTCTGAGATAGAAAATGGTGGCTCCTTT
CTGTCTTATCTCCTAGTTTCTTCAATGCTTACGCTTGTCTTCTCAAGAGAAAGTTGTAACCTCT
CTGGTCTTCATATGTCCCTGTGCTCCTTTTAACCAATAAAGAGTTCTTGTCTTCTGGGGGAAAAA
AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA

FIGURE 168

MSRVVSLLLGAALLCGHGAFRRVVSQGKVCFADFKHPCYKMAYFHELSSRVSFQEARLACESE
GGVLLSLENEAEQKLIESMLQNLTKPGTGISDGDGFWIGLWRNGDGQTSGACPDLYQWSDGSNSQ
YRNWYTDEPSCGSEKCVVMYHQPTANPGLGGPYLYQWNDDRCNMKHNYICKYEPEINPTAPVEK
PYLTNQPGDTHQNVVVTEAGIIPNLIYVVIPTIPLLLLILVAFGTCCFQMLHKSKGRTKTSPNQ
STLWISKSTRKESGMEV

Important features of the protein:

Signal peptide:

amino acids 1-21

Transmembrane domain:

amino acids 214-235

N-glycosylation sites.

amino acids 86-89, 255-258

cAMP- and cGMP-dependent protein kinase phosphorylation site.

amino acids 266-269

N-myristoylation sites.

amino acids 27-32, 66-71, 91-96, 93-98, 102-107, 109-114, 140-145, 212-217